

Subject index

- α_1 **antitrypsin** Bilateral central retinal artery occlusion in Wegener's granulomatosis and α_1 antitrypsin deficiency, **476**
- ab externo trabeculectomy**, Confocal microscopic examination of trabecular meshwork removed during ab externo trabeculectomy, **1046**
- Acanthamoeba**, Acanthamoeba keratitis in England and Wales: incidence, outcome, and risk factors, **536**
Acanthamoeba and disinfecting contact lens solutions, **1461**
Anti-Acanthamoeba efficacy in contact lens disinfecting systems, **1319**
Viability of Acanthamoeba after exposure to a multipurpose disinfecting contact lens solution and two hydrogen peroxide systems, **144**
- accidents**, Vision impairment and older drivers: who's driving?, **1118**
- acitretin**, Rapid improvement of chronic interstitial keratitis with acitretin, **1445**
- active transport**, Diabetic macular oedema: the effect of photocoagulation on fluorescein transport across the blood-retinal barrier, **1139**
- acupuncture**, Complication of acupuncture in a patient with Behçet's disease, **476**
- acute anterior uveitis**, Bilateral acute anterior uveitis after alendronate, **1443**
- adenoviral vector**, A new delivery system for 5-fluorouracil using prodrug and converting enzyme, **581**
- adjuvant therapy**, Preoperative topical and intraoperative local mitomycinC adjuvant therapy in the management of ocular surfaceneoplasias, **31**
- adults**, Dacryocystorhinostomy for partial nasolacrimal obstruction, **1068**
External dacryocystorhinostomy for the treatment of acquired partial nasolacrimal obstruction in adults, **533**
- aetiology**, The aetiology of perforating ocular injuries in children, **920**
- Africa**, Does prospective monitoring improve cataract surgery outcomes in Africa?, **543**
Glaucoma in west Africa: a neglected problem, **131**
Ocular disease in patients with tuberculosis and HIV presenting with fever in Africa, **1076**
- age related macular degeneration**, Cataract surgery and quality of life in patients with age related macular degeneration, **1330**
Choroidal perfusion perturbations in non-neovascular age related macular degeneration, **209**
Eligibility for treatment and angiographic features at the early stage of exudative age related macular degeneration, **663**
Face recognition in age related macular degeneration: perceived disability, measured disability, and performance with a bioptic device, **1019**
Identifying the proportion of age related macular degeneration patients who would benefit from photodynamic therapy with verteporfin (Visudyne), **118**
CST3 genotype associated with exudative age related macular degeneration, **214**
Retinal topography and thickness mapping in atrophic age related macular degeneration, **623**
- albino**, Motor and sensory characteristics of infantile nystagmus, **1152**
- aldose reductase inhibitor**, Improvement of corneal fluorescein staining in post cataract surgery of diabetic patients by an oral aldose reductase inhibitor, ONO-2235, **860**
- alendronate**, Bilateral acute anterior uveitis after alendronate, **1443**
- allergic conjunctivitis**, Exertion of the suppressive effects of IFN- γ on experimental immune mediated blepharoconjunctivitis in Brown Norway rats during the induction phase but not the effector phase, **1166**
- allergy**, Expression of T lymphocyte chemoattractants and activation markers in vernal keratoconjunctivitis, **1175**
Inflamed juvenile conjunctival naevus: clinicopathological characterisation, **28**
- amblyopia**, Design of the Monitored Occlusion Treatment of Amblyopia Study (MOTAS), **915**
Examination of young children with Lea symbols, **513**
Factors influencing visual outcome in anisometropic amblyopes, **1278**
Long term visual outcome in amblyopia treatment, **1148**
- Americas**, Blindness and visual impairment in the Americas and the Caribbean, **498**
- amikacin**, Macular infarction after intravitreal amikacin: mounting evidence against amikacin, **359**
- amniotic membrane**, Ex vivo preservation and expansion of human limbal epithelial stem cells on amniotic membrane cultures, **463**
- amniotic membrane transplantation**, Amniotic membrane transplantation for necrotising conjunctival ulceration following subconjunctival atropine injection, **1316**
Amniotic membrane transplantation for reconstruction after excision of large ocular surface neoplasias, **640**
Amniotic membrane transplantation, **1460**
- anaemic retinopathy**, Bilateral serous macular detachment in a patient with anaemic retinopathy secondary to gall bladder cancer, **1456**
- analgesia**, Entonox as an analgesic agent during panretinal photocoagulation, **1107**
- Anderson procedure**, Modified Anderson procedure for correcting abnormal mixed head position in nystagmus, **267**
- angiogenesis**, Angiotensin II and vascular endothelial growth factor in the vitreous fluid of patients with proliferative diabetic retinopathy, **311**
Uveal melanomas express vascular endothelial growth factor and basic fibroblast growth factor and support endothelial cell growth, **440**
Vascular endothelial growth factor is elevated in ocular fluids of eyes harbouring uveal melanoma: identification of a potential therapeutic window, **448**
- angiography**, Diabetic macular oedema: a comparison of vitreous fluorometry, angiography, and retinopathy, **316**
- angiotensin II**, Angiotensin II and vascular endothelial growth factor in the vitreous fluid of patients with proliferative diabetic retinopathy, **311**
- angle closure glaucoma**, Acute angle closure glaucoma following the use of intranasal cocaine during dacryocystorhinostomy, **1312**
- animal experiments**, Is there a place for animal experiments?, **5**
- anisometropia**, Factors influencing visual outcome in anisometropic amblyopes, **1278**
- anterior chamber angle**, Biometric gonioscopy and the effects of age, race, and sex on the anterior chamber angle, **18**
- anterior chamber depth**, A new non-contact optical device for ocular biometry, **458**
- anterior chamber reformation**, Combined perfluoropropane gas and viscoelastic material injection for anterior chamber reformation following trabeculectomy, **1225**
- anterior subcapsular cataract**, TGF β induces morphological and molecular changes similar to human anterior subcapsular cataract, **220**
- anterior uveitis**, Bilateral anterior uveitis as a presenting manifestation of sarcoidosis and syphilis, **930**
Bilateral non-specific orbital inflammation (orbital "pseudotumour"), posterior scleritis, and anterior uveitis associated with hypothyroidism in a child, **936**
Systemic inflammation and innate immune response in patients with previous anterior uveitis, **412**
- anti-angiogenic therapy**, Anti-angiogenic therapy for uveal melanoma—more haste, less speed, **368**
- anti-inflammatory fibrosis suppression**, Anti-inflammatory fibrosis suppression in threatened trabeculectomy bleb failure produces good long term control of intraocular pressure without risk of sight threatening complications, **1352**
- anti-inflammatory treatment**, Effects of dexamethasone, diclofenac, or placebo on the inflammatory response after cataract surgery, **1380**
- antioxidant vitamins**, Protective role of oral antioxidant supplementation in ocular surface of diabetic patients, **1369**
- antiproliferative agents**, Microscopic fragmentation of ophthalmic surgical sponge spears used for delivery of antiproliferative agents in glaucoma filtering surgery, **1448**
- antique ophthalmic instruments**, Antique ophthalmic instruments and books: the Royal College Museum, **602**
- apoptosis**, Adenovirus mediated gene delivery of tissue inhibitor of metalloproteinases-3 induces death in retinal pigment epithelial cells, **97**
Value of two mortality assessment techniques for organ cultured corneal endothelium: trypan blue versus TUNEL technique, **306**
- appraisal**, The determination of sample size in controlled clinical trials in ophthalmology, **946**
- aqueous humour**, Concentration of intravitreally injected triamcinolone acetonide in aqueous humour, **1066**
Neutrophil accumulation correlates with type IV collagenase/gelatinase activity in endotoxin induced uveitis, **290**
- aqueous**, Anti-inflammatory fibrosis suppression in threatened trabeculectomy bleb failure produces good long term control of intraocular pressure without risk of sight threatening complications, **1352**
- argon photocoagulation**, Extrascleral extension of a choroidal melanoma after argon photocoagulation and transpupillary thermotherapy, **358**

- arteriovenous nicking**, Retinal microvascular abnormalities and blood pressure in older people: the Cardiovascular Health Study, **1007**
- Aspergillus**, Aetiology of suppurative corneal ulcers in Ghana and south India, and epidemiology of fungal keratitis, **1211**
- astigmatism**, Astigmatism and the analysis of its surgical correction, **1458**
Visual outcome in corneal grafts: a preliminary analysis of the Swedish Corneal Transplant Register, **174**
- ataxia**, Ataxia and vision loss: flow cytometric diagnosis of primary central nervous system lymphoma, **246**
- atherosclerosis**, The relation of atherosclerotic cardiovascular disease to retinopathy in people with diabetes in the Cardiovascular Health Study, **84**
- atopic cataract**, Frequency of ciliary body or retinal breaks and retinal detachment in eyes with atopic cataract, **898**
- atrophy**, Retinal topography and thickness mapping in atrophic age related macular degeneration, **623**
- atropine**, Amniotic membrane transplantation for necrotising conjunctival ulceration following subconjunctival atropine injection, **1316**
- autofluorescence**, Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study, **1099**
- autoimmune reaction**, Uveitis initiating an autoimmune reaction resulting in Goodpasture's syndrome in a Chinese man, **1188**
- autologous serum**, Autologous serum in epithelial defects: reply, **1459**
- autosomal dominant retinitis pigmentosa**, A novel mutation of the RP1 gene (Lys778Ter) associated with autosomal dominant retinitis pigmentosa, **328**
- axial length**, A new non-contact optical device for ocular biometry, **458**
Measurement of axial length of eyes with incomplete filling of silicone oil in the vitreous cavity using x ray computed tomography, **47**
- β blockers** Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? Conclusion, **695**
Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? The controversy, **691**
Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? View 1, **692**
Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? View 2, **693**
- β galactosidase** Senescence associated β galactosidase activity in human retinal pigment epithelial cells exposed to mild hyperoxia in vitro, **159**
- bacteria**, Commensal ocular bacteria degrade mucins, **1412**
- bandage contact lens**, Treatment of superior limbic keratoconjunctivitis with a unilateral bandage contact lens, **485**
- basal cell carcinoma**, A reappraisal of cryosurgery for eyelid basal cell carcinomas, **453**
- basic fibroblast growth factor**, Uveal melanomas express vascular endothelial growth factor and basic fibroblast growth factor and support endothelial cell growth, **440**
Vascular endothelial growth factor is elevated in ocular fluids of eyes harbouring uveal melanoma: identification of a potential therapeutic window, **448**
- BCG immunotherapy**, Bilateral uveitis after intravesical BCG immunotherapy for bladder carcinoma, **706**
- Beaver Dam Eye Study**, Relation of ocular trauma to cortical, nuclear, and posterior subcapsular cataracts: the Beaver Dam Eye Study, **152**
- Behçet's disease**, Complication of acupuncture in a patient with Behçet's disease, **476**
High dose intravenous steroid therapy for severe posterior segment uveitis in Behçet's disease, **521**
- Behçet's syndrome**, The incidence and pathology of conjunctival ulceration in Behçet's syndrome, **140**
- benzalkonium chloride**, Corneal toxicity secondary to inadvertent use of benzalkonium chloride preserved viscoelastic material in cataract surgery, **299**
Periorbital dermatitis as a side effect of topical dorzolamide, **378**
- bifocals**, Myopia: attempts to arrest progression, **1306**
- bilateral blindness**, Acute bilateral blindness caused by accidental methanol intoxication during fire "eating", **1064**
- bilateral exudative retinopathy**, Bilateral exudative retinopathy as the initial manifestation of retinitis pigmentosa, **116**
- bilateral serous macular detachment**, Bilateral serous macular detachment in a patient with anaemic retinopathy secondary to gall bladder cancer, **1456**
- biometric gonioscopy**, Biometric gonioscopy and the effects of age, race, and sex on the anterior chamber angle, **18**
- biometry**, Evaluation of the validity and reliability of A-scan ultrasound biometry with a single use disposable cover, **344**
- biotypes**, Biotypes and serotypes of *Haemophilus influenzae* ocular isolates, **276**
- birdshot retinochoroidopathy**, A bird in the hand . . . , **1324**
Histopathology of birdshot retinochoroidopathy, **1439**
- bladder carcinoma**, Bilateral uveitis after intravesical BCG immunotherapy for bladder carcinoma, **706**
- blebitis**, Should we vaccinate for glaucoma surgery?, **479**
- blepharoptosis**, Aetiology and surgical treatment of childhood blepharoptosis, **1282**
- blind spot**, Unilateral enlargement of the blind spot: a diagnostic dilemma, **936**
- blindness**, A population based eye survey of older adults in Tirunelveli district of south India: blindness, cataract surgery, and visual outcomes, **505**
Blindness and visual impairment in the Americas and the Caribbean, **498**
Cataract blindness in Turkmenistan: results of a national survey, **1207**
Costs and gains of complex procedures to rehabilitate end stage ocular surface disease, **1220**
Prevalence of blindness and low vision in Malaysian population: results from the National Eye Survey 1996, **951**
Screening for retinopathy of prematurity, **1127**
Survey of blindness and visual impairment in Bioko, Equatorial Guinea, **257**
The prevalence and causes of blindness in the Sultanate of Oman: the Oman Eye Study (OES), **957**
Vision impairment in the Pacific region, **605**
- blinking**, Blinking and operating: cognition versus vision, **479**
- blood bottles**, Sensitivity and rapidity of blood culture bottles in the detection of cornea organ culture media contamination by bacteria and fungi, **1422**
- blood flow**, The first technique for non-invasive measurements of volumetric ophthalmic artery blood flow in humans, **1216**
- blood pressure**, Blood pressure control and diabetic retinopathy, **365**
Retinal microvascular abnormalities and blood pressure in older people: the Cardiovascular Health Study, **1007**
- blood-retinal barrier**, Diabetic macular oedema: a comparison of vitreous fluorometry, angiography, and retinopathy, **316**
Diabetic macular oedema: the effect of photocoagulation on fluorescein transport across the blood-retinal barrier, **1139**
- Blue Mountains Eye Study**, Factors associated with undercorrected refractive errors in an older population: the Blue Mountains Eye Study, **1041**
- bone derived hydroxyapatite**, Long term follow up of bone derived hydroxyapatite orbital implants, **1287**
- Bonnet-Dechaume-Blanc syndrome**, Spontaneous involution of retinal and intracranial arteriovenous malformation in Bonnet-Dechaume-Blanc syndrome, **360**
- book reviews**, GJ Gladstone, EH Black, S Myint, BG Brazzo, eds. Oculoplastic Surgery Atlas. Eyelid Disorders., **942**
J Harry, G Mission, eds. Clinical Ophthalmic Pathology., **487**
L Alien, H Stanley Thompson, JC Folk, eds. The Hole In My Vision: An Artist's View Of His Own Macular Degeneration., **833**
WE Alberli, G Richard, RH Sagerman, eds. Age Related Macular Degeneration—Current Treatment Concept., **486**
- botulinum toxin**, Botulinum toxin treatment for hyperlacrimation secondary to aberrant regenerated seventh nerve palsy or salivary gland transplantation, **43**
- bovine pericardium**, A perspective on bovine pericardium for orbital implants, **1068**
A perspective on bovine pericardium for orbital implants, **1193**
Use of bovine pericardium as a wrapping material for hydroxyapatite orbital implants, **288**
- brimonidine**, Effect of latanoprost 0.005% and brimonidine tartrate 0.2% on pulsatile ocular blood flow in normal tension glaucoma, **1236**
- Britain**, The overseas ophthalmologist in Britain, **255**
- British Ophthalmological Surveillance Unit**, A few remarks about glaucoma, **836**
- bronchogenic carcinoid**, Uveal metastasis 43 years after resection of bronchogenic carcinoid, **1191**
- bronchospasm**, Central serous chorioretinopathy after inhaled steroid use for post-mycoplasmal bronchospasm, **1065**
- brush cytology**, Protective role of oral antioxidant supplementation in ocular surface of diabetic patients, **1369**
- buprenorphine**, Presumed ocular candidiasis in drug misusers after intravenous use of oral high dose buprenorphine (Subutex), **940**
- calibrated crush**, Quantification of histological changes after calibrated crush of the intraorbital optic nerve in rats, **233**
- capillary density**, Capillary density and retinal diameter measurements and their impact on altered retinal circulation in glaucoma: a digital fluorescein angiographic study, **429**
- cardiovascular disease**, Atherosclerotic cardiovascular disease and diabetic retinopathy, **3**
- cardiovascular risk factors**, Clinical characteristics of retinal venous occlusions occurring at different sites, **572**
- Caribbean**, Blindness and visual impairment in the Americas and the Caribbean, **498**
- caroticoavernous sinus fistula**, Anomalous venous drainage of a plexiform (pial) arteriovenous malformation mimicking an indirect caroticoavernous sinus fistula, **702**
- carotid endarterectomy**, Resolution of proliferative venous stasis retinopathy after carotid endarterectomy, **117**

- catalase**, Modulation of hydrogen peroxide induced injury to corneal endothelium by virus mediated catalase gene transfer, **1058**
- cataract outcomes**, Visual acuity and quality of life outcomes in cataract surgery patients in Hong Kong, **12**
- cataract surgery**, A comparative assessment of endothelium from pseudophakic and phakic donor corneas stored in organ culture, **400**
- A population based eye survey of older adults in Tirunelveli district of south India: blindness, cataract surgery, and visual outcomes, **505**
- Cataract surgery and quality of life in patients with age related macular degeneration, **1330**
- Choroidal detachment induced by dorzolamide 20 years after cataract surgery, **1457**
- Corneal toxicity secondary to inadvertent use of benzalkonium chloride preserved viscoelastic material in cataract surgery, **299**
- Day 1 review following cataract surgery: are we seeing the precise details?, **481**
- Does prospective monitoring improve cataract surgery outcomes in Africa?, **543**
- Improvement of corneal fluorescein staining in post cataract surgery of diabetic patients by an oral aldose reductase inhibitor, ONO-2235, **860**
- Predicting the refractive outcome after cataract surgery: the comparison of different IOLs and SRK-II v SRK-T, **620**
- Preoperative management in cataract surgery for high myopes, **1459**
- Prevalence of visual impairment, blindness, and cataract surgery in the Hong Kong elderly, **133**
- TGF β -Smad signalling in postoperative human lens epithelial cells, **1428**
- The Auckland Cataract Study: co-morbidity, surgical techniques, and clinical outcomes in a public hospital service, **185**
- The use of surgical facemasks during cataract surgery: is it necessary?, **975**
- cataract**, A prospective, case controlled study of the natural history of diabetic retinopathy and maculopathy after uncomplicated phacoemulsification cataract surgery in patients with type 2 diabetes, **565**
- Cataract blindness in Turkmenistan: results of a national survey, **1207**
- Childbearing and risk of cataract in young women: an epidemiological study in central India, **548**
- Enhanced expression of transglutaminase 2 in anterior polar cataracts and its induction by TGF- β in vitro, **1293**
- Eye healthcare services in eastern Europe: Part 1 Cataract surgery, **847**
- Increased mortality in women with cataract: a population based follow up of the North London Eye Study, **424**
- Moderate visual impairment in India: the Andhra Pradesh Eye Disease Study, **373**
- Quality of care from the perspective of the cataract patient: the reliability and validity of the QUOTE-Cataract, **840**
- The prevalence and causes of blindness in the Sultanate of Oman: the Oman Eye Study (OES), **957**
- caudal epidural injection**, Unilateral vitreous haemorrhage secondary to caudal epidural injection: a variant of Terson's syndrome, **353**
- cell cycle kinetics**, Ex vivo preservation and expansion of human limbal epithelial stem cells on amniotic membrane cultures, **463**
- cell death**, Value of two mortality assessment techniques for organ cultured corneal endothelium: trypan blue versus TUNEL technique, **306**
- cell proliferation**, DMSO mimics inhibitory effect of thalidomide on choriocapillary endothelial cell proliferation in culture, **1303**
- cell shrinkage**, Psychophysical characterisation of early functional loss in glaucoma and ocular hypertension, **1131**
- central corneal thickness**, IOP measurement and central corneal thickness, **120**
- central retinal artery occlusion**, Bilateral central retinal artery occlusion in Wegener's granulomatosis and α_1 antitrypsin deficiency, **476**
- Henoch-Schonlein purpura with bilateral central retinal artery occlusion, **351**
- central retinal vein occlusion**, Intravitreal triamcinolone acetate for macular oedema due to central retinal vein occlusion, **247**
- Peripheral retinochoroidal anastomosis after central retinal vein occlusion, **1446**
- central serous retinopathy**, Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study, **1099**
- chemokines**, Expression of T lymphocyte chemoattractants and activation markers in vernal keratoconjunctivitis, **1175**
- chemotherapy**, Retinoblastoma treated with primary chemotherapy alone: the significance of tumour size, location, and age, **80**
- chiasmal damage**, Traumatic enucleation with chiasmal damage: magnetic resonance image findings and response to steroids, **1317**
- chickenpox neuroretinitis**, Chickenpox neuroretinitis in a 9 year old child, **475**
- childbearing**, Childbearing and risk of cataract in young women: an epidemiological study in central India, **548**
- childhood**, An evaluation of baseline risk factors predicting severity in juvenile idiopathic arthritis associated uveitis and other chronic anterior uveitis in early childhood, **51**
- children**, Aetiology and surgical treatment of childhood blepharoptosis, **1282**
- Bilateral non-specific orbital inflammation (orbital "pseudotumour"), posterior scleritis, and anterior uveitis associated with hypothyroidism in a child, **936**
- Chickenpox neuroretinitis in a 9 year old child, **475**
- Examination of young children with Lea symbols, **513**
- Heart defects and ocular anomalies in children with Down's syndrome, **1367**
- Inflamed juvenile conjunctival naevus: clinicopathological characterisation, **28**
- Pleomorphic adenoma of the lacrimal gland in a 10 year old girl, **249**
- Retinoblastoma treated with primary chemotherapy alone: the significance of tumour size, location, and age, **80**
- Retinopathy of prematurity: recent advances in our understanding, **696**
- The aetiology of perforating ocular injuries in children, **920**
- Use of Lea symbols in young children, **489**
- Uveitis and juvenile arthritis, **1**
- Chinese**, Are there more exotropes than esotropes in Hong Kong?, **835**
- Changing patterns of strabismus: a decade of experience in Hong Kong, **854**
- Education, socioeconomic status, and ocular dimensions in Chinese adults: the Tanjong Pagar Survey, **963**
- Knowledge about cataract, glaucoma, and age related macular degeneration in the Hong Kong Chinese population, **1080**
- Polypoidal choroidal vasculopathy in Chinese patients, **892**
- Uveitis initiating an autoimmune reaction resulting in Goodpasture's syndrome in a Chinese man, **1188**
- choriocapillary endothelial cells**, DMSO mimics inhibitory effect of thalidomide on choriocapillary endothelial cell proliferation in culture, **1303**
- chorioretinal anastomosis**, Peripheral retinochoroidal anastomosis after central retinal vein occlusion, **1446**
- chorioretinal topography**, Retinal topography and thickness mapping in atrophic age related macular degeneration, **623**
- choroid**, Uveal melanomas express vascular endothelial growth factor and basic fibroblast growth factor and support endothelial cell growth, **440**
- choroidal abnormalities**, Choroidal abnormalities in neurofibromatosis type 1 with non-invasive infrared imaging, **482**
- choroidal detachment**, Choroidal detachment induced by dorzolamide 20 years after cataract surgery, **1457**
- choroidal dystrophy**, Central areolar choroidal dystrophy associated with dominantly inherited drusen, **91**
- choroidal ischaemic infarction**, Choroidal ischaemic infarction following ocular contusion with small framed spectacles: Hutchinson-Siegrist-Neubauer syndrome, **1319**
- choroidal melanoma**, Extrascleral extension of a choroidal melanoma after argon photocoagulation and transpupillary thermotherapy, **358**
- choroidal naevus**, Mode of presentation and time to treatment of uveal melanoma in Finland, **333**
- choroidal neovascularisation**, Intravitreal triamcinolone in recurrence of choroidal neovascularisation, **600**
- TTT for occult CNV: check the power!, **1194**
- choroidal neurofibroma**, Corkscrew retinal vessels in neurofibromatosis type 1: report of 12 cases, **282**
- choroidal perfusion perturbations**, Choroidal perfusion perturbations in non-neovascular age related macular degeneration, **209**
- choroidal vasculopathy**, Polypoidal choroidal vasculopathy in Chinese patients, **892**
- choroideraemia**, Retrospective, longitudinal, and cross sectional study of visual acuity impairment in choroideraemia, **658**
- choroiditis**, Unilateral enlargement of the blind spot: a diagnostic dilemma, **936**
- chromosome 22**, Iris coloboma and a microdeletion of chromosome 22: del(22)(q11.22), **1316**
- chronic open angle glaucoma**, Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? Conclusion, **695**
- Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? The controversy, **691**
- Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? View 1, **692**
- Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? View 2, **693**
- cidofovir**, Successful treatment of squamous cell carcinoma of the lower eyelid with intralesional cidofovir, **932**
- ciliary body breaks**, Frequency of ciliary body or retinal breaks and retinal detachment in eyes with atopic cataract, **898**

- ciliary body**, Renin-angiotensin system expression and secretory function in cultured human ciliary body non-pigmented epithelium, **676**
 Ultrasound biomicroscopic study of ciliary body changes in the post-treatment phase of Vogt-Koyanagi-Harada disease, **1374**
- cilio-retinal artery**, Can a cilio-retinal artery influence diabetic maculopathy?, **1252**
- clinical outcomes**, The Auckland Cataract Study: co-morbidity, surgical techniques, and clinical outcomes in a public hospital service, **185**
- clinical trials**, High risk corneal grafting, **945**
- cognition**, Blinking and operating: cognition versus vision, **479**
- Cohen syndrome**, The ophthalmic findings in Cohen syndrome, **1395**
- colour Doppler imaging**, Follow up by colour Doppler imaging of 102 patients with retinal vein occlusion over 1 year, **1243**
 The first technique for non-invasive measurements of volumetric ophthalmic artery blood flow in humans, **1216**
- colour vision defect**, Acquired colour vision deficiency in patients receiving digoxin maintenance therapy, **1259**
- commotio retinae**, Optical coherence tomography imaging of severe commotio retinae and associated macular hole, **473**
- comorbidities**, Quality of life and systemic comorbidities in patients with ophthalmic disease, **8**
- complications**, Serious corneoscleral complications after pterygium excision with mitomycin C, **357**
- computed tomography scan**, Liposarcoma of the orbit presenting as an enlarged medial rectus muscle on CT scan, **1450**
- computer simulation**, Frequency of testing for detecting visual field progression, **560**
- confocal laser scanning tomography**, Is the nasal optic disc sector important for morphometric glaucoma diagnosis?, **1232**
- confocal microscopy**, Confocal microscopic examination of trabecular meshwork removed during ab externo trabeculectomy, **1046**
- congenital cataract**, Changes in visual acuity from 4 to 12 years of age in children operated for bilateral congenital cataracts, **1385**
- congenital corneal opacification**, Clinicopathological correlation of congenital corneal opacification using ultrasound biomicroscopy, **62**
- congenital nystagmus**, Motor and sensory characteristics of infantile nystagmus, **1152**
- conjunctiva**, Conjunctival changes associated with yellow nail syndrome, **930**
 Dramatic regression of conjunctival and corneal acquired melanosis with topical mitomycin C, **244**
 Expression of T lymphocyte chemoattractants and activation markers in vernal keratoconjunctivitis, **1175**
 Inflamed juvenile conjunctival naevus: clinicopathological characterisation, **28**
 Primary monophasic synovial sarcoma of the conjunctiva, **1453**
 Squamous cell carcinoma of the conjunctiva: a series of 26 cases, **168**
 Squamous cell carcinoma of the conjunctiva, **1462**
- conjunctival impression cytology**, Sodium hyaluronate eye drops of different osmolality for the treatment of dry eye in Sjögren's syndrome patients, **879**
- conjunctival infiltration**, Presumed hypersensitivity to minocycline and conjunctival infiltration, **1313**
- conjunctival melanoma**, Conjunctival melanoma, **127**
 Prognostic value of clinical and histopathological parameters in conjunctival melanomas: a retrospective study, **163**
- conjunctival squamous cell carcinoma**, 20 MHz high frequency ultrasound assessment of scleral and intraocular conjunctival squamous cell carcinoma, **632**
- conjunctival ulceration**, Amniotic membrane transplantation for necrotising conjunctival ulceration following subconjunctival atropine injection, **1316**
 The incidence and pathology of conjunctival ulceration in Behçet's syndrome, **140**
- contact lens disinfecting systems**, Anti-*Acanthamoeba* efficacy in contact lens disinfecting systems, **1319**
- contact lens solution**, Viability of *Acanthamoeba* after exposure to a multipurpose disinfecting contact lens solution and two hydrogen peroxide systems, **144**
- contact lens solutions**, *Acanthamoeba* and disinfecting contact lens solutions, **1461**
- contact lenses**, Myopia: attempts to arrest progression, **1306**
- contact lens**, Commensal ocular bacteria degrade mucins, **1412**
- convergence excess esotropia**, Controversy in the management of convergence excess esotropia, **923**
- corkscrew retinal vessels**, Corkscrew retinal vessels in neurofibromatosis type 1: report of 12 cases, **282**
- cornea**, Analysing the various obstacles to cornea postmortem procurement, **864**
 Clinical and morphological features including expression of biglycan and keratan sulphate proteoglycans in Maroteaux-Lamy syndrome type B and in normal cornea, **147**
 Corneal electrolysis for recurrence of corneal stromal dystrophy after keratoplasty, **273**
 Diamond burr superficial keratectomy for recurrent corneal erosions, **296**
 Influence of post-LASIK corneal healing on scanning laser polarimetric measurement of the retinal nerve fibre layer thickness, **627**
 Melatonin MT-1-receptor immunoreactivity in the human eye, **1053**
 Modulation of hydrogen peroxide induced injury to corneal endothelium by virus mediated catalase gene transfer, **1058**
 Phototherapeutic keratectomy re-treatment for recurrent corneal erosion syndrome, **270**
 Quantifying corneal endothelial cell death, **1068**
 Sensitivity and rapidity of blood culture bottles in the detection of cornea organ culture media contamination by bacteria and fungi, **1422**
 Value of two mortality assessment techniques for organ cultured corneal endothelium: trypan blue versus TUNEL technique, **306**
 Vanishing corneal epithelial crystals following thalidomide induced resolution of myeloma related paraproteinaemia, **1315**
- corneal curvature**, A new non-contact optical device for ocular biometry, **458**
- corneal endothelium**, A comparative assessment of endothelium from pseudophakic and phakic donor corneas stored in organ culture, **400**
 Cornea procurement from very old donors: post organ culture cornea outcome and recipient graft outcome, **404**
- corneal graft**, Evaluation of corneal graft rejection in a mouse model, **108**
 Visual outcome in corneal grafts: a preliminary analysis of the Swedish Corneal Transplant Register, **174**
- corneal melt**, Corneal melt and perforation secondary to floppy eyelid syndrome in the presence of rheumatoid arthritis, **483**
- corneal opacities**, Trypan blue assisted phacoemulsification in corneal opacities, **857**
- corneal scar**, Corneal tattooing: an alternative treatment for disfiguring corneal scars, **397**
 Corneal tattooing, **1461**
- corneal tattooing**, Corneal tattooing: an alternative treatment for disfiguring corneal scars, **397**
 Corneal tattooing, **1461**
- corneal toxicity**, Corneal toxicity secondary to inadvertent use of benzalkonium chloride preserved viscoelastic material in cataract surgery, **299**
- corneal transplant surgery**, Outcome of corneal transplantation: can a prioritisation system predict outcome?, **57**
- corneal transplantation**, Analysing the various obstacles to cornea postmortem procurement, **864**
 Outcome of corneal transplantation, **2**
 Systemic cyclosporin A in high failure risk, repeated corneal transplantation, **988**
 The outcome of corneal grafting in patients with stromal keratitis of herpetic and non-herpetic origin, **646**
- corneal ulceration**, Recurrent corneal ulceration as late complication of toxic keratitis, **245**
 Recurrent corneal ulcerations with perforation in keratitis follicularis (Darier-White disease), **1192**
- corneoscleral fibrous histiocytoma**, Corneoscleral fibrous histiocytoma, **477**
- coronary heart disease**, Hypertensive retinopathy and incident coronary heart disease in high risk men, **1002**
- costs**, Costs and gains of complex procedures to rehabilitate end stage ocular surface disease, **1220**
- Creutzfeldt-Jakob disease**, Evaluation of the validity and reliability of A-scan ultrasound biometry with a single use disposable cover, **344**
- cryosurgery**, A reappraisal of cryosurgery for eyelid basal cell carcinomas, **453**
- CST3 gene**, CST3 genotype associated with exudative age related macular degeneration, **214**
- cycloablation**, Long term results of diode laser cycloablation in complex glaucoma using the Zeiss Visulas II system, **39**
- cyclodestructive procedures**, Pathology of cyclodiode laser: a series of nine enucleated eyes, **381**
- cyclodiode laser therapy**, Cyclodiode laser therapy to control intraocular pressure during pregnancy, **1318**
- cyclodiode**, Pathology of cyclodiode laser: a series of nine enucleated eyes, **381**
- cyclophotocoagulation**, Pathology of cyclodiode laser: a series of nine enucleated eyes, **381**
- cyclosporin A**, Systemic cyclosporin A in high failure risk, repeated corneal transplantation, **988**
- cystatin C**, CST3 genotype associated with exudative age related macular degeneration, **214**
- cytokine**, S antigen specific effector T cell activation detected by cytokine flow cytometry, **517**
- cytomegalovirus**, Should active CMV retinitis in non-immunocompromised newborn babies be treated?, **248**
- cytosine deaminase**, A new delivery system for 5-fluorouracil using prodrug and converting enzyme, **581**

- dacryocystorhinostomy**, Acute angle closure glaucoma following the use of intranasal cocaine during dacryocystorhinostomy, **1312**
Dacryocystorhinostomy for partial nasolacrimal obstruction, **1068**
External dacryocystorhinostomy for the treatment of acquired partial nasolacrimal obstruction in adults, **533**
- Darier-White disease**, Recurrent corneal ulcerations with perforation in keratosis follicularis (Darier-White disease), **1192**
- day case surgery**, Immediately sequential phacoemulsification performed under topical anaesthesia as day case procedures, **1356**
- decision making**, Clinical decision making in ophthalmology, **599**
- deep lamellar keratoplasty**, Fixed dilated pupil following deep lamellar keratoplasty (Urrets-Zavalía syndrome), **115**
- degeneration**, Quantification of histological changes after calibrated crush of the intraorbital optic nerve in rats, **233**
- demography**, Changing patterns of strabismus: a decade of experience in Hong Kong, **854**
- diabetes mellitus**, Protective role of oral antioxidant supplementation in ocular surface of diabetic patients, **1369**
Pupillary autonomic denervation and diabetes mellitus, **1319**
The Hermann-Hering grid illusion demonstrates disruption of lateral inhibition processing in diabetes mellitus, **203**
- diabetes**, Can a cilio-retinal artery influence diabetic maculopathy?, **1252**
Diabetic macular oedema: a comparison of vitreous fluorometry, angiography, and retinopathy, **316**
Diabetic macular oedema: the effect of photocoagulation on fluorescein transport across the blood-retinal barrier, **1139**
Improvement of corneal fluorescein staining in post cataract surgery of diabetic patients by an oral aldose reductase inhibitor, ONO-2235, **860**
Inhibitory effect of losartan, an AT1 angiotensin II receptor antagonist, on increased leucocyte entrapment in retinal microcirculation of diabetic rats, **1172**
The relation of atherosclerotic cardiovascular disease to retinopathy in people with diabetes in the Cardiovascular Health Study, **84**
- diabetic autonomic neuropathy**, Acute postural drop in optic nerve perfusion after vitrectomy and gas in a patient with diabetic autonomic neuropathy, **473**
- diabetic maculopathy**, A prospective, case controlled study of the natural history of diabetic retinopathy and maculopathy after uncomplicated phacoemulsification cataract surgery in patients with type 2 diabetes, **565**
Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study, **1099**
- diabetic retinopathy**, A prospective, case controlled study of the natural history of diabetic retinopathy and maculopathy after uncomplicated phacoemulsification cataract surgery in patients with type 2 diabetes, **565**
Atherosclerotic cardiovascular disease and diabetic retinopathy, **3**
Blood pressure control and diabetic retinopathy, **365**
Correlation between erythrocyte aldose reductase level and human diabetic retinopathy, **1363**
Diabetic retinopathy among self reported diabetics in southern India: a population based assessment, **1014**
Entonox as an analgesic agent during panretinal photocoagulation, **1107**
Eye healthcare services in eastern Europe: Part 2 Vitreoretinal surgical services, **851**
Is diabetic retinopathy an inflammatory disease?, **363**
Loss of myelinated retinal nerve fibres in diabetic retinopathy, **1447**
The relation of atherosclerotic cardiovascular disease to retinopathy in people with diabetes in the Cardiovascular Health Study, **84**
- diamond burr**, Diamond burr superficial keratectomy for recurrent corneal erosions, **296**
- digoxin**, Acquired colour vision deficiency in patients receiving digoxin maintenance therapy, **1259**
- diode laser**, Long term results of diode laser cycloablation in complex glaucoma using the Zeiss Visulas II system, **39**
- disability**, Face recognition in age related macular degeneration: perceived disability, measured disability, and performance with a bioptic device, **1019**
- Discam**, Agreement in assessing optic discs with a digital stereoscopic optic disc camera (Discam) and Heidelberg retina tomograph, **196**
- distichiasis**, How double eyelashes give you swollen legs, **1074**
- DMSO**, DMSO mimics inhibitory effect of thalidomide on choriocapillary endothelial cell proliferation in culture, **1303**
- dominantly inherited drusen**, Central areolar choroidal dystrophy associated with dominantly inherited drusen, **91**
- donor age**, Influencing factors on chronic endothelial cell loss characterised in a homogeneous group of patients, **35**
- dorzolamide**, Choroidal detachment induced by dorzolamide 20 years after cataract surgery, **1457**
Periorbital dermatitis as a side effect of topical dorzolamide, **378**
- dose-response**, Design of the Monitored Occlusion Treatment of Amblyopia Study (MOTAS), **915**
- Down's syndrome**, Heart defects and ocular anomalies in children with Down's syndrome, **1367**
- driving**, Changing visual standards in driving: but a high proportion of eye patients still drive illegally, **1454**
Relation between perceived driving disability and scores of vision screening tests, **1262**
Vision impairment and older drivers: who's driving?, **1118**
- drug addicts**, Presumed ocular candidiasis in drug misusers after intravenous use of oral high dose buprenorphine (Subutex), **940**
- drug delivery**, Lyophilisates for drug delivery in ophthalmology: pharmacokinetics of fluorescein in the human anterior segment, **1114**
Ultrasound biomicroscopic study of sclerotomy sites after implantation of sustained release drug devices, **869**
- drusen**, Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study, **1099**
- dry eye**, Costs and gains of complex procedures to rehabilitate end stage ocular surface disease, **1220**
Long term treatment with sodium hyaluronate-containing artificial tears reduces ocular surface damage in patients with dry eye, **181**
Prevalence and risk factors associated with dry eye symptoms: a population based study in Indonesia, **1347**
Surgical punctal occlusion: a prospective study, **1031**
Treatment of non-inflamed obstructive meibomian gland dysfunction by an infrared warm compression device, **1403**
- dyslipidaemia**, The relation of atherosclerotic cardiovascular disease to retinopathy in people with diabetes in the Cardiovascular Health Study, **84**
- Eales' disease**, Full panretinal photocoagulation and early vitrectomy improve prognosis of retinal vasculitis associated with tuberculo-protein hypersensitivity (Eales' disease), **1248**
- eastern Europe**, Eye healthcare services in eastern Europe: Part 1 Cataract surgery, **847**
Eye healthcare services in eastern Europe: Part 2 Vitreoretinal surgical services, **851**
- echography**, Interobserver and intraobserver variability of measurements of uveal melanomas using standardised echography, **1390**
- ectopia lentis**, Identification of *FBN1* gene mutations in patients with ectopia lentis and marfanoid habitus, **1359**
- education**, Education, socioeconomic status, and ocular dimensions in Chinese adults: the Tanjong Pagar Survey, **963**
- electrophoresis**, Corneal electrolysis for recurrence of corneal stromal dystrophy after keratoplasty, **273**
- emmetropisation**, Emmetropisation following preterm birth, **1035**
- encephalocraniocutaneous lipomatosis**, A case of encephalocraniocutaneous lipomatosis, **934**
- endophthalmitis**, Should we vaccinate for glaucoma surgery?, **479**
- endophthalmitis** *Rhodotorula rubra* endophthalmitis in an HIV positive patient, **1444**
- endoscopic cyclophotocoagulation**, Endoscopic cyclophotocoagulation, **1434**
- endothelial cell death**, Quantifying corneal endothelial cell death, **1068**
- endothelial cell loss**, Influencing factors on chronic endothelial cell loss characterised in a homogeneous group of patients, **35**
- endothelin-1**, Serum homocysteine level is increased and correlated with endothelin-1 and nitric oxide in Behçet's disease, **653**
- endothelium**, Modulation of hydrogen peroxide induced injury to corneal endothelium by virus mediated catalase gene transfer, **1058**
Value of two mortality assessment techniques for organ cultured corneal endothelium: trypan blue versus TUNEL technique, **306**
- England and Wales**, Acanthamoeba keratitis in England and Wales: incidence, outcome, and risk factors, **536**
- Entonox**, Entonox as an analgesic agent during panretinal photocoagulation, **1107**
- enucleation**, Long term follow up of bone derived hydroxyapatite orbital implants, **1287**
Pathology of cyclodiode laser: a series of nine enucleated eyes, **381**
Traumatic enucleation with chiasmal damage: magnetic resonance image findings and response to steroids, **1317**
Use of bovine pericardium as a wrapping material for hydroxyapatite orbital implants, **288**
- eosinophilic fasciitis**, Two rare causes of posterior ischaemic optic neuropathy: eosinophilic fasciitis and Wegener's granulomatosis, **1066**
- eosinophil**, Exertion of the suppressive effects of IFN- γ on experimental immune mediated blepharoconjunctivitis in Brown Norway rats during the induction phase but not the effector phase, **1166**
- epidemiology**, Childbearing and risk of cataract in young women: an epidemiological study in central India, **548**
Prevalence of visual impairment, blindness, and cataract surgery in the Hong Kong elderly, **133**

- Pterygium in Indonesia: prevalence, severity and risk factors, **1341**
- The prevalence and causes of blindness in the Sultanate of Oman: the Oman Eye Study (OES), **957**
- Visual acuity and quality of life outcomes in cataract surgery patients in Hong Kong, **12**
- epilation**, Longitudinal study of trichomatous trichiasis in the Gambia, **339**
- epiphora**, External dacryocystorhinostomy for the treatment of acquired partial nasolacrimal obstruction in adults, **533**
- epiretinal membrane**, Epiretinal pathology of vitreomacular traction syndrome, **902**
- epithelial defects**, Autologous serum in epithelial defects: reply, **1459**
- epithelial hyperplasia**, Primary iris pigment epithelial hyperplasia and glaucoma, **352**
- epithelium**, Ex vivo preservation and expansion of human limbal epithelial stem cells on amniotic membrane cultures, **463**
- Renin-angiotensin system expression and secretory function in cultured human ciliary body non-pigmented epithelium, **676**
- Equatorial Guinea**, Survey of blindness and visual impairment in Bioko, Equatorial Guinea, **257**
- erosion**, Diamond burr superficial keratectomy for recurrent corneal erosions, **296**
- Phototherapeutic keratectomy re-treatment for recurrent corneal erosion syndrome, **270**
- erythrocyte aldose reductase**, Correlation between erythrocyte aldose reductase level and human diabetic retinopathy, **1363**
- erythropoietic porphyria**, Need for measurement of porphyrins in teardrops in patients with congenital erythropoietic porphyria, **1188**
- European ophthalmology**, European ophthalmology from a British perspective, **128**
- ex vivo expansion**, Ex vivo preservation and expansion of human limbal epithelial stem cells on amniotic membrane cultures, **463**
- excimer**, Phototherapeutic keratectomy re-treatment for recurrent corneal erosion syndrome, **270**
- excision**, Amniotic membrane transplantation for reconstruction after excision of large ocular surface neoplasias, **640**
- extended wear contact lenses**, Microbial keratitis associated with extended wear of silicone hydrogel contact lenses, **355**
- extracapsular cataract extraction**, Surgically induced diffuse scleritis: comparison of incidence in phacoemulsification and conventional extracapsular cataract extraction, **701**
- exudative detachment**, Total exudative detachment as a first presentation of von Hippel Lindau disease, **701**
- eye banks**, Outcome of corneal transplantation: can a prioritisation system predict outcome?, **57**
- eye disease**, Knowledge about cataract, glaucoma, and age related macular degeneration in the Hong Kong Chinese population, **1080**
- eye drops**, Lyophilisates for drug delivery in ophthalmology: pharmacokinetics of fluorescein in the human anterior segment, **1114**
- Myopia: attempts to arrest progression, **1306**
- eye movements**, Clinical and ocular motor analysis of the infantile nystagmus syndrome in the first 6 months of life, **670**
- eye**, Dramatic regression of conjunctival and corneal acquired melanosis with topical mitomycin C, **244**
- Uveal melanomas express vascular endothelial growth factor and basic fibroblast growth factor and support endothelial cell growth, **440**
- Vascular endothelial growth factor is elevated in ocular fluids of eyes harbouring uveal melanoma: identification of a potential therapeutic window, **448**
- eyelashes**, How double eyelashes give you swollen legs, **1074**
- eyelid squamous cell carcinoma**, Squamous cell carcinoma of the eyelids, **1161**
- eyelid**, Successful treatment of squamous cell carcinoma of the lower eyelid with intralesional cidofovir, **932**
- A reappraisal of cryosurgery for eyelid basal cell carcinomas, **453**
- 5-fluorocytosine**, A new delivery system for 5-fluorouracil using prodrug and converting enzyme, **581**
- 5-fluorouracil**, A new delivery system for 5-fluorouracil using prodrug and converting enzyme, **581**
- face recognition**, Face recognition in age related macular degeneration: perceived disability, measured disability, and performance with a bioptic device, **1019**
- Farnsworth-Munsell 100 hue test**, New Farnsworth-Munsell 100 hue test norms of normal observers for each year of age 5-22 and for age decades 30-70, **1408**
- fibillin-1**, Identification of *FBN1* gene mutations in patients with ectopia lentis and marfanoid habitus, **1359**
- fibronectin**, Enhanced expression of transglutaminase 2 in anterior polar cataracts and its induction by TGF- β in vitro, **1293**
- fibrosis suppression**, Postoperative fibrosis suppression, **1323**
- fibrosis**, Anti-inflammatory fibrosis suppression in threatened trabeculectomy bleb failure produces good long term control of intraocular pressure without risk of sight threatening complications, **1352**
- filtering surgery**, A new delivery system for 5-fluorouracil using prodrug and converting enzyme, **581**
- filtration bleb**, Remodelling the filtration bleb, **872**
- Finland**, Uveal melanoma: Finland v India, **1193**
- fixed dilated pupil**, Fixed dilated pupil following deep lamellar keratoplasty (Urrets-Zavalía syndrome), **115**
- floppy eyelid syndrome**, Corneal melt and perforation secondary to floppy eyelid syndrome in the presence of rheumatoid arthritis, **483**
- flow cytometry**, S antigen specific effector T cell activation detected by cytokine flow cytometry, **517**
- fluorescein angiography**, Capillary density and retinal diameter measurements and their impact on altered retinal circulation in glaucoma: a digital fluorescein angiographic study, **429**
- Eligibility for treatment and angiographic features at the early stage of exudative age related macular degeneration, **663**
- fluorescein**, Diabetic macular oedema: a comparison of vitreous fluorometry, angiography, and retinopathy, **316**
- Diabetic macular oedema: the effect of photocoagulation on fluorescein transport across the blood-retinal barrier, **1139**
- Improvement of corneal fluorescein staining in post cataract surgery of diabetic patients by an oral aldose reductase inhibitor, ONO-2235, **860**
- fluorophotometry**, A new technique for tear film fluorophotometry, **616**
- foreign bodies**, Ultrasound biomicroscopy: "fisherman's tale", **1445**
- foveal pseudovitelliform lesion**, Idiopathic parafoveal telangiectasis associated with a foveal pseudovitelliform lesion, **1455**
- Fusarium solani**, *Fusarium solani* keratitis following LASIK for myopia, **1190**
- Fusarium**, Aetiology of suppurative corneal ulcers in Ghana and south India, and epidemiology of fungal keratitis, **1211**
- gains**, Costs and gains of complex procedures to rehabilitate end stage ocular surface disease, **1220**
- gall bladder cancer**, Bilateral serous macular detachment in a patient with anaemic retinopathy secondary to gall bladder cancer, **1456**
- Gambia**, Longitudinal study of trichomatous trichiasis in the Gambia, **339**
- ganciclovir implants**, Ultrasound biomicroscopic study of sclerotomy sites after implantation of sustained release drug devices, **869**
- ganglion cell**, Melatonin MT-1-receptor immunoreactivity in the human eye, **1053**
- gene analysis**, Novel nonsense mutation (Tyr44stop) of the Norrie disease gene in a Japanese family, **1452**
- gene therapy**, A new delivery system for 5-fluorouracil using prodrug and converting enzyme, **581**
- Gene therapy: new "magic bullets" to prevent ocular scarring, **490**
- gene transfer**, Adenovirus mediated gene delivery of tissue inhibitor of metalloproteinases-3 induces death in retinal pigment epithelial cells, **97**
- Modulation of hydrogen peroxide induced injury to corneal endothelium by virus mediated catalase gene transfer, **1058**
- geriatrics**, Knowledge about cataract, glaucoma, and age related macular degeneration in the Hong Kong Chinese population, **1080**
- Ghana**, *Acanthamoeba* keratitis in Ghana, **1187**
- giant cell arteritis**, Effect of prior steroid treatment on temporal artery biopsy findings in giant cell arteritis, **530**
- Rapidly developing intimal fibrosis mimicking giant cell arteritis, **114**
- glaucoma filtering surgery**, Microscopic fragmentation of ophthalmic surgical sponge spears used for delivery of antiproliferative agents in glaucoma filtering surgery, **1448**
- glaucoma**, A few remarks about glaucoma, **836**
- Additive effect of unoprostone and latanoprost in patients with elevated intraocular pressure, **75**
- Glaucoma in west Africa: a neglected problem, **131**
- Long term results of diode laser cycloablation in complex glaucoma using the Zeiss Visulas II system, **39**
- Optic disc cup slope and visual field indices in normal, ocular hypertensive and early glaucomatous eyes, **555**
- Pathology of cyclodiode laser: a series of nine enucleated eyes, **381**
- Periorbital dermatitis as a side effect of topical dorzolamide, **378**
- Plasma vascular endothelial growth factor, soluble VEGF receptor FLT-1, and von Willebrand factor in glaucoma, **1299**
- Prevalence of ocular symptoms and signs with preserved and preservative free glaucoma medication, **418**
- Primary iris pigment epithelial hyperplasia and glaucoma, **352**
- Psychophysical characterisation of early functional loss in glaucoma and ocular hypertension, **1131**
- Pulsatile ocular blood flow: the effect of the Valsalva manoeuvre in open angle and normal tension glaucoma: a case report and prospective study, **1089**
- Should we vaccinate for glaucoma surgery?, **479**
- Specificity and sensitivity of glaucoma detection in the Japanese population using scanning laser polarimetry, **70**

- Spontaneous venous pulsations should be monitored during glaucoma therapy, **1187**
- The definition and classification of glaucoma in prevalence surveys, **238**
- The effects of new topical treatments on management of glaucoma in Scotland: an examination of ophthalmological health care, **551**
- glycosaminoglycan**, Clinical and morphological features including expression of big-h3 and keratan sulphate proteoglycans in Maroteaux-Lamy syndrome type B and in normal cornea, **147**
- Goodpasture's syndrome**, Uveitis initiating an autoimmune reaction resulting in Goodpasture's syndrome in a Chinese man, **1188**
- graft infection**, Risk factors for graft infection in India: a case-control study, **261**
- graft survival**, Cornea procurement from very old donors: post organ culture cornea outcome and recipient graft outcome, **404**
- granular corneal dystrophy**, Corneal electrolysis for recurrence of corneal stromal dystrophy after keratoplasty, **273**
- guidelines**, Screening for retinopathy of prematurity: evaluation and modification of guidelines, **1399**
- haemodynamic evolution**, Follow up by colour Doppler imaging of 102 patients with retinal vein occlusion over 1 year, **1243**
- haemodynamics**, Effect of latanoprost 0.005% and brimonidine tartrate 0.2% on pulsatile ocular blood flow in normal tension glaucoma, **1236**
- Haemophilus influenzae**, Biotypes and serotypes of *Haemophilus influenzae* ocular isolates, **276**
- Haemophilus influenzae* corneal ulcer associated with atopic keratoconjunctivitis and herpes simplex keratitis, **478**
- Haemophilus influenzae type b**, Should we vaccinate for glaucoma surgery?, **479**
- head turn**, Modified Anderson procedure for correcting abnormal mixed head position in nystagmus, **267**
- health insurance**, Utilisation of eye care services by urban and rural Australians, **24**
- health service utilisation**, Utilisation of eye care services by urban and rural Australians, **24**
- heart defects**, Heart defects and ocular anomalies in children with Down's syndrome, **1367**
- Heidelberg retina tomograph**, Agreement in assessing optic discs with a digital stereoscopic optic disc camera (Discam) and Heidelberg retina tomograph, **196**
- heliotropism**, Latent heliotropism, **1327**
- Henoch-Schonlein purpura**, Henoch-Schonlein purpura with bilateral central retinal artery occlusion, **351**
- hepatolenticular degeneration**, Dense Kayser-Fleischer ring in asymptomatic Wilson's disease (hepatolenticular degeneration), **114**
- Hermann-Hering grid illusion**, The Hermann-Hering grid illusion demonstrates disruption of lateral inhibition processing in diabetes mellitus, **203**
- herpes simplex keratitis**, *Haemophilus influenzae* corneal ulcer associated with atopic keratoconjunctivitis and herpes simplex keratitis, **478**
- herpes simplex virus**, The outcome of corneal grafting in patients with stromal keratitis of herpetic and non-herpetic origin, **646**
- high dose intravenous steroid therapy**, High dose intravenous steroid therapy for severe posterior segment uveitis in Behçet's disease, **521**
- high frequency ultrasound**, Ultrasound biomicroscopy and its value in predicting the long term outcome of viscocanalostomy, **997**
- high myopes**, Preoperative management in cataract surgery for high myopes, **1459**
- histopathology**, Polypoidal choroidal vasculopathy treated with macular translocation: clinical pathological correlation, **321**
- HIV**, *Rhodotorula rubra* endophthalmitis in an HIV positive patient, **1444**
- Ocular disease in patients with tuberculosis and HIV presenting with fever in Africa, **1076**
- homocysteine**, Serum homocysteine level is increased and correlated with endothelin-1 and nitric oxide in Behçet's disease, **653**
- Hong Kong**, Are there more exotropes than esotropes in Hong Kong?, **835**
- Changing patterns of strabismus: a decade of experience in Hong Kong, **854**
- Prevalence of visual impairment, blindness, and cataract surgery in the Hong Kong elderly, **133**
- Visual acuity and quality of life outcomes in cataract surgery patients in Hong Kong, **12**
- human resistance arteries**, Systemic vascular endothelial cell dysfunction in normal pressure glaucoma, **227**
- humans**, Effect of inhalation of different mixtures of O₂ and CO₂ on retinal blood flow, **1143**
- The first technique for non-invasive measurements of volumetric ophthalmic artery blood flow in humans, **1216**
- Hutchinson-Siegrist-Neubauer-syndrome**, Choroidal ischaemic infarction following ocular contusion with small framed spectacles: Hutchinson-Siegrist-Neubauer-syndrome, **1319**
- hyaluronic acid**, Long term treatment with sodium hyaluronate-containing artificial tears reduces ocular surface damage in patients with dry eye, **181**
- hydrocephalus**, Measurement of optic nerve sheath diameter by ultrasound: a means of detecting acute raised intracranial pressure in hydrocephalus, **1109**
- hydrogen peroxide**, Viability of *Acanthamoeba* after exposure to a multipurpose disinfecting contact lens solution and two hydrogen peroxide systems, **144**
- hydroxyapatite implant**, Complications of motility peg placement for porous hydroxyapatite orbital implants, **394**
- hydroxyapatite**, Use of bovine pericardium as a wrapping material for hydroxyapatite orbital implants, **288**
- hydroxychloroquine**, Phototoxic maculopathy following uneventful cataract surgery in a predisposed patient, **705**
- hyperbaric cataract**, Development of myopia as a hazard for workers in pneumatic caissons, **1274**
- hyperbaric oxygen**, Development of myopia as a hazard for workers in pneumatic caissons, **1274**
- hyperlacrimation**, Botulinum toxin treatment for hyperlacrimation secondary to aberrant regenerated seventh nerve palsy or salivary gland transplantation, **43**
- hyperoxia-hypercapnia**, Effect of inhalation of different mixtures of O₂ and CO₂ on retinal blood flow, **1143**
- hyperoxia**, Effect of inhalation of different mixtures of O₂ and CO₂ on retinal blood flow, **1143**
- hyperplastic primary vitreous**, Novel nonsense mutation (Tyr44stop) of the Norrie disease gene in a Japanese family, **1452**
- hypersensitivity**, Presumed hypersensitivity to minocycline and conjunctival infiltration, **1313**
- hypertensive retinopathy**, Hypertensive retinopathy and incident coronary heart disease in high risk men, **1002**
- Retinal microvascular abnormalities and blood pressure in older people: the Cardiovascular Health Study, **1007**
- hypotonic solution**, Sodium hyaluronate eye drops of different osmolarity for the treatment of dry eye in Sjögren's syndrome patients, **879**
- ICAM-1**, Neutrophils and leucocyte adhesion molecules in sickle cell retinopathy, **684**
- idiopathic parafoveal telangiectasis**, Idiopathic parafoveal telangiectasis associated with a foveal pseudoviteliform lesion, **1455**
- immune privilege**, Retinal pigment epithelial cells phagocytosis of T lymphocytes: possible implication in the immune privilege of the eye, **1417**
- immunity**, Systemic inflammation and innate immune response in patients with previous anterior uveitis, **412**
- impression cytology**, Long term treatment with sodium hyaluronate-containing artificial tears reduces ocular surface damage in patients with dry eye, **181**
- India**, Diabetic retinopathy among self reported diabetics in southern India: a population based assessment, **1014**
- Moderate visual impairment in India: the Andhra Pradesh Eye Disease Study, **373**
- Ocular complications in newly diagnosed borderline lepromatous and lepromatous leprosy patients: baseline profile of the Indian cohort, **1336**
- Uveal melanoma: Finland v India, **1193**
- indocyanine green angiography**, Clinicopathological correlation of polypoidal choroidal vasculopathy revealed by ultrastructural study, **1093**
- infantile nystagmus**, Clinical and ocular motor analysis of the infantile nystagmus syndrome in the first 6 months of life, **670**
- Motor and sensory characteristics of infantile nystagmus, **1152**
- infants**, Childhood myasthenia gravis in an infant, **704**
- Emmetropisation following preterm birth, **1035**
- Severe macular pucker after retinal detachment surgery in an infant, **354**
- Should active CMV retinitis in non-immunocompromised newborn babies be treated?, **248**
- infectious uveitis**, Iris nodules associated with infectious uveitis, **969**
- inflammation**, In vivo production of interferon β by human Tenon's fibroblasts; a possible mediator for the development of chronic conjunctival inflammation, **611**
- Neutrophil accumulation correlates with type IV collagenase/gelatinase activity in endotoxin induced uveitis, **290**
- Systemic inflammation and innate immune response in patients with previous anterior uveitis, **412**
- inflammatory disease**, Is diabetic retinopathy an inflammatory disease?, **363**
- interferon β** , In vivo production of interferon β by human Tenon's fibroblasts; a possible mediator for the development of chronic conjunctival inflammation, **611**
- interferon γ** , Exertion of the suppressive effects of IFN- γ on experimental immune mediated blepharoconjunctivitis in Brown Norway rats during the induction phase but not the effector phase, **1166**

- interleukin 1**, Retinal pigment epithelial cells phagocytosis of T lymphocytes: possible implication in the immune privilege of the eye, **1417**
- internal limiting membrane**, Macular configuration determined by optical coherence tomography after idiopathic macular hole surgery with or without internal limiting membrane peeling, **1240**
Vision threatening vitreous haemorrhage after internal limiting membrane peeling in macular surgeries, **1449**
- internet**, Are we on a voyage to the unknown?, **253**
- interstitial keratitis**, Rapid improvement of chronic interstitial keratitis with acitretin, **1445**
- intimal fibrosis**, Rapidly developing intimal fibrosis mimicking giant cell arteritis, **114**
- intracranial arteriovenous malformation**, Spontaneous involution of retinal and intracranial arteriovenous malformation in Bonnet-Dechaume-Blanc syndrome, **360**
- intranasal cocaine**, Acute angle closure glaucoma following the use of intranasal cocaine during dacryocystorhinostomy, **1312**
- intraocular lens**, A comparative assessment of endothelium from pseudophakic and phakic donor corneas stored in organ culture, **400**
Late opacification of SC60B-OUV acrylic intraocular lenses, **484**
- intraocular pressure**, Cyclodiode laser therapy to control intraocular pressure during pregnancy, **1318**
Effect of a YAG laser iridotomy on intraocular pressure in pigmentary glaucoma, **1443**
IOP measurement and central corneal thickness, **120**
Long term results of diode laser cycloablation in complex glaucoma using the Zeiss Visulas II system, **39**
- intraocular surgery**, Changes in visual acuity from 4 to 12 years of age in children operated for bilateral congenital cataracts, **1385**
- intravitreal injection**, Concentration of intravitreally injected triamcinolone acetonide in intraocular silicone oil, **1450**
- iridociliary cysts**, Multiple iridociliary cysts in patients with mucopolysaccharidoses, **933**
- iris coloboma**, Focal limbal stem cell deficiency corresponding to an iris coloboma, **1451**
Iris coloboma and a microdeletion of chromosome 22: del(22)(q11.22), **1316**
- iris colour**, Incidence of iris colour change in latanoprost treated eyes, **1085**
- iris nodules**, Iris nodules associated with infectious uveitis, **969**
- iris pigment**, Primary iris pigment epithelial hyperplasia and glaucoma, **352**
- isovolaemic haemodilution**, Follow up by colour Doppler imaging of 102 patients with retinal vein occlusion over 1 year, **1243**
- Japanese family**, Novel nonsense mutation (Tyr44stop) of the Norrie disease gene in a Japanese family, **1452**
- Japanese population**, Specificity and sensitivity of glaucoma detection in the Japanese population using scanning laser polarimetry, **70**
- journalology**, Are we on a voyage to the unknown?, **253**
- junior ophthalmologists**, Visual results and complications of temporal incision phacoemulsification performed with the non-dominant left hand by junior ophthalmologists, **1222**
- jurisprudence**, Analysing the various obstacles to cornea post-mortem procurement, **864**
- juvenile idiopathic arthritis**, An evaluation of baseline risk factors predicting severity in juvenile idiopathic arthritis associated uveitis and other chronic anterior uveitis in early childhood, **51**
Uveitis and juvenile arthritis, **1**
- Kayser-Fleischer ring**, Dense Kayser-Fleischer ring in asymptomatic Wilson's disease (hepatolenticular degeneration), **114**
- keratectasia**, Keratectasia after PTK, **486**
- keratectomy**, Diamond burr superficial keratectomy for recurrent corneal erosions, **296**
- keratitis**, Acanthamoeba keratitis in England and Wales: incidence, outcome, and risk factors, **536**
Aetiology of suppurative corneal ulcers in Ghana and south India, and epidemiology of fungal keratitis, **1211**
Acanthamoeba keratitis in Ghana, **1187**
Fusarium solani keratitis following LASIK for myopia, **1190**
Spontaneous reduction in myopic correction following varicella disciform stromal keratitis, **939**
The outcome of corneal grafting in patients with stromal keratitis of herpetic and non-herpetic origin, **646**
- keratoconjunctivitis**, *Haemophilus influenzae* corneal ulcer associated with atopic keratoconjunctivitis and herpes simplex keratitis, **478**
- keratoplasty**, Influencing factors on chronic endothelial cell loss characterised in a homogeneous group of patients, **35**
- keratosis follicularis**, Recurrent corneal ulcerations with perforation in keratosis follicularis (Darier-White disease), **1192**
- lacrimal gland**, Pleomorphic adenoma of the lacrimal gland in a 10 year old girl, **249**
- lacrimal scintigraphy**, External dacryocystorhinostomy for the treatment of acquired partial nasolacrimal obstruction in adults, **533**
- language**, Utilisation of eye care services by urban and rural Australians, **24**
- laser flare photometry**, Effects of dexamethasone, diclofenac, or placebo on the inflammatory response after cataract surgery, **1380**
- laser photocoagulation**, Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study, **1099**
Eligibility for treatment and angiographic features at the early stage of exudative age related macular degeneration, **663**
Polypoidal choroidal vasculopathy in Chinese patients, **892**
- laser photocoagulation**, Intravitreal triamcinolone in subfoveal recurrence of choroidal neovascularisation after laser treatment in macular degeneration, **527**
- LASIK**, Influence of post-LASIK corneal healing on scanning laser polarimetric measurement of the retinal nerve fibre layer thickness, **627**
Fusarium solani keratitis following LASIK for myopia, **1190**
- latanoprost**, Additive effect of unoprostone and latanoprost in patients with elevated intraocular pressure, **75**
Effect of latanoprost 0.005% and brimonidine tartrate 0.2% on pulsatile ocular blood flow in normal tension glaucoma, **1236**
Incidence of iris colour change in latanoprost treated eyes, **1085**
- lateral inhibition processing**, The Hermann-Hering grid illusion demonstrates disruption of lateral inhibition processing in diabetes mellitus, **203**
- Lea symbols**, Examination of young children with Lea symbols, **513**
Use of Lea symbols in young children, **489**
- Leber hereditary optic neuropathy**, Increase of mitochondrial DNA in blood cells of patients with Leber's hereditary optic neuropathy with 11778 mutation, **1027**
- legislation**, Analysing the various obstacles to cornea post-mortem procurement, **864**
- lens epithelial cell**, TGF β -Smad signalling in postoperative human lens epithelial cells, **1428**
- lens epithelium**, Enhanced expression of transglutaminase 2 in anterior polar cataracts and its induction by TGF- β in vitro, **1293**
- leprosy**, Ocular complications in newly diagnosed borderline lepromatous and lepromatous leprosy patients: baseline profile of the Indian cohort, **1336**
- leucocytes**, Inhibitory effect of losartan, an AT1 angiotensin II receptor antagonist, on increased leucocyte entrapment in retinal microcirculation of diabetic rats, **1172**
- levofloxacin**, Vitreous penetration of levofloxacin in the uninfamed phakic human eye, **387**
- limbal stem cell deficiency**, Focal limbal stem cell deficiency corresponding to an iris coloboma, **1451**
- limbic keratoconjunctivitis**, Treatment of superior limbic keratoconjunctivitis with a unilateral bandage contact lens, **485**
- limbus**, Ex vivo preservation and expansion of human limbal epithelial stem cells on amniotic membrane cultures, **463**
- linear regression**, Frequency of testing for detecting visual field progression, **560**
- lipopolysaccharide**, Neutrophil accumulation correlates with type IV collagenase/gelatinase activity in endotoxin induced uveitis, **290**
- liposarcoma**, Liposarcoma of the orbit presenting as an enlarged medial rectus muscle on CT scan, **1450**
- London**, Increased mortality in women with cataract: a population based follow up of the North London Eye Study, **424**
- losartan**, Inhibitory effect of losartan, an AT1 angiotensin II receptor antagonist, on increased leucocyte entrapment in retinal microcirculation of diabetic rats, **1172**
- Lotmar visometer**, Prediction of visual outcome after retinal detachment surgery using the Lotmar visometer, **278**
- low birth weight**, Screening for retinopathy of prematurity, **1127**
- low vision**, Prevalence of blindness and low vision in Malaysian population: results from the National Eye Survey 1996, **951**
Vision impairment in the Pacific region, **605**
- lymphocytoma cutis**, Cutaneous presentation of orbital follicular lymphoma: clinical differential diagnosis with lymphocytoma cutis, **596**
- lymphoedema**, How double eyelashes give you swollen legs, **1074**
- lyophilisate**, Lyophilisates for drug delivery in ophthalmology: pharmacokinetics of fluorescein in the human anterior segment, **1114**
- macular degeneration**, Adenovirus mediated gene delivery of tissue inhibitor of metalloproteinases-3 induces death in retinal pigment epithelial cells, **97**
Intravitreal triamcinolone in subfoveal recurrence of choroidal neovascularisation after laser treatment in macular degeneration, **527**
- macular hole surgery**, Macular configuration determined by optical coherence tomography after idiopathic macular hole surgery with or without internal limiting membrane peeling, **1240**
- macular hole**, Combining phacoemulsification with vitrectomy for treatment of macular holes, **876**
Macular hole and myopic refraction, **1269**

- Macular hole size as a prognostic factor in macular hole surgery, **390**
- Optical coherence tomography imaging of severe commotio retinae and associated macular hole, **473**
- macular infarction**, Macular infarction after intravitreal amikacin: mounting evidence against amikacin, **359**
- macular oedema**, Intravitreal triamcinolone acetonide for macular oedema due to central retinal vein occlusion, **247**
- macular pucker**, Severe macular pucker after retinal detachment surgery in an infant, **354**
- macular translocation**, Limited macular translocation with scleral retraction suture, **434**
- Polypoidal choroidal vasculopathy treated with macular translocation: clinical pathological correlation, **321**
- maculopathy**, Can a cilio-retinal artery influence diabetic maculopathy?, **1252**
- magnetic resonance imaging**, Traumatic enucleation with chiasmal damage: magnetic resonance image findings and response to steroids, **1317**
- magnocellular**, Psychophysical characterisation of early functional loss in glaucoma and ocular hypertension, **1131**
- Malaysian**, Prevalence of blindness and low vision in Malaysian population: results from the National Eye Survey 1996, **951**
- manifest latent nystagmus**, Motor and sensory characteristics of infantile nystagmus, **1152**
- Marfan syndrome**, Identification of *FBN1* gene mutations in patients with ectopia lentis and marfanoid habitus, **1359**
- Maroteaux-Lamy syndrome**, Clinical and morphological features including expression of β ig-h3 and keratan sulphate proteoglycans in Maroteaux-Lamy syndrome type B and in normal cornea, **147**
- medial rectus muscle**, Liposarcoma of the orbit presenting as an enlarged medial rectus muscle on CT scan, **1450**
- meibomian carcinoma**, Sebaceous carcinoma of the eyelid: a rarity worth considering, **243**
- meibomian gland dysfunction**, Treatment of non-inflamed obstructive meibomian gland dysfunction by an infrared warm compression device, **1403**
- melanoma**, Dramatic regression of conjunctival and corneal acquired melanosis with topical mitomycin C, **244**
- Use of bovine pericardium as a wrapping material for hydroxyapatite orbital implants, **288**
- Uveal melanomas express vascular endothelial growth factor and basic fibroblast growth factor and support endothelial cell growth, **440**
- Vascular endothelial growth factor is elevated in ocular fluids of eyes harbouring uveal melanoma: identification of a potential therapeutic window, **448**
- melanosis**, Dramatic regression of conjunctival and corneal acquired melanosis with topical mitomycin C, **244**
- melatonin receptor**, Melatonin MT-1-receptor immunoreactivity in the human eye, **1053**
- men**, Hypertensive retinopathy and incident coronary heart disease in high risk men, **1002**
- metalloproteinases**, Neutrophil accumulation correlates with type IV collagenase/gelatinase activity in endotoxin induced uveitis, **290**
- methanol intoxication**, Acute bilateral blindness caused by accidental methanol intoxication during fire "eating", **1064**
- mice**, TGF β induces morphological and molecular changes similar to human anterior subcapsular cataract, **220**
- microbial keratitis**, Aetiology of microbial keratitis in northern Tanzania, **941**
- Microbial keratitis associated with extended wear of silicone hydrogel contact lenses, **355**
- Risk factors for graft infection in India: a case-control study, **261**
- microcirculation**, Capillary density and retinal diameter measurements and their impact on altered retinal circulation in glaucoma: a digital fluorescein angiographic study, **429**
- microdeletion syndrome**, Iris coloboma and a microdeletion of chromosome 22: del(22)(q11.22), **1316**
- micrographic surgery**, A reappraisal of cryosurgery for eyelid basal cell carcinomas, **453**
- microphotocoagulation**, Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study, **1099**
- minocycline**, Presumed hypersensitivity to minocycline and conjunctival infiltration, **1313**
- mitochondrial DNA**, Increase of mitochondrial DNA in blood cells of patients with Leber's hereditary optic neuropathy with 11778 mutation, **1027**
- mitomycin C**, Dramatic regression of conjunctival and corneal acquired melanosis with topical mitomycin C, **244**
- Postoperative fibrosis suppression, **1323**
- Preoperative topical and intraoperative local mitomycinC adjuvant therapy in the management of ocular surface neoplasias, **31**
- Serious corneoscleral complications after pterygium excision with mitomycin C, **357**
- molecular testing in dominant optic atrophy**, Importance of molecular testing in dominant optic atrophy, **1314**
- monitoring**, Does prospective monitoring improve cataract surgery outcomes in Africa?, **543**
- monotherapy**, Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? Conclusion, **695**
- Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? The controversy, **691**
- Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? View 1, **692**
- Should β blockers be abandoned as initial monotherapy in chronic open angle glaucoma? View 2, **693**
- mortality**, Increased mortality in women with cataract: a population based follow up of the North London Eye Study, **424**
- mouse model**, Evaluation of corneal graft rejection in a mouse model, **108**
- mucin glycoprotein**, Commensal ocular bacteria degrade mucins, **1412**
- mucopolysaccharidoses**, Multiple iridociliary cysts in patients with mucopolysaccharidoses, **933**
- multifocal electroretinogram**, The wide field multifocal electroretinogram reveals retinal dysfunction in early retinitis pigmentosa, **480**
- mutation detection**, Rapid mutation detection by the Transgenomic wave analyser DHPLC identifies *MYOC* mutations in patients with ocular hypertension and/or open angle glaucoma, **191**
- mutation**, A novel mutation of the RP1 gene (Lys778Ter) associated with autosomal dominant retinitis pigmentosa, **328**
- myasthenia gravis**, Childhood myasthenia gravis in an infant, **704**
- myeloma**, Vanishing corneal epithelial crystals following thalidomide induced resolution of myeloma related paraproteinaemia, **1315**
- MYOC mutations**, Rapid mutation detection by the Transgenomic wave analyser DHPLC identifies *MYOC* mutations in patients with ocular hypertension and/or open angle glaucoma, **191**
- myopia**, Changing patterns of strabismus: a decade of experience in Hong Kong, **854**
- Development of myopia as a hazard for workers in pneumatic caissons, **1274**
- Drug induced acute myopia with supraciliary choroidal effusion in a patient with Wegener's granulomatosis, **594**
- Fusarium solani* keratitis following LASIK for myopia, **1190**
- Myopia: attempts to arrest progression, **1306**
- Myopia in secondary school students in Mwanza City, Tanzania: the need for a national screening programme, **1200**
- The ophthalmic findings in Cohen syndrome, **1395**
- myopic correction**, Spontaneous reduction in myopic correction following varicella disciform keratitis, **939**
- myopic refraction**, Macular hole and myopic refraction, **1269**
- naevus**, Inflamed juvenile conjunctival naevus: clinicopathological characterisation, **28**
- nasolacrimal obstruction**, Dacryocystorhinostomy for partial nasolacrimal obstruction, **1068**
- External dacryocystorhinostomy for the treatment of acquired partial nasolacrimal obstruction in adults, **533**
- needle aspiration**, Needle aspiration of a traumatic subperiosteal haematoma of the orbit, **593**
- needs assessment**, Prevalence of primary open angle glaucoma in general ophthalmic practice in the United Kingdom, **978**
- neovascularisation**, Intravitreal triamcinolone in subfoveal recurrence of choroidal neovascularisation after laser treatment in macular degeneration, **527**
- neurofibromatosis type 1**, Choroidal abnormalities in neurofibromatosis type 1 with non-invasive infrared imaging, **482**
- neurofibromatosis**, Corkscrew retinal vessels in neurofibromatosis type 1: report of 12 cases, **282**
- neuroretinal rim**, Is the nasal optic disc sector important for morphometric glaucoma diagnosis?, **1232**
- neutral density filters**, Quantifying relative afferent pupillary defects using a Sbsa bar, **985**
- neutrophils**, Neutrophils and leucocyte adhesion molecules in sickle cell retinopathy, **684**
- New Zealand**, The Auckland Cataract Study: co-morbidity, surgical techniques, and clinical outcomes in a public hospital service, **185**
- nitric oxide**, Protective role of oral antioxidant supplementation in ocular surface of diabetic patients, **1369**
- Serum homocysteine level is increased and correlated with endothelin-1 and nitric oxide in Behçet's disease, **653**
- non-dominant left hand**, Visual results and complications of temporal incision phacoemulsification performed with the non-dominant left hand by junior ophthalmologists, **1222**
- non-penetrating glaucoma surgery**, Ultrasound biomicroscopy and its value in predicting the long term outcome of viscocanalostomy, **997**
- nonsense mutation**, Novel nonsense mutation (Tyr44stop) of the Norrie disease gene in a Japanese family, **1452**

- normal pressure glaucoma**, Capillary density and retinal diameter measurements and their impact on altered retinal circulation in glaucoma: a digital fluorescein angiographic study, **429**
Systemic vascular endothelial cell dysfunction in normal pressure glaucoma, **227**
- normal tension glaucoma**, Effect of latanoprost 0.005% and brimonidine tartrate 0.2% on pulsatile ocular blood flow in normal tension glaucoma, **1236**
Ocular pulse amplitude in patients with open angle glaucoma, normal tension glaucoma, and ocular hypertension, **981**
- Norrie disease**, Novel nonsense mutation (Tyr44stop) of the Norrie disease gene in a Japanese family, **1452**
- nurse practitioner**, An evaluation of the administration of sub-Tenon local anaesthesia by a nurse practitioner, **524**
- nystagmus surgery**, Nystagmus surgery, **254**
- nystagmus**, Modified Anderson procedure for correcting abnormal mixed head position in nystagmus, **267**
- observer variability**, Interobserver and intraobserver variability of measurements of uveal melanomas using standardised echography, **1390**
- occlusion dose monitor**, Design of the Monitored Occlusion Treatment of Amblyopia Study (MOTAS), **915**
- occlusion therapy**, Design of the Monitored Occlusion Treatment of Amblyopia Study (MOTAS), **915**
- ocular adenoviral infection**, Stellate tarsosconjunctival lesions in ocular adenoviral infection, **594**
- ocular anomalies**, Heart defects and ocular anomalies in children with Down's syndrome, **1367**
- ocular Behçet's disease**, Serum homocysteine level is increased and correlated with endothelin-1 and nitric oxide in Behçet's disease, **653**
- ocular candidiasis**, Presumed ocular candidiasis in drug misusers after intravenous use of oral high dose buprenorphine (Subutex), **940**
- ocular contusion**, Choroidal ischaemic infarction following ocular contusion with small framed spectacles: Hutchinson-Siegrist-Neubauer- syndrome, **1319**
- ocular dimensions**, Education, socioeconomic status, and ocular dimensions in Chinese adults: the Tanjong Pagar Survey, **963**
- ocular disease**, Ocular disease in patients with tuberculosis and HIV presenting with fever in Africa, **1076**
- ocular hypertension**, Ocular pulse amplitude in patients with open angle glaucoma, normal tension glaucoma, and ocular hypertension, **981**
Rapid mutation detection by the Transgenomic wave analyser DHPLC identifies *MYOC* mutations in patients with ocular hypertension and/or open angle glaucoma, **191**
- ocular ischaemia**, Acute ocular ischaemia and orbital inflammation associated with systemic lupus erythematosus, **474**
- ocular isolates**, Biotypes and serotypes of *Haemophilus influenzae* ocular isolates, **276**
- ocular myasthenia**, Childhood myasthenia gravis in an infant, **704**
- ocular pulse amplitude**, Ocular pulse amplitude in patients with open angle glaucoma, normal tension glaucoma, and ocular hypertension, **981**
- ocular scarring**, Gene therapy: new "magic bullets" to prevent ocular scarring, **490**
- ocular surface damage**, Prevalence of ocular symptoms and signs with preserved and preservative free glaucoma medication, **418**
- ocular surface disease**, Costs and gains of complex procedures to rehabilitate end stage ocular surface disease, **1220**
- ocular surface neoplasias**, Amniotic membrane transplantation for reconstruction after excision of large ocular surface neoplasias, **640**
Preoperative topical and intraoperative local mitomycinC adjuvant therapy in the management of ocular surfaceneoplasias, **31**
- ocular surface toxicity**, The ocular surface toxicity of paraquat, **350**
- ocular surface**, Improvement of corneal fluorescein staining in post cataract surgery of diabetic patients by an oral aldose reductase inhibitor, ONO-2235, **860**
Squamous cell carcinoma of the conjunctiva: a series of 26 cases, **168**
- ocular toxoplasmosis**, Acquired ocular toxoplasmosis in pregnancy, **938**
- ocular trauma**, Ocular trauma with small framed spectacles, **484**
Relation of ocular trauma to cortical, nuclear, and posterior sub-capsular cataracts: the Beaver Dam Eye Study, **152**
- oculopalatal myoclonus**, Asymptomatic oculopalatal myoclonus: an unusual case, **116**
- oedema**, Diabetic macular oedema: a comparison of vitreous fluorometry, angiography, and retinopathy, **316**
- old age**, Cornea procurement from very old donors: post organ culture cornea outcome and recipient graft outcome, **404**
- onchocerciasis**, Eliminating onchocerciasis as a public health problem: the beginning of the end, **844**
Survey of blindness and visual impairment in Bioko, Equatorial Guinea, **257**
- online journals**, A bird in the hand . . . , **1324**
- opacification**, Late opacification of SC60B-OUV acrylic intraocular lenses, **484**
- open angle glaucoma**, Rapid mutation detection by the Transgenomic wave analyser DHPLC identifies *MYOC* mutations in patients with ocular hypertension and/or open angle glaucoma, **191**
- ophthalmic artery occlusion**, Ophthalmic artery occlusion following pars plana vitrectomy in a patient with Terson's syndrome, **1063**
- ophthalmic findings**, Treacher Collins syndrome with novel ophthalmic findings and visceral anomalies, **472**
- ophthalmic surgical sponge**, Microscopic fragmentation of ophthalmic surgical sponge sponges used for delivery of anti-proliferative agents in glaucoma filtering surgery, **1448**
- ophthalmologists**, The sclera, the prion, and the ophthalmologist, **587**
- ophthalmology**, Clinical decision making in ophthalmology, **599**
- optic disc slope**, Optic disc cup slope and visual field indices in normal, ocular hypertensive and early glaucomatous eyes, **555**
- optic disc**, Agreement in assessing optic discs with a digital stereoscopic optic disc camera (Discam) and Heidelberg retina tomograph, **196**
Is the nasal optic disc sector important for morphometric glaucoma diagnosis?, **1232**
- optic hypoplasia**, Optical coherence tomography of superior segmental optic hypoplasia, **910**
- optic nerve head**, Is the nasal optic disc sector important for morphometric glaucoma diagnosis?, **1232**
- optic nerve injury**, Axonal loss from acute optic neuropathy documented by scanning laser polarimetry, **285**
- optic nerve perfusion**, Acute postural drop in optic nerve perfusion after vitrectomy and gas in a patient with diabetic autonomic neuropathy, **473**
- optic nerve sheath diameter**, Measurement of optic nerve sheath diameter by ultrasound: a means of detecting acute raised intracranial pressure in hydrocephalus, **1109**
- optic nerve trauma**, Quantification of histological changes after calibrated crush of the intraorbital optic nerve in rats, **233**
- optic neuropathy**, Axonal loss from acute optic neuropathy documented by scanning laser polarimetry, **285**
- optical coherence tomography**, Macular configuration determined by optical coherence tomography after idiopathic macular hole surgery with or without internal limiting membrane peeling, **1240**
Macular hole size as a prognostic factor in macular hole surgery, **390**
Optical coherence tomography imaging of severe commotio retinae and associated macular hole, **473**
Optical coherence tomography of superior segmental optic hypoplasia, **910**
- orbital follicular lymphoma**, Cutaneous presentation of orbital follicular lymphoma: clinical differential diagnosis with lymphocytoma cutis, **596**
- orbital implants**, A perspective on bovine pericardium for orbital implants, **1068**
A perspective on bovine pericardium for orbital implants, **1193**
Long term follow up of bone derived hydroxyapatite orbital implants, **1287**
- orbital inflammation**, Acute ocular ischaemia and orbital inflammation associated with systemic lupus erythematosus, **474**
Bilateral non-specific orbital inflammation (orbital "pseudotumour"), posterior scleritis, and anterior uveitis associated with hypothyroidism in a child, **936**
- orbital invasion**, Squamous cell carcinoma of the eyelids, **1161**
- orbital "pseudotumour"**, Bilateral non-specific orbital inflammation (orbital "pseudotumour"), posterior scleritis, and anterior uveitis associated with hypothyroidism in a child, **936**
- orbit**, Liposarcoma of the orbit presenting as an enlarged medial rectus muscle on CT scan, **1450**
Needle aspiration of a traumatic subperiosteal haematoma of the orbit, **593**
- organ culture**, Cornea procurement from very old donors: post organ culture cornea outcome and recipient graft outcome, **404**
Influencing factors on chronic endothelial cell loss characterised in a homogeneous group of patients, **35**
Sensitivity and rapidity of blood culture bottles in the detection of cornea organ culture media contamination by bacteria and fungi, **1422**
Value of two mortality assessment techniques for organ cultured corneal endothelium: trypan blue versus TUNEL technique, **306**
- organ procurement**, Analysing the various obstacles to cornea postmortem procurement, **864**
- overseas ophthalmologists**, The overseas ophthalmologist in Britain, **255**
- overseas**, I went; I saw; I was never the same!, **370**
- oxidative stress**, Modulation of hydrogen peroxide induced injury to corneal endothelium by virus mediated catalase gene transfer, **1058**
Senescence associated β galactosidase activity in human retinal pigment epithelial cells exposed to mild hyperoxia in vitro, **159**

- Pacific**, Vision impairment in the Pacific region, **605**
- panretinal photocoagulation**, Entonox as an analgesic agent during panretinal photocoagulation, **1107**
- paraproteins**, Vanishing corneal epithelial crystals following thalidomide induced resolution of myeloma related paraproteinaemia, **1315**
- paraquat**, The ocular surface toxicity of paraquat, **350**
- pars plana vitrectomy**, Concentration of intravitreally injected triamcinolone acetonide in intraocular silicone oil, **1450**
- Ophthalmic artery occlusion following pars plana vitrectomy in a patient with Terson's syndrome, **1063**
- partial coherence interferometry**, A new non-contact optical device for ocular biometry, **458**
- parvocellular**, Psychophysical characterisation of early functional loss in glaucoma and ocular hypertension, **1131**
- pathology**, Clinicopathological correlation of polypoidal choroidal vasculopathy revealed by ultrastructural study, **1093**
- peg complications**, Complications of motility peg placement for porous hydroxyapatite orbital implants, **394**
- penetrating keratoplasty**, A comparative assessment of endothelium from pseudophakic and phakic donor corneas stored in organ culture, **400**
- Cornea procurement from very old donors: post organ culture cornea outcome and recipient graft outcome, **404**
- Risk factors for graft infection in India: a case-control study, **261**
- perfluoropropane gas**, Combined perfluoropropane gas and viscoelastic material injection for anterior chamber reformation following trabeculectomy, **1225**
- perforating ocular injury**, The aetiology of perforating ocular injuries in children, **920**
- perforation**, Corneal melt and perforation secondary to floppy eyelid syndrome in the presence of rheumatoid arthritis, **483**
- perimetry**, Frequency of testing for detecting visual field progression, **560**
- perineural invasion**, Squamous cell carcinoma of the eyelids, **1161**
- periorbital dermatitis**, Periorbital dermatitis as a side effect of topical dorzolamide, **378**
- permeability**, Diabetic macular oedema: the effect of photocoagulation on fluorescein transport across the blood-retinal barrier, **1139**
- phacoemulsification**, A prospective, case controlled study of the natural history of diabetic retinopathy and maculopathy after uncomplicated phacoemulsification cataract surgery in patients with type 2 diabetes, **565**
- Combining phacoemulsification with vitrectomy for treatment of macular holes, **876**
- Effects of dexamethasone, diclofenac, or placebo on the inflammatory response after cataract surgery, **1380**
- Immediately sequential phacoemulsification performed under topical anaesthesia as day case procedures, **1356**
- Surgically induced diffuse scleritis: comparison of incidence in phacoemulsification and conventional extracapsular cataract extraction, **701**
- The Auckland Cataract Study: co-morbidity, surgical techniques, and clinical outcomes in a public hospital service, **185**
- Trypan blue assisted phacoemulsification in corneal opacities, **857**
- phagocytosis**, Retinal pigment epithelial cells phagocytosis of T lymphocytes: possible implication in the immune privilege of the eye, **1417**
- phakic human eye**, Vitreous penetration of levofloxacin in the uninfamed phakic human eye, **387**
- pharmacokinetics**, Lyophilisates for drug delivery in ophthalmology: pharmacokinetics of fluorescein in the human anterior segment, **1114**
- photocoagulation**, Diabetic macular oedema: the effect of photocoagulation on fluorescein transport across the blood-retinal barrier, **1139**
- photodynamic therapy**, Eligibility for treatment and angiographic features at the early stage of exudative age related macular degeneration, **663**
- Identifying the proportion of age related macular degeneration patients who would benefit from photodynamic therapy with verteporfin (Visudyne), **118**
- photoreceptor**, Melatonin MF-1-receptor immunoreactivity in the human eye, **1053**
- phototherapeutic keratectomy**, Keratectasia after PTK, **486**
- phototoxic maculopathy**, Phototoxic maculopathy following uneventful cataract surgery in a predisposed patient, **705**
- pigmentary glaucoma**, Effect of a YAG laser iridotomy on intraocular pressure in pigmentary glaucoma, **1443**
- pigmentary retinopathy**, The ophthalmic findings in Cohen syndrome, **1395**
- pleomorphic adenoma**, Pleomorphic adenoma of the lacrimal gland in a 10 year old girl, **249**
- plexiform (pial) arteriovenous malformation**, Anomalous venous drainage of a plexiform (pial) arteriovenous malformation mimicking an indirect caroticocavernous sinus fistula, **702**
- pneumatic caissons**, Development of nyopia as a hazard for workers in pneumatic caissons, **1274**
- polymerase chain reaction**, Increase of mitochondrial DNA in blood cells of patients with Leber's hereditary optic neuropathy with 11778 mutation, **1027**
- polypoidal choroidal vasculopathy**, Polypoidal choroidal vasculopathy treated with macular translocation: clinical pathological correlation, **321**
- polypoidal vessel**, Clinicopathological correlation of polypoidal choroidal vasculopathy revealed by ultrastructural study, **1093**
- population based study**, Prevalence and risk factors associated with dry eye symptoms: a population based study in Indonesia, **1347**
- population**, Diabetic retinopathy among self reported diabetics in southern India: a population based assessment, **1014**
- porphyrins**, Need for measurement of porphyrins in tears in patients with congenital erythropoietic porphyria, **1188**
- posterior capsule opacification**, Systems of analysis of posterior capsule opacification, **1181**
- posterior ischaemic optic neuropathy**, Two rare causes of posterior ischaemic optic neuropathy: eosinophilic fasciitis and Wegener's granulomatosis, **1066**
- posterior scleritis**, Bilateral non-specific orbital inflammation (orbital "pseudotumour"), posterior scleritis, and anterior uveitis associated with hypothyroidism in a child, **936**
- posterior uveitis**, A bird in the hand . . ., **1324**
- postoperative inflammation**, Effects of dexamethasone, diclofenac, or placebo on the inflammatory response after cataract surgery, **1380**
- postoperative visual acuity**, Changes in visual acuity from 4 to 12 years of age in children operated for bilateral congenital cataracts, **1385**
- postural drop**, Acute postural drop in optic nerve perfusion after vitrectomy and gas in a patient with diabetic autonomic neuropathy, **473**
- pregnancy**, Acquired ocular toxoplasmosis in pregnancy, **938**
- Cyclodiode laser therapy to control intraocular pressure during pregnancy, **1318**
- premature infants**, Screening for retinopathy of prematurity, **1127**
- prematurity**, Emmetropisation following preterm birth, **1035**
- preservatives**, Prevalence of ocular symptoms and signs with preserved and preservative free glaucoma medication, **418**
- prevalence**, Prevalence of blindness and low vision in Malaysian population: results from the National Eye Survey 1996, **951**
- Diabetic retinopathy among self reported diabetics in southern India: a population based assessment, **1014**
- Vision impairment in the Pacific region, **605**
- prevalence surveys**, The definition and classification of glaucoma in prevalence surveys, **238**
- primary acquired melanosis**, Dramatic regression of conjunctival and corneal acquired melanosis with topical mitomycin C, **244**
- primary open angle glaucoma**, Prevalence of primary open angle glaucoma in general ophthalmic practice in the United Kingdom, **978**
- primary optic nerve sheath meningioma**, Ophthalmic artery blood flow in humans, **1197**
- Stereotactic fractionated irradiation of optic nerve sheath meningioma: a new treatment alternative, **1265**
- prions**, The sclera, the prion, and the ophthalmologist, **587**
- prioritisation system**, Outcome of corneal transplantation: can a prioritisation system predict outcome?, **57**
- prognostic indicators**, Squamous cell carcinoma of the conjunctiva: a series of 26 cases, **168**
- proliferative diabetic retinopathy**, Angiotensin II and vascular endothelial growth factor in the vitreous fluid of patients with proliferative diabetic retinopathy, **311**
- proteinases**, CST3 genotype associated with exudative age related macular degeneration, **214**
- P-selectin**, Neutrophils and leucocyte adhesion molecules in sickle cell retinopathy, **684**
- psychophysics**, Psychophysical characterisation of early functional loss in glaucoma and ocular hypertension, **1131**
- pterygium**, Prevalence and risk factors associated with dry eye symptoms: a population based study in Indonesia, **1347**
- Pterygium in Indonesia: prevalence, severity and risk factors, **1341**
- Serious corneoscleral complications after pterygium excision with mitomycin C, **357**
- public health**, Eliminating onchocerciasis as a public health problem: the beginning of the end, **844**
- Vision impairment in the Pacific region, **605**
- pulsatile flow**, Pulsatile ocular blood flow: the effect of the Valsalva manoeuvre in open angle and normal tension glaucoma: a case report and prospective study, **1089**
- pulsatile ocular blood flow**, Effect of latanoprost 0.005% and bromonide tartrate 0.2% on pulsatile ocular blood flow in normal tension glaucoma, **1236**
- punctal apposition syndrome**, The punctal apposition syndrome: a new surgical approach, **1256**
- punctal occlusion**, Surgical punctal occlusion: a prospective study, **1031**
- pupillary autonomic denervation**, Pupillary autonomic denervation and diabetes mellitus, **1319**

- quality of health care**, Quality of care from the perspective of the cataract patient: the reliability and validity of the QUOTE-Cataract, **840**
- quality of life**, Cataract surgery and quality of life in patients with age related macular degeneration, **1330**
Correlation between visual function and visual ability in patients with uveitis, **993**
Quality of life and systemic comorbidities in patients with ophthalmic disease, **8**
Relation between perceived driving disability and scores of vision screening tests, **1262**
Visual acuity and quality of life outcomes in cataract surgery patients in Hong Kong, **12**
- questionnaires**, Relation between perceived driving disability and scores of vision screening tests, **1262**
- QUOTE-Cataract**, Quality of care from the perspective of the cataract patient: the reliability and validity of the QUOTE-Cataract, **840**
- radiotherapy**, Does radiotherapy have a role in the management of thyroid orbitopathy? Comment, **106**
Does radiotherapy have a role in the management of thyroid orbitopathy? View 1, **102**
Does radiotherapy have a role in the management of thyroid orbitopathy? View 2, **104**
- rat**, Exertion of the suppressive effects of IFN- γ on experimental immune mediated blepharoconjunctivitis in Brown Norway rats during the induction phase but not the effector phase, **1166**
Inhibitory effect of losartan, an AT1 angiotensin II receptor antagonist, on increased leucocyte entrapment in retinal microcirculation of diabetic rats, **1172**
Quantification of histological changes after calibrated crush of the intraorbital optic nerve in rats, **233**
TGF β induces morphological and molecular changes similar to human anterior subcapsular cataract, **220**
- recurrent disease**, Prognostic value of clinical and histopathological parameters in conjunctival melanomas: a retrospective study, **163**
- refraction**, Emmetropisation following preterm birth, **1035**
Factors associated with undercorrected refractive errors in an older population: the Blue Mountains Eye Study, **1041**
- refractive adaptation**, Design of the Monitored Occlusion Treatment of Amblyopia Study (MOTAS), **915**
- refractive error**, Factors associated with undercorrected refractive errors in an older population: the Blue Mountains Eye Study, **1041**
Moderate visual impairment in India: the Andhra Pradesh Eye Disease Study, **373**
- refractive outcome**, Predicting the refractive outcome after cataract surgery: the comparison of different IOLs and SRK-II v SRK-T, **620**
- rehabilitation**, Costs and gains of complex procedures to rehabilitate end stage ocular surface disease, **1220**
- relative afferent pupillary defect**, Quantifying relative afferent pupillary defects using a Sbisabar, **985**
- renal failure**, Retinal arteriolar calcification in a patient with chronic renal failure, **1063**
- renin-angiotensin system**, Renin-angiotensin system expression and secretory function in cultured human ciliary body non-pigmented epithelium, **676**
- repeatability**, Evaluation of the validity and reliability of A-scan ultrasound biometry with a single use disposable cover, **344**
- respiratory chain defects**, Increase of mitochondrial DNA in blood cells of patients with Leber's hereditary optic neuropathy with 11778 mutation, **1027**
- retina**, Melatonin MT-1-receptor immunoreactivity in the human eye, **1053**
- retinal arteriolar calcification**, Retinal arteriolar calcification in a patient with chronic renal failure, **1063**
- retinal arteriolar narrowing**, Retinal microvascular abnormalities and blood pressure in older people: the Cardiovascular Health Study, **1007**
- retinal arteriovenous malformation**, Spontaneous involution of retinal and intracranial arteriovenous malformation in Bonnet-Dechaume-Blanc syndrome, **360**
- retinal astrocytoma**, Retinoblastoma and retinal astrocytoma: unusual double tumour in one eye, **1441**
- retinal blood flow**, Effect of inhalation of different mixtures of O₂ and CO₂ on retinal blood flow, **1143**
- retinal breaks**, Frequency of ciliary body or retinal breaks and retinal detachment in eyes with atopic cataract, **898**
- retinal degeneration**, Retrospective, longitudinal, and cross sectional study of visual acuity impairment in choroïderemia, **658**
- retinal detachment surgery**, Prediction of visual outcome after retinal detachment surgery using the Lotmar visometer, **278**
Severe macular pucker after retinal detachment surgery in an infant, **354**
- retinal detachment**, Eye healthcare services in eastern Europe: Part 2 Vitreoretinal surgical services, **851**
Frequency of ciliary body or retinal breaks and retinal detachment in eyes with atopic cataract, **898**
- retinal dysfunction**, The wide field multifocal electroretinogram reveals retinal dysfunction in early retinitis pigmentosa, **480**
- retinal ganglion cells**, Quantification of histological changes after calibrated crush of the intraorbital optic nerve in rats, **233**
- retinal microcirculation**, Inhibitory effect of losartan, an AT1 angiotensin II receptor antagonist, on increased leucocyte entrapment in retinal microcirculation of diabetic rats, **1172**
- retinal microvascular abnormalities**, Corkscrew retinal vessels in neurofibromatosis type 1: report of 12 cases, **282**
- retinal microvascular disease**, Retinal microvascular abnormalities and blood pressure in older people: the Cardiovascular Health Study, **1007**
- retinal nerve fiber layer**, Axonal loss from acute optic neuropathy documented by scanning laser polarimetry, **285**
- retinal nerve fibre analysis**, Influence of post-LASIK corneal healing on scanning laser polarimetric measurement of the retinal nerve fibre layer thickness, **627**
- retinal nerve fibre layer**, Specificity and sensitivity of glaucoma detection in the Japanese population using scanning laser polarimetry, **70**
- retinal nerve fibres**, Loss of myelinated retinal nerve fibres in diabetic retinopathy, **1447**
- retinal periphlebitis**, Full panretinal photocoagulation and early vitrectomy improve prognosis of retinal vasculitis associated with tuberculo-protein hypersensitivity (Eales' disease), **1248**
- retinal photographs**, Reliability of expert interpretation of retinal photographs for the diagnosis of toxoplasma retinochoroiditis, **636**
- retinal pigment epithelial cell**, Senescence associated β galactosidase activity in human retinal pigment epithelial cells exposed to mild hyperoxia in vitro, **159**
- retinal pigment epithelium**, Adenovirus mediated gene delivery of tissue inhibitor of metalloproteinases-3 induces death in retinal pigment epithelial cells, **97**
Autofluorescence imaging after selective RPE laser treatment in macular diseases and clinical outcome: a pilot study, **1099**
Retinal pigment epithelial cells phagocytosis of T lymphocytes: possible implication in the immune privilege of the eye, **1417**
- retinal thickness**, Retinal topography and thickness mapping in atrophic age related macular degeneration, **623**
- retinal vein occlusion**, Follow up by colour Doppler imaging of 102 patients with retinal vein occlusion over 1 year, **1243**
- retinal venous occlusion**, Clinical characteristics of retinal venous occlusions occurring at different sites, **572**
- retinal vessel analyser**, Sildenafil induces retinal vasodilatation in healthy subjects, **156**
- retinal vessels**, Melatonin MT-1-receptor immunoreactivity in the human eye, **1053**
- retinitis**, Should active CMV retinitis in non-immunocompromised newborn babies be treated?, **248**
- retinitis pigmentosa**, Bilateral exudative retinopathy as the initial manifestation of retinitis pigmentosa, **116**
The wide field multifocal electroretinogram reveals retinal dysfunction in early retinitis pigmentosa, **480**
- retinoblastoma**, Retinoblastoma and retinal astrocytoma: unusual double tumour in one eye, **1441**
Retinoblastoma treated with primary chemotherapy alone: the significance of tumour size, location, and age, **80**
Three dimensional ultrasound of retinoblastoma: initial experience, **1136**
- retinopathy of prematurity**, Eye healthcare services in eastern Europe: Part 2 Vitreoretinal surgical services, **851**
Incidence of ROP in two consecutive Swedish population based studies, **1122**
Retinopathy of prematurity: recent advances in our understanding, **696**
Retinopathy of prematurity, **1071**
Screening for retinopathy of prematurity: evaluation and modification of guidelines, **1399**
What do you do about ROP screening in "big" babies?, **1072**
- retinopathy**, Can a cilio-retinal artery influence diabetic maculopathy?, **1252**
Diabetic macular oedema: a comparison of vitreous fluorometry, angiography, and retinopathy, **316**
Screening for retinopathy of prematurity, **1127**
- rheumatoid arthritis**, Corneal melt and perforation secondary to floppy eyelid syndrome in the presence of rheumatoid arthritis, **483**
- Rhodotorula rubra**, *Rhodotorula rubra* endophthalmitis in an HIV positive patient, **1444**
- risk factors**, Childbearing and risk of cataract in young women: an epidemiological study in central India, **548**
The outcome of corneal grafting in patients with stromal keratitis of herpetic and non-herpetic origin, **646**
- Royal College Museum**, Antique ophthalmic instruments and books: the Royal College Museum, **602**
- RP1 gene**, A novel mutation of the RP1 gene (Lys778Ter) associated with autosomal dominant retinitis pigmentosa, **328**

- rural health**, Utilisation of eye care services by urban and rural Australians, **24**
- S antigen**, S antigen specific effector T cell activation detected by cytokine flow cytometry, **517**
- sample size**, High risk corneal grafting, **945**
- sarcoidosis**, Bilateral anterior uveitis as a presenting manifestation of sarcoidosis and syphilis, **930**
- Sbisa bar**, Quantifying relative afferent pupillary defects using a Sbisa bar, **985**
- scanning laser ophthalmoscope**, Choroidal abnormalities in neurofibromatosis type 1 with non-invasive infrared imaging, **482**
Optic disc cup slope and visual field indices in normal, ocular hypertensive and early glaucomatous eyes, **555**
- scanning laser polarimetry**, Axonal loss from acute optic neuropathy documented by scanning laser polarimetry, **285**
Influence of post-LASIK corneal healing on scanning laser polarimetric measurement of the retinal nerve fibre layer thickness, **627**
Specificity and sensitivity of glaucoma detection in the Japanese population using scanning laser polarimetry, **70**
- schoolchildren**, Myopia in secondary school students in Mwanza City, Tanzania: the need for a national screening programme, **1200**
- sclera**, The sclera, the prion, and the ophthalmologist, **587**
- scleral retraction suture**, Limited macular translocation with scleral retraction suture, **434**
- sclera substitutes**, Sclera substitutes: a cautionary note, **1459**
- sclectomy with collagen implant**, Sclectomy with collagen implant, **1460**
- scleritis**, Surgically induced diffuse scleritis: comparison of incidence in phacoemulsification and conventional extracapsular cataract extraction, **701**
- Scotland**, The effects of new topical treatments on management of glaucoma in Scotland: an examination of ophthalmological health care, **551**
- screening**, Myopia in secondary school students in Mwanza City, Tanzania: the need for a national screening programme, **1200**
Screening for retinopathy of prematurity: evaluation and modification of guidelines, **1399**
What do you do about ROP screening in "big" babies?, **1072**
- secretory function**, Renin-angiotensin system expression and secretory function in cultured human ciliary body non-pigmented epithelium, **676**
- senescence**, Senescence associated β galactosidase activity in human retinal pigment epithelial cells exposed to mild hyperoxia in vitro, **159**
- serotypes**, Biotypes and serotypes of *Haemophilus influenzae* ocular isolates, **276**
- serous chorioretinopathy**, Central serous chorioretinopathy after inhaled steroid use for post-mycoplasmal bronchospasm, **1065**
- sickle cell**, Neutrophils and leucocyte adhesion molecules in sickle cell retinopathy, **684**
- sildenafil**, Sildenafil induces retinal vasodilatation in healthy subjects, **156**
- silicone hydrogel contact lenses**, Microbial keratitis associated with extended wear of silicone hydrogel contact lenses, **355**
- silicone oil**, Concentration of intravitreally injected triamcinolone acetonide in intraocular silicone oil, **1450**
Measurement of axial length of eyes with incomplete filling of silicone oil in the vitreous cavity using x ray computed tomography, **47**
- Sjögren's syndrome**, Sodium hyaluronate eye drops of different osmolarity for the treatment of dry eye in Sjögren's syndrome patients, **879**
- Smad**, TGF β -Smad signalling in postoperative human lens epithelial cells, **1428**
- small framed spectacles**, Choroidal ischaemic infarction following ocular contusion with small framed spectacles: Hutchinson-Siegrist-Neubauer syndrome, **1319**
- smoking**, Prevalence and risk factors associated with dry eye symptoms: a population based study in Indonesia, **1347**
- socioeconomic status**, Education, socioeconomic status, and ocular dimensions in Chinese adults: the Tanjong Pagar Survey, **963**
- sodium hyaluronate**, Sodium hyaluronate eye drops of different osmolarity for the treatment of dry eye in Sjögren's syndrome patients, **879**
- spectacles**, Ocular trauma with small framed spectacles, **484**
- squamous cell carcinoma**, Squamous cell carcinoma of the conjunctiva: a series of 26 cases, **168**
Squamous cell carcinoma of the conjunctiva, **1462**
Successful treatment of squamous cell carcinoma of the lower eyelid with intralésional cidofovir, **932**
- squamous neoplasia**, Squamous cell carcinoma of the conjunctiva: a series of 26 cases, **168**
- standard gamble**, Validity of the time trade-off and standard gamble methods of utility assessment in retinal patients, **493**
- stellate tarsoconjunctival lesions**, Stellate tarsoconjunctival lesions in ocular adenoviral infection, **594**
- stem cell**, Ex vivo preservation and expansion of human limbal epithelial stem cells on amniotic membrane cultures, **463**
- stem cell transplantation**, Ex vivo preservation and expansion of human limbal epithelial stem cells on amniotic membrane cultures, **463**
- stereotactic fractionated conformal irradiation**, Ophthalmic artery blood flow in humans, **1197**
Stereotactic fractionated irradiation of optic nerve sheath meningioma: a new treatment alternative, **1265**
- sterility controls**, Sensitivity and rapidity of blood culture bottles in the detection of cornea organ culture media contamination by bacteria and fungi, **1422**
- steroid treatment**, Effect of prior steroid treatment on temporal artery biopsy findings in giant cell arteritis, **530**
- steroids**, Central serous chorioretinopathy after inhaled steroid use for post-mycoplasmal bronchospasm, **1065**
Traumatic enucleation with chiasmal damage: magnetic resonance image findings and response to steroids, **1317**
- strabismus**, Are there more exotropes than esotropes in Hong Kong?, **835**
Changing patterns of strabismus: a decade of experience in Hong Kong, **854**
- Streptococcus pneumoniae**, Should we vaccinate for glaucoma surgery?, **479**
- subcapsular cataracts**, Relation of ocular trauma to cortical, nuclear, and posterior subcapsular cataracts: the Beaver Dam Eye Study, **152**
- subperiosteal haematoma**, Needle aspiration of a traumatic subperiosteal haematoma of the orbit, **593**
- sub-Tenon anaesthesia**, An evaluation of the administration of sub-Tenon local anaesthesia by a nurse practitioner, **524**
A new technique for delivering sub-Tenon's anaesthesia in ophthalmic surgery, **119**
- Sultanate of Oman**, The prevalence and causes of blindness in the Sultanate of Oman: the Oman Eye Study (OES), **957**
- sun exposure**, Pterygium in Indonesia: prevalence, severity and risk factors, **1341**
- supraciliary choroidal effusion**, Drug induced acute myopia with supraciliary choroidal effusion in a patient with Wegener's granulomatosis, **594**
- surgery**, Aetiology and surgical treatment of childhood blepharoptosis, **1282**
Costs and gains of complex procedures to rehabilitate end stage ocular surface disease, **1220**
Eye healthcare services in eastern Europe: Part 1 Cataract surgery, **847**
Longitudinal study of trichomatous trichiasis in the Gambia, **339**
The punctal apposition syndrome: a new surgical approach, **1256**
- surgical correction**, Astigmatism and the analysis of its surgical correction, **1458**
- surgical endoscopic dacryocystorhinostomy**, Surgical endoscopic dacryocystorhinostomy, **1460**
- surgical eyelid reconstruction**, Sebaceous carcinoma of the eyelid: a rarity worth considering, **243**
- surgical facemasks**, The use of surgical facemasks during cataract surgery: is it necessary?, **975**
- survival analysis**, Prognostic value of clinical and histopathological parameters in conjunctival melanomas: a retrospective study, **163**
- Sweden**, Incidence of ROP in two consecutive Swedish population based studies, **1122**
Visual outcome in corneal grafts: a preliminary analysis of the Swedish Corneal Transplant Register, **174**
- swollen legs**, How double eyelashes give you swollen legs, **1074**
- synovial sarcoma**, Primary monophasic synovial sarcoma of the conjunctiva, **1453**
- syphilis**, Bilateral anterior uveitis as a presenting manifestation of sarcoidosis and syphilis, **930**
- systemic lupus erythematosus**, Acute ocular ischaemia and orbital inflammation associated with systemic lupus erythematosus, **474**
Phototoxic maculopathy following uneventful cataract surgery in a predisposed patient, **705**
- T lymphocyte activation**, Expression of T lymphocyte chemoattractants and activation markers in vernal keratoconjunctivitis, **1175**
- T lymphocytes**, Retinal pigment epithelial cells phagocytosis of T lymphocytes: possible implication in the immune privilege of the eye, **1417**
- tangent screens**, Tangent screens are still useful in the assessment of vigabatrin induced visual field defects, **931**
- Tanjong Pagar Survey**, Education, socioeconomic status, and ocular dimensions in Chinese adults: the Tanjong Pagar Survey, **963**
- Tanzania**, Aetiology of microbial keratitis in northern Tanzania, **941**
Myopia in secondary school students in Mwanza City, Tanzania: the need for a national screening programme, **1200**
- tear evaporation**, Treatment of non-inflamed obstructive meibomian gland dysfunction by an infrared warm compression device, **1403**

- tear film**, A new technique for tear film fluorophotometry, **616**
- tear secretion**, A new technique for tear film fluorophotometry, **616**
- tear volume**, A new technique for tear film fluorophotometry, **616**
- teardrops**, Need for measurement of porphyrins in teardrops in patients with congenital erythropoietic porphyria, **1188**
- telescope**, Face recognition in age related macular degeneration: perceived disability, measured disability, and performance with a biopic device, **1019**
- temporal arteritis**, Surgical performance for specialties undertaking temporal artery biopsies: who should perform them?, **250**
- temporal artery biopsy**, Effect of prior steroid treatment on temporal artery biopsy findings in giant cell arteritis, **530**
- temporal incision phacoemulsification**, Visual results and complications of temporal incision phacoemulsification performed with the non-dominant left hand by junior ophthalmologists, **1222**
- Terson's syndrome**, Ophthalmic artery occlusion following pars plana vitrectomy in a patient with Terson's syndrome, **1063**
Unilateral vitreous haemorrhage secondary to caudal epidural injection: a variant of Terson's syndrome, **353**
- TGF- β** , Enhanced expression of transglutaminase 2 in anterior polar cataracts and its induction by TGF- β in vitro, **1293**
- TGF β** , TGF β induces morphological and molecular changes similar to human anterior subcapsular cataract, **220**
- thalidomide**, DMSO mimics inhibitory effect of thalidomide on choriocapillary endothelial cell proliferation in culture, **1303**
Vanishing corneal epithelial crystals following thalidomide induced resolution of myeloma related paraproteinaemia, **1315**
- three dimensional ultrasound**, Three dimensional ultrasound of retinoblastoma: initial experience, **1136**
- thyroid orbitopathy**, Does radiotherapy have a role in the management of thyroid orbitopathy? Comment, **106**
Does radiotherapy have a role in the management of thyroid orbitopathy? View 1, **102**
Does radiotherapy have a role in the management of thyroid orbitopathy? View 2, **104**
- time trade-off**, Validity of the time trade-off and standard gamble methods of utility assessment in retinal patients, **493**
- tissue donors**, Analysing the various obstacles to cornea post-mortem procurement, **864**
- tonometer**, Ocular pulse amplitude in patients with open angle glaucoma, normal tension glaucoma, and ocular hypertension, **981**
- topical anaesthesia**, Immediately sequential phacoemulsification performed under topical anaesthesia as day case procedures, **1356**
- topical treatments**, The effects of new topical treatments on management of glaucoma in Scotland: an examination of ophthalmological health care, **551**
- toxic keratitis**, Recurrent corneal ulceration as late complication of toxic keratitis, **245**
- toxicity**, Acquired colour vision deficiency in patients receiving digoxin maintenance therapy, **1259**
- toxoplasma retinochoroiditis**, Reliability of expert interpretation of retinal photographs for the diagnosis of toxoplasma retinochoroiditis, **636**
- trabecular meshwork bypass tube shunt**, Trabecular meshwork bypass tube shunt: initial case series, **1228**
- trabecular meshwork**, Confocal microscopic examination of trabecular meshwork removed during ab externo trabeculectomy, **1046**
- trabeculectomy**, Anti-inflammatory fibrosis suppression in threatened trabeculectomy bleb failure produces good long term control of intraocular pressure without risk of sight threatening complications, **1352**
Combined perfluoropropane gas and viscoelastic material injection for anterior chamber reformation following trabeculectomy, **1225**
Should we vaccinate for glaucoma surgery?, **479**
- trachoma**, The prevalence and causes of blindness in the Sultanate of Oman: the Oman Eye Study (OES), **957**
- training**, I went; I saw; I was never the same!, **370**
The determination of sample size in controlled clinical trials in ophthalmology, **946**
The overseas ophthalmologist in Britain, **255**
- transforming growth factor β** , TGF β -Smad signalling in postoperative human lens epithelial cells, **1428**
- transgenomic wave analyser**, Rapid mutation detection by the Transgenomic wave analyser DHPLC identifies MYOC mutations in patients with ocular hypertension and/or open angle glaucoma, **191**
- transglutaminase 2**, Enhanced expression of transglutaminase 2 in anterior polar cataracts and its induction by TGF- β in vitro, **1293**
- transpupillary thermotherapy**, Extracapsular extension of a choroidal melanoma after argon photocoagulation and transpupillary thermotherapy, **358**
TTT for occult CNV: check the power!, **1194**
- trauma**, The aetiology of perforating ocular injuries in children, **920**
- Treacher Collins syndrome**, Treacher Collins syndrome with novel ophthalmic findings and visceral anomalies, **472**
- treatment outcome**, Long term visual outcome in amblyopia treatment, **1148**
- triamcinolone**, Intravitreal triamcinolone in recurrence of choroidal neovascularisation, **600**
Intravitreal triamcinolone in subfoveal recurrence of choroidal neovascularisation after laser treatment in macular degeneration, **527**
- triamcinolone acetonide**, Concentration of intravitreally injected triamcinolone acetonide in aqueous humour, **1066**
Concentration of intravitreally injected triamcinolone acetonide in intraocular silicone oil, **1450**
Intravitreal triamcinolone acetonide for macular oedema due to central retinal vein occlusion, **247**
- trichiasis**, Longitudinal study of trachomatous trichiasis in the Gambia, **339**
- trypan blue**, Trypan blue assisted phacoemulsification in corneal opacities, **857**
Value of two mortality assessment techniques for organ cultured corneal endothelium: trypan blue versus TUNEL technique, **306**
- tuberculin skin testing**, Full panretinal photocoagulation and early vitrectomy improve prognosis of retinal vasculitis associated with tuberculoprotein hypersensitivity (Eales' disease), **1248**
- tuberculosis**, Full panretinal photocoagulation and early vitrectomy improve prognosis of retinal vasculitis associated with tuberculoprotein hypersensitivity (Eales' disease), **1248**
Ocular disease in patients with tuberculosis and HIV presenting with fever in Africa, **1076**
- tumour**, Dramatic regression of conjunctival and corneal acquired melanosis with topical mitomycin C, **244**
- TUNEL technique**, Value of two mortality assessment techniques for organ cultured corneal endothelium: trypan blue versus TUNEL technique, **306**
- Turkmenistan**, Cataract blindness in Turkmenistan: results of a national survey, **1207**
- ultrasonography**, Measurement of optic nerve sheath diameter by ultrasound: a means of detecting acute raised intracranial pressure in hydrocephalus, **1109**
- ultrasound biomicroscopy**, Clinicopathological correlation of congenital corneal opacification using ultrasound biomicroscopy, **62**
Ultrasound biomicroscopic study of ciliary body changes in the post-treatment phase of Vogt-Koyanagi-Harada disease, **1374**
Ultrasound biomicroscopic study of sclerotomy sites after implantation of sustained release drug devices, **869**
Ultrasound biomicroscopy and its value in predicting the long term outcome of viscocanalostomy, **997**
Ultrasound biomicroscopy: "fisherman's tale", **1445**
- ultrasound**, 20 MHz high frequency ultrasound assessment of scleral and intraocular conjunctival squamous cell carcinoma, **632**
The first technique for non-invasive measurements of volumetric ophthalmic artery blood flow in humans, **1216**
- ultrastructure**, Clinicopathological correlation of polypoidal choroidal vasculopathy revealed by ultrastructural study, **1093**
- unoprostone**, Additive effect of unoprostone and latanoprost in patients with elevated intraocular pressure, **75**
- Urrets-Zavalía syndrome**, Fixed dilated pupil following deep lamellar keratoplasty (Urrets-Zavalía syndrome), **115**
- utilities**, Quality of life and systemic comorbidities in patients with ophthalmic disease, **8**
Validity of the time trade-off and standard gamble methods of utility assessment in retinal patients, **493**
- uveal melanoma**, Anti-angiogenic therapy for uveal melanoma—more haste, less speed, **368**
Interobserver and intraobserver variability of measurements of uveal melanomas using standardised echography, **1390**
Mode of presentation and time to treatment of uveal melanoma in Finland, **333**
Uveal melanoma: Finland v India, **1193**
- uveal metastasis**, Uveal metastasis 43 years after resection of bronchogenic carcinoid, **1191**
- uveitis**, An evaluation of baseline risk factors predicting severity in juvenile idiopathic arthritis associated uveitis and other chronic anterior uveitis in early childhood, **51**
Bilateral uveitis after intravesical BCG immunotherapy for bladder carcinoma, **706**
Correlation between visual function and visual ability in patients with uveitis, **993**
High dose intravenous steroid therapy for severe posterior segment uveitis in Behçet's disease, **521**
Uveitis and juvenile arthritis, **1**
Uveitis initiating an autoimmune reaction resulting in Goodpasture's syndrome in a Chinese man, **1188**
- uveoretinitis**, S antigen specific effector T cell activation detected by cytokine flow cytometry, **517**
- vaccine**, Should we vaccinate for glaucoma surgery?, **479**
- validity**, Validity of the time trade-off and standard gamble methods of utility assessment in retinal patients, **493**

- Valsalva manoeuvre**, Pulsatile ocular blood flow: the effect of the Valsalva manoeuvre in open angle and normal tension glaucoma: a case report and prospective study, **1089**
- varicella**, Spontaneous reduction in myopic correction following varicella disciform stromal keratitis, **939**
- vascular endothelial growth factor**, Angiotensin II and vascular endothelial growth factor in the vitreous fluid of patients with proliferative diabetic retinopathy, **311**
- Plasma vascular endothelial growth factor, soluble VEGF receptor FLT-1, and von Willebrand factor in glaucoma, **1299**
- Uveal melanomas express vascular endothelial growth factor and basic fibroblast growth factor and support endothelial cell growth, **440**
- Vascular endothelial growth factor is elevated in ocular fluids of eyes harbouring uveal melanoma: identification of a potential therapeutic window, **448**
- vascular endothelium**, Systemic vascular endothelial cell dysfunction in normal pressure glaucoma, **227**
- vascular permeability**, Plasma vascular endothelial growth factor, soluble VEGF receptor FLT-1, and von Willebrand factor in glaucoma, **1299**
- vasculitis**, Full panretinal photocoagulation and early vitrectomy improve prognosis of retinal vasculitis associated with tuberculo-protein hypersensitivity (Eales' disease), **1248**
- vasodilatation**, Sildenafil induces retinal vasodilatation in healthy subjects, **156**
- vaso-occlusions**, Neutrophils and leucocyte adhesion molecules in sickle cell retinopathy, **684**
- VCAM-1**, Neutrophils and leucocyte adhesion molecules in sickle cell retinopathy, **684**
- velocity**, Effect of inhalation of different mixtures of O₂ and CO₂ on retinal blood flow, **1143**
- venous diameter**, Effect of inhalation of different mixtures of O₂ and CO₂ on retinal blood flow, **1143**
- venous drainage**, Anomalous venous drainage of a plexiform (pial) arteriovenous malformation mimicking an indirect carotico-cavernous sinus fistula, **702**
- venous pulsations**, Spontaneous venous pulsations should be monitored during glaucoma therapy, **1187**
- venous stasis retinopathy**, Resolution of proliferative venous stasis retinopathy after carotid endarterectomy, **117**
- vernal keratoconjunctivitis**, Expression of T lymphocyte chemoattractants and activation markers in vernal keratoconjunctivitis, **1175**
- verteporfin**, Identifying the proportion of age related macular degeneration patients who would benefit from photodynamic therapy with verteporfin (Visudyne), **118**
- VF-14**, Validity of the time trade-off and standard gamble methods of utility assessment in retinal patients, **493**
- vigabatrin**, Tangent screens are still useful in the assessment of vigabatrin induced visual field defects, **931**
- visceral anomalies**, Treacher Collins syndrome with novel ophthalmic findings and visceral anomalies, **472**
- viscocanalostomy**, Ultrasound biomicroscopy and its value in predicting the long term outcome of viscocanalostomy, **997**
- viscoelastic material injection**, Combined perfluoropropane gas and viscoelastic material injection for anterior chamber reformation following trabeculectomy, **1225**
- viscoelastics**, Corneal toxicity secondary to inadvertent use of benzalkonium chloride preserved viscoelastic material in cataract surgery, **299**
- vision impairment**, Utilisation of eye care services by urban and rural Australians, **24**
- Vision impairment and older drivers: who's driving?, **1118**
- vision loss**, Ataxia and vision loss: flow cytometric diagnosis of primary central nervous system lymphoma, **246**
- vision**, Blinking and operating: cognition versus vision, **479**
- Changing visual standards in driving: but a high proportion of eye patients still drive illegally, **1454**
- visual acuity**, A population based eye survey of older adults in Tirunelveli district of south India: blindness, cataract surgery, and visual outcomes, **505**
- Examination of young children with Lea symbols, **513**
- Factors associated with undercorrected refractive errors in an older population: the Blue Mountains Eye Study, **1041**
- Long term visual outcome in amblyopia treatment, **1148**
- Motor and sensory characteristics of infantile nystagmus, **1152**
- Relation between perceived driving disability and scores of vision screening tests, **1262**
- Retrospective, longitudinal, and cross sectional study of visual acuity impairment in choroideraemia, **658**
- Use of Lea symbols in young children, **489**
- Vision impairment and older drivers: who's driving?, **1118**
- Visual outcome in corneal grafts: a preliminary analysis of the Swedish Corneal Transplant Register, **174**
- visual field**, Frequency of testing for detecting visual field progression, **560**
- Optic disc cup slope and visual field indices in normal, ocular hypertensive and early glaucomatous eyes, **555**
- visual field defect**, Artefactual unioocular altitudinal visual field defect, **1442**
- Tangent screens are still useful in the assessment of vigabatrin induced visual field defects, **931**
- visual function**, Cataract surgery and quality of life in patients with age related macular degeneration, **1330**
- Correlation between visual function and visual ability in patients with uveitis, **993**
- visual impairment**, Blindness and visual impairment in the Americas and the Caribbean, **498**
- Factors associated with undercorrected refractive errors in an older population: the Blue Mountains Eye Study, **1041**
- Moderate visual impairment in India: the Andhra Pradesh Eye Disease Study, **373**
- Prevalence of visual impairment, blindness, and cataract surgery in the Hong Kong elderly, **133**
- Screening for retinopathy of prematurity, **1127**
- visual outcome**, Prediction of visual outcome after retinal detachment surgery using the Lotmar visometer, **278**
- visual screening**, Factors influencing visual outcome in anisometropic amblyopes, **1278**
- vitrectomy**, Acute postural drop in optic nerve perfusion after vitrectomy and gas in a patient with diabetic autonomic neuropathy, **473**
- Combining phacoemulsification with vitrectomy for treatment of macular holes, **876**
- Macular hole size as a prognostic factor in macular hole surgery, **390**
- vitreomacular interface**, Epiretinal pathology of vitreomacular traction syndrome, **902**
- vitreomacular traction syndrome**, Epiretinal pathology of vitreomacular traction syndrome, **902**
- vitreous**, Vascular endothelial growth factor is elevated in ocular fluids of eyes harbouring uveal melanoma: identification of a potential therapeutic window, **448**
- vitreous cavity**, Measurement of axial length of eyes with incomplete filling of silicone oil in the vitreous cavity using x ray computed tomography, **47**
- vitreous fluorometry**, Diabetic macular oedema: a comparison of vitreous fluorometry, angiography, and retinopathy, **316**
- Diabetic macular oedema: the effect of photocoagulation on fluorescein transport across the blood-retinal barrier, **1139**
- vitreous haemorrhage**, Unilateral vitreous haemorrhage secondary to caudal epidural injection: a variant of Terson's syndrome, **353**
- Vision threatening vitreous haemorrhage after internal limiting membrane peeling in macular surgeries, **1449**
- vitreous penetration**, Vitreous penetration of levofloxacin in the uninfamed phakic human eye, **387**
- Vogt-Koyanagi-Harada disease**, Ultrasound biomicroscopic study of ciliary body changes in the post-treatment phase of Vogt-Koyanagi-Harada disease, **1374**
- von Hippel Lindau disease**, Total exudative detachment as a first presentation of von Hippel Lindau disease, **701**
- von Willebrand factor**, Plasma vascular endothelial growth factor, soluble VEGF receptor FLT-1, and von Willebrand factor in glaucoma, **1299**
- warm compress**, Treatment of non-inflamed obstructive meibomian gland dysfunction by an infrared warm compression device, **1403**
- Wegener's granulomatosis**, Bilateral central retinal artery occlusion in Wegener's granulomatosis and α_1 antitrypsin deficiency, **476**
- Drug induced acute myopia with supraciliary choroidal effusion in a patient with Wegener's granulomatosis, **594**
- Two rare causes of posterior ischaemic optic neuropathy: eosinophilic fasciitis and Wegener's granulomatosis, **1066**
- Wilson's disease**, Dense Kayser-Fleischer ring in asymptomatic Wilson's disease (hepatolenticular degeneration), **114**
- women**, Increased mortality in women with cataract: a population based follow up of the North London Eye Study, **424**
- wound healing**, In vivo production of interferon β by human Tenon's fibroblasts; a possible mediator for the development of chronic conjunctival inflammation, **611**
- x ray computed tomography**, Measurement of axial length of eyes with incomplete filling of silicone oil in the vitreous cavity using x ray computed tomography, **47**
- YAG laser iridotomy**, Effect of a YAG laser iridotomy on intraocular pressure in pigmentary glaucoma, **1443**
- yellow nail syndrome**, Conjunctival changes associated with yellow nail syndrome, **930**



Subject index

Br J Ophthalmol 2002 86: e2
doi: 10.1136/bjo.86.12.e2

Updated information and services can be found at:
<http://bjo.bmj.com/content/86/12/e2.full.html>

Email alerting service

These include:

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Notes

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>