


# Investigate the quality of CILCO™ intraocular lenses.



Investigate with CILCO intraocular lenses and investigate with confidence. Lenses are available in a full range of powers and styles including the 2-loop Binkhorst (1P), Maltese cross (3P), suture-fixated medallion (5P, 7P), platina-clip lens (6P), anterior chamber lens and posterior chamber lenses (Simcoe, Anis and J-looped).

## CILCO™

*The standard of excellence in intraocular lenses*

England: CILCO™ Inc., "Tongaart," Whistley Green, Hurst, Berkshire RG100ES

Telephone: Twyford (0734)341498 • TLX: 858 715

France: CILCO™ Inc., 99 rue Georges Clemenceau, Cannes 06400

Telephone: 704 22 13

# Diagnosis by Ultrasound

The Ocuscan-400 enables the Ophthalmologist to diagnose pathologies obscured to visual or radiographic methods. Using A + B scan, operated by a single foot control, the specialist can see clearly the condition of the patient's eye. The exceptional resolution of the scan ensures positive interpretation of the images.

A photograph is easily taken of the A or B scan with a polaroid camera attached to the instrument.

With the aid of the compact handpiece, examinations are completed very rapidly through the closed lid, without the necessity for a water bath. There is minimum patient discomfort.

The modular construction of the instrument facilitates servicing and also upgrading as new developments occur.

The Ocuscan-400 is positive, fast, simple to operate and easy to interpret.



Write for details or a demonstration from the sole U.K. Agent:

**Clement Clarke International Ltd.**

15 Wigmore Street, London W1H 9LA, England.

Telephone 01-580 8053 Telex 298626 Cables Clemclarke London

# TEARS Naturele

An artificial tear drop for dry eye syndrome

High tear retention — low viscosity



**Alcon**

**Alcon Laboratories (U.K.) Limited** Imperial Way Watford Hertfordshire England WD2 4YR. Tears Naturele is for the treatment of dry eye syndromes associated with deficient tear secretion or deficient mucous.

**Dosage and administration:** Tears Naturele is a clear colourless sterile solution containing Dextran70 USP 0.1% and Hydroxypropyl Methylcellulose (Hypromellose) 0.3% preserved with Benzalkonium Chloride 0.01% and Disodium Edetate 0.05%. The normal dose is one to two drops into the eye(s) as frequently as required to relieve eye irritation symptoms.

**Contra-Indications:** Known hypersensitivity to Benzalkonium Chloride. This product should not be used when soft contact lenses are being worn. Basic NHS cost £1.60 P.L. 0649/0031 Full prescribing information available on request



## Laser Cures Glaucoma:

### "YATAGAN" OPHTHALMOLOGIC LASER UNIT

Microsurgery of the anterior part of the eye with focused beam of PULSED RUBY LASER.

*Operations without eyeball opening.*

*Complications positively precluded.*

Special-design device for protecting surgeon's eyes from reflected radiation.

"YATAGAN" LASER UNIT successfully used for:

- Curing secondary cataracts
- Treating some kinds of "soft" cataracts of children and adolescents
- Curing cyst of the iris of the eye

Radiation wavelength, microns	0.69
Single pulse beam power, MW	0.5–0.8
Spot diameter, mm	0.3–0.5



# MEDEXPORT

V/O MEDEXPORT, 31 Kakhovka, Moscow 113461, USSR  
Tel. 121-01-54 Telex 411925, 411247

# Balance is Essential



## Alcon's Balanced Salt Solution (BSS) is:-

- Compatible with ocular tissues minimising cytotoxic effects.\*
- Convenient to use. 15 ml Steri-Unit with an adaptor plug for a Luer-Lok irrigating needle.
- Contained in an outer blister pack enabling the bottle to be placed on a sterile surface.

Intra-ocular fluid contains principally seven ionic species. Normal saline and Ringers solution contain only two and four of these ions respectively. They are **not Balanced Salt Solutions**. Thus both produce ionic imbalance resulting in trauma to the tissue.\*

To prevent cellular damage to ocular tissues you need a solution that is isotonic and physiologic.


**Alcon's Balanced Salt Solution.**



ALCON LABORATORIES (U.K.) LTD,  
Imperial Way, Watford,  
Hertfordshire, England WD2 4YR  
Telephone Watford (0923) 46133  
Telex 923709

\*Merrill, D.L., Fleming, T.C. and Girard, L. J. Amer. J. Ophth. 49:895-903, No.5, Part 1, May '60

# topcon eye refractometer RM-200



An objective refractor, using a T.V.-monitor for accurate and rapid alignment, the RM-200 relies upon a micro-computer with the results displayed digitally and in print-out form. One position two-axes measurement simplifies the operation without sacrificing accuracy. Soft light is utilized, thus not contracting the patient's pupil or causing discomfort.

## TOPCON

European Distribution Centre: Topcon Europe B.V.  
Groothandelsgebouw, P.O. Box 29039, 3001 GA Rotterdam  
The Netherlands. Tel. 010 - 127279/147691. Telex: 23783



Exclusive distributor in  
United Kingdom:

Keeler Instruments Ltd., Academic House, 24/28 Oval Road,  
London NW1 9 ND Tel. 01-2676157. Telex: 847565.



# MAXIDEX

## The intensive care steroid for severe ocular inflammations

Maxidex dexamethasone—0.1%: a potent ophthalmic steroid: the Isopto vehicle to give increased absorption and maximum delivery of the anti-inflammatory agent to the affected area.

MAXIDEX—especially useful in such conditions as iritis, acute and chronic anterior uveitis, cyclitis, thermal and chemical burns, and also post-operatively to reduce inflammatory reactions.

One or two drops of Maxidex, prescribed in accordance with the severity of the condition, will soothe and ease the pain and discomfort of most acute inflammatory eye conditions.

Contraindicated in acute herpes simplex, vaccinia, varicella and most other viral diseases of the cornea and conjunctiva, tuberculosis, fungal disease, acute purulent untreated infections, which like other diseases caused by micro organisms, may be masked or enhanced by the steroid.

**Alcon**

ALCON LABORATORIES (U.K.) LIMITED

Imperial Way Watford Hertfordshire England WD2 4YR

Telephone Watford 46133 Telex 923709

Cable Alcon Watford



1+0.2

# a new starting point for the treatment of glaucoma

1 COMFORT

2 COMPLIANCE

3 CONTROL



**S&N** SMITH & NEPHEW  
Pharmaceuticals Ltd.

Bessemer Road, Welwyn Garden City, Hertfordshire, England AL7 1HF. Tel: (070 73) 25151

**DOSAGE AND ADMINISTRATION** *Adults:* One drop to be instilled into the eye once or twice daily or at the discretion of the physician.  
*Children:* At the discretion of the physician.

**CONTRA-INDICATIONS, WARNINGS ETC.** Ganda 1+0.2 should not be used in the case of a narrow angle between the iris and cornea as pupillary dilation may precipitate angle closure. Occasionally, orbital discomfort or red eye (hyperaemia) may occur. Other side effects, such as local irritation and headache are rare. When used in conjunction with miotics, Ganda 1+0.2 should follow the miotic after an interval of 5-10 minutes. Ganda 1+0.2 should not be used if the solution has become dark amber. The contents of the bottle should be discarded one month after the pouch has been opened. Ganda 1+0.2 is fully potent for two years providing the pouch remains unopened.

**PRODUCT LICENCE NUMBER** 0033/0075 Full prescribing information is available on request

**References** 1 Romano J., Nagasubramanian S., and Poinosawmy D. Double-masked cross-over comparison of Ganda 1.02 (Guanethidine 1% and Adrenaline 0.2% mixture) with Guttae Adrenaline 1% (Simplene 1%) and with Pilocarpine 1% (Sno-Pilo 1%). *British Journal of Ophthalmology* - in press.  
 2 Mills K. B. Personal communication. 3 Urner-Bloch U., Aeschlimann J. E., and Gloor B. P. (1980) Treatment of Chronic Simple Glaucoma with an Adrenaline/Guanethidine Combination at Three Different Dosages (Comparative Double-Blind Study) *Albrecht v. Graefes Arch. klin. exp. Ophthal.* 213, 175-185.



which product  
produces the  
following  
effects?

Mydriatic  
Miotic  
Local  
anaesthetic  
Antibiotic  
Staining  
Irrigating

THE COMPLETE  
RANGE OF SINGLE  
USE EYE DROPS



**MYDRIATICS AND CYCLOPLEGICS**

Atropine Sulfate Ph. Eur. | 1% | 2% |  
Cyclopentolate  
Hydrochloride B.P. | 0.1% | 0.5% | 1% |  
Homatropine Hydrobromide Ph. Eur. | 1% | 2% |  
Hyoscine (Scopolamine)  
Hydrobromide Ph. Eur. | 0.2% |  
Phenylephrine (Metaoxedrine)  
Hydrochloride B.P. | 10% |  
Tropicamide B.P. | 0.5% | 1% |

**MIOTICS**

Pilocarpine  
Nitrate Ph. Eur. | 1% | 2% | 3% | 4% |

**LOCAL ANAESTHETICS**

Amethocaine (Tetracaine)  
Hydrochloride Ph. Eur. | 0.5% | 1% |  
Benoxinate (Oxybuprocaine)  
Hydrochloride | 0.4% |

**COMBINED LOCAL ANAESTHETIC AND STAIN**

Lignocaine (Lidocaine)  
Hydrochloride Ph. Eur. | 4% |  
& Fluorescein Sodium B.P. | 0.25% |

**STAINS**

Fluorescein Sodium B.P. | 2% |  
Rose Bengal | 1% |


**ANTIBACTERIALS**

Chloramphenicol Ph. Eur. | 0.5% |  
Neomycin Sulfate Ph. Eur. | 0.5% |  
Sulfacetamide  
Sodium B.P. | 10% |

**MISCELLANEOUS**

Sodium Chloride Ph. Eur. | 0.9% |  
Castor Oil B.P. | 100% |

New comprehensive booklet and  
wallchart available on request.



MINIMS™

Full prescribing information is available from



**SMITH & NEPHEW**  
Pharmaceuticals Ltd

BESSEMER ROAD, WELWYN GARDEN CITY, HERTFORDSHIRE  
ENGLAND AL7 1HF.

Telephone: WELWYN GARDEN (070 73) 25151, Telex: 23969



# Glaxo's Drops

Worth  
keeping  
your  
eyes on

**Betnesol Drops**  
(betamethasone sodium phosphate)

**Predsol Drops**  
(prednisolone sodium phosphate)

## Prescribing information

### Indications

Non-infected inflammatory conditions of the eye.

### Dosage and administration

One or two drops instilled into the eye every one or two hours until control is achieved, when the frequency may be reduced.

### Contra-indications

Viral, fungal, tuberculous or purulent conditions. Use in the eye is contra-indicated if glaucoma is present.

Hypersensitivity to any component of the preparation.

### Precautions

Topical steroids should not be used extensively in pregnancy, i.e., in large amounts or for prolonged periods.

### Side effects

Eye Drops containing corticosteroids cause a serious rise in intra-ocular pressure in a small percentage of the population.

A milder rise may be experienced by a larger proportion of subjects if treatment is continued for longer than a few weeks.

Thinning of the cornea leading to perforation has occurred with use of topical corticosteroids. Cataract is reported to have occurred after unduly prolonged treatment of eye conditions with topical corticosteroids.

### Product Licence numbers

Betnesol Drops 4/5135  
Predsol Drops 4/5092

### Basic NHS cost

(exclusive of VAT) £  
5ml dropper bottle 0.88  
10ml dropper bottle 1.43

## Glaxo

Further information on Betnesol and Predsol (trade marks) is available from:  
Glaxo Laboratories Limited  
Greenford, Middlesex UB6 0HE



SMITH & NEPHEW PHARMACEUTICALS LTD. OPHTHALMOLOGICAL PRODUCTS

# Simplene<sup>®</sup>

Adrenaline B.P.

EFFECTIVELY REDUCES INTRA-OCULAR PRESSURE IN OPEN ANGLE, PRIMARY AND SECONDARY GLAUCOMA

Simplene, supplied as a sterile ophthalmic solution of adrenaline B.P., is presented in a 7.5ml plastic dropper bottle, designed to ensure patient convenience: available in two strengths, Simplene 0.5% and Simplene 1.0%

**DOSAGE AND ADMINISTRATION:**

Adult: One drop to be instilled into the eye once or twice daily.

Children: At the discretion of the physician.

**CONTRA-INDICATIONS, WARNINGS, etc.:**

Simplene should not be used when the diagnosis of open angle glaucoma has not been verified. It is contra-indicated in patients with a narrow-angle because pupillary dilation may precipitate angle-closure glaucoma.

Occasionally patients may complain of orbital discomfort or red eye. Rarely, headache, irritation and local skin reactions occur. As with other adrenaline preparations, melanosis may occasionally occur, but this has no pathological significance. Systemic effects are rare but include

tachycardia, extrasystoles, and elevation of blood pressure.

When used in conjunction with miotics, Simplene should follow the miotic after an interval of 5-10 minutes.

PL 33/57,72.



For further information, please contact your nearest branch of  
**SMITH & NEPHEW PHARMACEUTICALS LTD.**  
New York, Garden City, Paris, England. Tel. WG 25151

# Tears...



... the chronically ill



... the elderly



... those on oral contraceptives



... those on diuretics

## ...are not always a matter of human nature.

Certainly, tears are usually just a part of human nature. But not always. Sometimes they are uncomfortably absent. A variety of patient types are often found deficient in their tear production. The chronically ill, the elderly, those on oral contraceptives and diuretics are typical examples. Thus, human nature needs a little help. Liquifilm<sup>®</sup> Tears can provide it.

Liquifilm<sup>®</sup> Tears soothes, lubricates and provides long-lasting comfort to the irritated, dry eye.

Liquifilm<sup>®</sup> Tears has a human tear quality to it. It's a gentle substitute for the real thing. Formulated in the same viscosity range as human tears, Liquifilm<sup>®</sup>

also nearly duplicates the surface tension of natural tears. It's washout resistant and won't blur your patient's vision. Thus, fewer instillations, more economy and more comfort.

Liquifilm<sup>®</sup> Tears protects the lipid layer of human tears and doesn't interfere with the regeneration of corneal epithelium.

So when tears don't come naturally because of age, medication or disease, recommend the ocular lubricant... Liquifilm<sup>®</sup> Tears.

ALLERGAN PL 1426/1000\*

Allergan Limited  
Fennels Lodge  
St Peters Close, Loudwater  
High Wycombe.

Bucks. HP11 1JT

Tel: Bourne End (06285) 27778



**Liquifilm<sup>®</sup>**  
polyvinyl  
alcohol 1.4%  
**Tears**

It's only human nature.

# Nine lives, but only one pair of eyes... lengthen the odds against IOP increase with FML (fluorometholone)



The efficacy of FML is comparable to 0.1% dexamethasone and 1.0% prednisolone with less propensity to increase IOP than dexamethasone.

FML is the only steroid available in the lubricating Liquifilm vehicle which in itself soothes hot and irritated ocular tissues.

FML offers dosage flexibility, especially during the first 48 hours of treatment.


For convenience and economy FML is available in both 5 cc and 10 cc sizes.

**Presentation** White microcrystalline suspension in a clear plastic container containing 5 cc or 10 cc. **Uses** Topical anti-inflammatory suspension for the relief of the hyperemia and local conjunctival, corneal and anterior segment of the globe. **Dosage and administration** 1 to 2 drops instilled into the conjunctival sac, two to four times daily during the initial 48 to 72 hours; the dosage may be safely increased to 2 drops every hour. Care should be taken not to discontinue therapy prematurely. **Contra-indications, warnings, etc** Contra-indications: Acute suppurative herpes simplex keratitis; advanced stages of ocular structures; Vaccinia varicella and most other viral diseases of the cornea and conjunctiva; Tuberculosis of the eye. Hypersensitivity to the drug or to any of its excipients. **Warnings** Steroid eyedrops may be harmful to the cornea and conjunctiva if used in high concentrations, particularly if used for prolonged periods. Prolonged use may result in secondary damage to the optic nerve, defects in visual acuity and fields of vision, posterior subcapsular cataract formation, glaucoma and the establishment of secondary ocular infections from fungus or bacteria liberated from ocular tissue. In these diseases, caution in the use of the cornea for contact lens wear has been known to occur. Use of topical steroids. Safety and effectiveness have not been established in children of the age group up to two years of age. This preparation contains benzalkonium chloride and should be used with caution in association with hydrophilic contact lenses. **Use in pregnancy** Safety of the use of topical steroids during pregnancy has not been established. **Precautions** As topical steroids of the corticosteroid group may be absorbed readily with the use of a steroid eye solution, it is necessary to be suspicious of any possible systemic absorption. As a steroid has been used in the eye, ocular pressure should be checked frequently. Advise the patient to avoid contact with the eye during the use of the eye drops. Posterior subcapsular cataract formation is possible. Ocular infections from pathogens liberated from ocular tissues, particularly of the globe, may result if not treated properly. Use in therapy. Steroid eyedrops are a prescription drug and should be used through hospitals and ophthalmological clinics. **Package quantities** supplied in plastic dropper bottles of 5 cc and 10 cc. **Further information** N. **Product licence number** 04260/02



Allergan Limited, Fennels Lodge, St Peters Close, Loudwater,  
High Wycombe, Bucks, HP11 1JT Tel: Bourne End (06285) 27778

*Rayner*<sup>®</sup>  
**INTRAOCULAR  
LENSES**




Manufacturers of high quality intraocular lenses since 1948. For further information and catalogue please contact our manufacturing laboratories at:

**Rayner Intraocular Lenses Ltd**  
Wilbury Villas, Hove  
**East Sussex**  
**England BN3 6GG**

Telephone: Brighton (STD 0273) 720815 6  
Telex: (FSI Brighton) 87323  
Commence message 'RAYNEROPT'

**THE CASEY  
CORNEAL GRAFT TREPHINE WITH  
DISPOSABLE, STERILE BLADE**




now available in 5, 6, 7, 7.5, 8, 8.5 and 9 mm. sizes

**DIXEY INSTRUMENTS LTD.**

OPHTHALMIC INSTRUMENTS and APPARATUS

19 WIGMORE STREET, LONDON W1A 4DU

Telephone 01-580 1713/4



Improve on  
your most  
frequent choice

This blue nozzle<sup>†</sup>  
makes it easier to apply

# Chloromycetin

chloramphenicol eye ointment BPC1973

## Ophthalmic ointment

Further information (including data sheet) is available on request:

Parke, Davis & Company (Inc. USA, Liability Ltd), Usk Road, Pontypool, Gwent NP4 0YH. Tel: Pontypool (04955) 2468

Chloromycetin and the device showing a tube having a blue nozzle are the trade marks of Parke-Davis and Company for ophthalmic preparations containing chloramphenicol. † Blue Nozzle patent no. 7923173 pending.

P175-UK-Feb 80

**PARKE-DAVIS**

# Reduced Subscription Rates for Junior Hospital Doctors Residents and Interns...

## British Journal of Ophthalmology

is available to junior hospital doctors in all parts of the world for a maximum of four consecutive years at **REDUCED Annual Subscription Rates.** (Thereafter, or when reaching consultant status this special offer will no longer apply.) The following reduced rates are unchanged for the twelve issues published in 1981.

**Inland £17.00**

**Overseas US\$40.00**

(The full rates are: Inland £36.00, Overseas US\$88.00)

*The opportunity to subscribe to this journal of international authority and repute at a substantially reduced subscription rate is one not to be missed by junior doctors seeking to specialise in ophthalmology.*

*Please complete the adjacent order form and send for your subscription NOW.*

*Further order forms can be supplied on request.*

### ORDER FORM

BMA Publications  
BMA House, Tavistock Square  
London WC1H 9JR, England

*Please enter my subscription to*  
**BRITISH JOURNAL OF  
OPHTHALMOLOGY**

- United Kingdom and Irish Republic £17.00
- Overseas US\$40.00
- My remittance for..... is enclosed

*(Please tick appropriate boxes)*

NAME.....

ADDRESS .....

**To be completed by Consultant**  
*I hereby confirm that the above mentioned doctor is a member of the junior hospital staff/ resident/intern at .....*

Signed.....



## “ZIMBABWE”

### A PLACE IN THE SUN

An Ophthalmic Optician is required for an established practice in the capital city of Salisbury. Excellent prospects for expansion. Conditions of service negotiable with experience.

Reply in the first instance to:

**The Managing Director,  
King & Marchant Opticians,  
P.O. Box 37,  
Salisbury,  
Zimbabwe**

UNIVERSITY OF LONDON

## INSTITUTE OF OPHTHALMOLOGY

JUDD STREET, LONDON WC1H 9QS

Associated with

MOORFIELDS EYE HOSPITAL

General and Special Courses in the various aspects of ophthalmology take place throughout the year. These include both a General Course and short courses on specialist subjects at an advanced level. Facilities are available for those accepted for studies leading to Higher University degrees.

*For further details, apply to the Dean.*

#### EXAMINATION OF PATHOLOGICAL SPECIMENS

The Department of Pathology will be pleased to provide a diagnostic service in respect of certain types of specimen. Where appropriate these should be sent through, or with the approval of, the local hospital pathologist.

**ALEIDA KRAMER ZIEKENHUIS  
COEVORDEN**

**RÖPCKE-ZWEERS ZIEKENHUIS  
HARDENBERG**

Owing to the present occupant qualifying for retirement, the Aleida Kramer Hospital can offer the vacant position of

# ophthalmologist

The Aleida Kramer Hospital and the Röpcke-Zweers Hospital are preparing a full-scale merger, which is to be put into effect before the end of 1980.

Either hospital has its own ophthalmologist.

Aspirants - also those expecting soon to complete their training - are invited to reply.

For further details please contact Mr A.J. Sandifort Westhoff, ophthalmologist, telephone (01031) 52402444 or 52403220 (private), or the acting medical superintendent, Mrs. I. Dominicus, pediatrician, telephone (01031) 52402444 or 52403257 (private).

*Letters of application can be directed to the Board of the ALEIDA KRAMER ZIEKENHUIS, M.v.d. Thijnsingel 1, 7741 GB Coevorden, The Netherlands.*

# STATISTICS AT SQUARE ONE


by T. D. V. SWINSCOW

from the British Medical Journal

The statistical testing of data is indispensable in many types of medical investigation and a help on countless occasions in clinical practice. This book provides step-by-step instruction. Subjects covered include standard deviation,  $\chi^2$  tests, t tests, non-parametric tests, and correlation. The book includes sections on Fisher's exact probability test and rank correlation not published in the *B.M.J.* series. Methods specially adapted to pocket calculators.

"The ability to put symbols in sequence may well be one of the greatest advances in man's development . . . This excellent and attractive volume will give you an idea into which category an article or projected article fits. The ink you save may be your own. It is superb value."  
O'Donnell, Barry, *British Medical Journal*, 1977, 1, 451.

"... this gem of a practical booklet squeezes the essence of biostatistics into 75 well-written, well-organized pages. Newcomers to the field will like the way obscure concepts are clarified; experts will find the book valuable as a teaching aid."  
de Jong, Rudolph, H., *J.A.M.A.*, 1977, 237, 1874.




---

**Seventh edition**

**Now available**

---

**PRICE:**

**Inland £2.50**

**Overseas US\$10.00, including postage by air mail**

*Payment must be enclosed with order or a surcharge of 50p will be made for rendering invoices and statements*

**ORDER YOUR COPY NOW**

*From:* The Publisher,  
British Medical Journal,  
BMA House,  
Tavistock Square,  
London WC1H 9JR

*or through any leading bookseller*

A Wenner-Gren Center and  
Smith-Kettlewell Eye Research  
Foundation International  
Symposium on

**'Functional Basis of  
Ocular Motility Disorders'**

will be held in Stockholm,  
Sweden, on  
August 31 – September 3, 1981

*For further information write to*

**The Symposium Secretariat  
Wenner-Gren Center  
Sveavägen 166, 23rd floor  
S-113 46 STOCKHOLM  
Sweden**

**DON'T PAY TAX!!**

**Invest in a light plane**

*(We'll teach you free, and  
lease it back when you're  
not flying it)*

Detailed information from:

**Madisons**

**Madisons Leisure Centre  
Blackpool Road, Clifton  
Nr. Preston, Lancs PR4 0XN**

*Telephone: (0772) 684619 Telex: 67415*

**FACULTY POSITIONS OPEN**

**COLLEGES OF MEDICINE & MEDICAL SCIENCES  
DEPARTMENT OF OPHTHALMOLOGY**

**KING FAISAL UNIVERSITY  
DAMMAM, SAUDI ARABIA**

**TEACHING APPOINTMENTS**

The expanding Colleges of Medicine and Medical Sciences invite applications for their Ophthalmology Department.

Candidates should have a minimum of two years' teaching or practical experience.

Language of instruction is English.

Salaries are highly competitive and negotiable, comparable to other Saudi Arabian Universities.

**BENEFITS:**

Free furnished accommodation. Local transport allowance. Educational assistance for up to four children. Airfare to and from Saudi Arabia once a year for husband, wife and two children, plus a 60-day paid holiday.

Interviews will be held in the United Kingdom and

the United States. Please send three copies of complete curriculum vitae, and names, addresses and telephone numbers of three references to:—

**Dr Tawfik Tamimi, MB, ChB, PhD, Dean  
Colleges of Medicine and Medical Sciences  
King Faisal University**

at the appropriate address below:—

**PO Box 2  
Sunbury-on-Thames  
Middlesex TW16 5JP  
England**

**c/o Saudi Arabian Educational Mission  
2425 West Loop South  
Houston  
Texas 77027  
USA**

**KING FAISAL TEACHING HOSPITAL OPENING SOON**