

Subject index

- 8-isoprostaglandin F_{2α}**, 8-Isoprostaglandin F_{2α} and ascorbic acid concentration in the aqueous humour of patients with exfoliation syndrome, **353**
- absolute filling defects**, Colour Doppler imaging and fluorescein filling defects of the optic disc in normal tension glaucoma, **731**
- acanthamoeba keratitis**, Acanthamoeba keratitis, **516**
- accommodative esotropia**, Wearing children with accommodative esotropia out of spectacles: a pilot study, **4**
- acute angle closure**, Awareness of glaucoma, and health beliefs of patients suffering primary acute angle closure, **446**
- adenoma**, Adenoma of ciliary pigment epithelium: a case series, **504**
- adjunctive therapy**, Unoprostone as adjunctive therapy to timolol: a double masked randomised study versus brimonidine and dorzolamide, **592**
- adolescents**, Isolated foveal retinoschisis as a cause of visual loss in young females, **801**
- adult onset vitelliform macular dystrophy**, Morphological and functional analyses of adult onset vitelliform macular dystrophy, **758**
- aetiology**, Causes of severe visual impairment and blindness in children in schools for the blind in Ethiopia, **526**
The familial contribution to non-syndromic ocular coloboma in south India, **336**
- Afro-Caribbeans**, Behçet's disease in patients of west African and Afro-Caribbean origin, **876**
- age related macular degeneration**, Angiographic features after photodynamic therapy for choroidal neovascularisation in age related macular degeneration and pathological myopia, **177**
Digital analysis of choroidal neovascularisation in consecutive fluorescein angiograms for use in longitudinal clinical trials, **890**
Giant neurosensory detachments associated with disciform lesions in neovascular age related macular degeneration, **795**
How big is the burden of visual loss caused by age related macular degeneration in the United Kingdom?, **312**
Intraocular pressure after intravitreal injection of triamcinolone acetonide, **24**
Intravitreal triamcinolone acetonide for exudative age related macular degeneration, **462**
Management of age related macular degeneration: still room for improvement, **375**
One year follow up of macular translocation with 360 degree retinotomy in patients with age related macular degeneration, **615**
Quality of life with macular degeneration: perceptions of patients, clinicians, and community members, **8**
The effects of dorzolamide on choroidal and retinal perfusion in non-exudative age related macular degeneration, **753**
Visual hallucinations and Charles Bonnet syndrome after photodynamic therapy for age related macular degeneration, **977**
What more is there to learn about trachoma?, **521**
- age related macular generation**, What is the cost of blindness?, **1201**
- age related maculopathy**, CNV subtype in first eyes predicts severity of ARM in fellow eyes, **307**
Identification of lesion components that influence visual function in age related macular degeneration, **609**
Risk factors for age related maculopathy in a Japanese population: the Hisayama study, **469**
- ageing**, Why HID headlights bother older drivers, **113**
- Ahmed valve**, Partial Tenon's capsule resection with adjunctive mitomycin C in Ahmed glaucoma valve implant surgery, **994**
- air pollution**, Responding to readers' and authors' needs, **808**
- albinism**, The clinical features of albinism and their correlation with visual evoked potentials, **767**
- albumin**, Albumin as a tear supplement in the treatment of severe dry eye, **1279**
- algorithms**, Comparison of algorithms for detection of localised nerve fibre layer defects using scanning laser polarimetry, **413**
- allergic conjunctivitis**, Efficacy and safety of ketotifen eye drops in the treatment of seasonal allergic conjunctivitis, **1206**
- allergies**, Demographic study of paediatric allergic conjunctivitis within a multiethnic patient population, **1195**
- ambient lighting**, Myopia, genetics, and ambient lighting at night in a UK sample, **580**
- amblyopia**, Amblyopia therapy, **255**
Amblyopia treatment outcomes after preschool screening v school entry screening: observational data from a prospective cohort study, **988**
Authors' reply, **928**
"Compliance" with treatment in amblyopia is an important factor affecting the final visual outcome, **928**
Development of a clinically feasible logMAR alternative to the Snellen chart: performance of the "compact reduced logMAR" visual acuity chart in amblyopic children, **1232**
Differences in the management of amblyopia between European countries, **291**
Preschool vision screening, **931**
Test characteristics of orthoptic screening examination in 3 year old kindergarten children, **909**
Visual outcomes and amblyogenic risk factors in craniosynostotic syndromes: a review of 141 cases, **999**
- amiodarone**, Amiodarone induced optic neuropathy, **420**
- amniotic membrane**, Corneal stromal changes following reconstruction by ex vivo expanded limbal epithelial cells in rabbits with total limbal stem cell deficiency, **1509**
- amniotic membrane transplantation**, Corneal calcification after amniotic membrane transplantation, **587**
Management of acute ulcerative and necrotising herpes simplex and zoster keratitis with amniotic membrane transplantation, **1215**
- anaesthetics**, Ketamine anaesthesia for paediatric ophthalmology surgery, **535**
- analgesics**, Entonox as an analgesic agent, **376**
- anastomosis**, Laser induced chorioretinal venous anastomosis in ischaemic central retinal vein occlusion, **1043**
- angiogenesis**, Tumour angiogenesis as a prognostic factor for disease dissemination in retinoblastoma, **1224**
- angiogram**, Digital analysis of choroidal neovascularisation in consecutive fluorescein angiograms for use in longitudinal clinical trials, **890**
- angiomatosis**, Unusual presentation of cat scratch disease in HIV+ patient, **371**
- angioregressive therapy**, Pericyte recruitment in human corneal angiogenesis: an ultrastructural study with clinicopathological correlation, **101**
- angiosarcoma**, Cutaneous angiosarcoma of the eyelids, **514**
- angle closure**, Intraocular pressure and visual field loss in primary angle closure and primary open angle glaucomas, **720**
- angle closure glaucoma**, Ocular biometry in occludable angles and angle closure glaucoma: a population based survey, **399**
Topiramate induced myopic shift and angle closure glaucoma, **648**
- anisometropia**, Differences in the management of amblyopia between European countries, **291**
- ankylosing spondylitis**, Does etanercept induce uveitis?, **925**
- anophthalmos**, The management of orbital cysts associated with congenital microphthalmos and anophthalmos, **860**
- anterior uvea**, Expression and distribution of matrix metalloproteinases and their inhibitors in the human iris and ciliary body, **208**
- antibiotics**, Microbial keratitis: what's the preferred initial therapy?, **1167**
Overview: Initial antimicrobial therapy for microbial keratitis, **1172**
View 1: Corneal scraping and combination antibiotic therapy is indicated, **1167**
View 2: Empirical fluoroquinolone therapy is sufficient initial treatment, **1169**
- anticholesteraeamic agents**, The association between statin use and age related maculopathy, **1121**
- anti-inflammatory agents**, Suppressive effects of selectin inhibitor SKK-60060 on the leucocyte infiltration during endotoxin induced uveitis, **476**
- antimalarial toxicity**, Detecting chloroquine retinopathy: electro-oculogram versus colour vision, **902**

- antimetabolites**, Trabeculectomy augmented with antimetabolites with a viscocanalostomy technique for the management of open angle glaucoma, **374**
- anti-oxidant therapy**, Recovery of visual function in a patient with birdshot chorioretinitis, **657**
- antiphospholipid syndrome**, Central retinal venous occlusion with co-existent thrombotic thrombocytopenic purpura and antiphospholipid syndrome, **658**
- antiseptic**, Comparison of 5% povidone-iodine solution against 1% povidone-iodine solution in preoperative cataract surgery antisepsis: a prospective randomised double blind study, **163**
- anti-TNF agents**, Does etanercept induce uveitis?, **925**
- aphakic donor corneas**, Assessment of endothelium from donor corneas, **123**
- apoptosis**, Albumin as a tear supplement in the treatment of severe dry eye, **1279**
Mechanisms of staurosporine induced apoptosis in a human corneal endothelial cell line, **346**
- applanation tonometry**, Retention of corneal epithelial cells following Goldmann tonometry: implications for CJD risk, **583**
- appointment time**, Amblyopia therapy, **255**
- aqueous humour**, 8-Isoprostaglandin F_{2a} and ascorbic acid concentration in the aqueous humour of patients with exfoliation syndrome, **353**
- arachnoid trabecula**, Architecture of arachnoid trabeculae, pillars, and septa in the subarachnoid space of the human optic nerve: anatomy and clinical considerations, **777**
- argon laser**, Argon laser and trichiasis, **375**
Histological and morphometric analysis of the effects of argon laser epilation, **984**
- arteriovenous sheathotomy**, The effect of arteriovenous sheathotomy on cystoid macular oedema secondary to branch retinal vein occlusion, **1329**
- ascorbic acid**, 8-Isoprostaglandin F_{2a} and ascorbic acid concentration in the aqueous humour of patients with exfoliation syndrome, **353**
- Asia**, The SERI-ARVO Meeting and future challenges of ophthalmic research in Asia, **379**
- Asians**, Demographic study of paediatric allergic conjunctivitis within a multiethnic patient population, **1195**
- aspergillosis**, Long term survival of patient with invasive aspergillosis involving orbit, paranasal sinus, and central nervous system, **791**
- Aspergillus fumigatus**, Confocal microscopy of *Aspergillus fumigatus* keratitis, **409**
Hospital acquired aspergillus keratitis, **923**
- astigmatism**, Effects of lamellar keratotomy on postkeratoplasty astigmatism, **432**
Refractive error changes in cortical, nuclear, and posterior subcapsular cataracts, **964**
Sutureless cataract surgery with nucleus extraction: outcome of a prospective study in Nepal, **266**
Visual outcomes and amblyogenic risk factors in craniosynostotic syndromes: a review of 141 cases, **999**
- atmospheric conditions**, Responding to readers' and authors' needs, **808**
- atopic blepharitis**, Treatment of atopic blepharitis by controlling eyelid skin water retention ability with ceramide gel application, **362**
- ATP lite assay**, Inhibitory effect of certain neuropeptides on the proliferation of human retinal pigment epithelial cells, **1403**
- atropine**, Amblyopia therapy, **255**
- autologous serum**, Evaluation of umbilical cord serum therapy for persistent corneal epithelial defects, **1312**
- autorefractor**, Evaluation of the measurement of refractive error by the PowerRefractor: a remote, continuous and binocular measurement system of oculomotor function, **1504**
- autosomal dominant optic atrophy**, Optic disc morphology of patients with OPA1 autosomal dominant optic atrophy, **48**
The OPA1 gene and optic neuropathy, **2**
- Avellino corneal dystrophy**, A clinical, histopathological, and genetic study of Avellino corneal dystrophy in British families, **839**
Association of keratoconus and Avellino corneal dystrophy, **367**
- avoidable blindness**, Causes and temporal trends of blindness and severe visual impairment in children in schools for the blind in North India, **941**
- axial length**, Inherited retinal dystrophy and asymmetric axial length, **503**
- axonal loss**, Quantitative analysis of axonal loss in band atrophy of the optic nerve using scanning laser polarimetry, **32**
- azithromycin**, Community treatment with azithromycin for trachoma is not associated with antibiotic resistance in *Streptococcus pneumoniae* at 1 year, **147**
Follicular conjunctivitis caused by *Chlamydia trachomatis* in an infant Saharan population: molecular and clinical diagnosis, **142**
What more is there to learn about trachoma?, **521**
- bacteraemia**, Corneal endothelial deposits secondary to rifabutin prophylaxis for *Mycobacterium avium* complex bacteraemia, **798**
- bacterial conjunctivitis**, A phase III, placebo controlled clinical trial of 0.5% levofloxacin ophthalmic solution for the treatment of bacterial conjunctivitis, **1004**
- bacterial keratitis**, Bacterial keratitis: predisposing factors, clinical and microbiological review of 300 cases, **834**
- band atrophy**, Quantitative analysis of axonal loss in band atrophy of the optic nerve using scanning laser polarimetry, **32**
- Bangladesh**, Outcomes of cataract surgery in Bangladesh: results from a population based nationwide survey, **813**
Prevalence and causes of blindness and visual impairment in Bangladeshi adults: results of the National Blindness and Low Vision Survey of Bangladesh, **820**
- Bartonella henselae**, Mass lesions of the posterior segment associated with *Bartonella henselae*, **248**
Unusual presentation of cat scratch disease in HIV+ patient, **371**
- basal deposits**, Distribution of the collagen IV isoforms in human Bruch's membrane, **212**
- Beaver Dam Eye Study**, Associations of selected medications and visual function: the Beaver Dam Eye Study, **403**
- Behçet's disease**, Behçet's disease: from Hippocrates to the third millennium, **1175**
Behçet's disease in patients of west African and Afro-Caribbean origin, **876**
Behçet's syndrome, **381**
Factor V Leiden mutation does not correlate with retinal vascular occlusion in white patients with Behçet's disease, **1048**
Fluorescein and indocyanine green angiography findings in Behçet's disease, **1466**
Human recombinant interferon alfa-2a for the treatment of Behçet's disease with sight threatening posterior or panuveitis, **423**
Molecular mechanisms in Behçet's disease, **1199**
T-bet expression is upregulated in active Behçet's disease, **1264**
- bilateral retinoblastoma**, Globe conserving treatment of the only eye in bilateral retinoblastoma, **1374**
- bimatoprost**, A randomised, double masked, multicentre clinical trial comparing bimatoprost and timolol for the treatment of glaucoma and ocular hypertension, **57**
- binocular vision**, The clinical features of albinism and their correlation with visual evoked potentials, **767**
- bioavailability**, A comparative bioavailability study of three conventional eye drops versus a single lyophilisate, **436**
- biometry**, IOLMaster biometry: refractive results of 100 consecutive cases, **960**
- birdshot chorioretinitis**, Recovery of visual function in a patient with birdshot chorioretinitis, **657**
- BJO**, Responding to readers' and authors' needs, **808**
- blepharospasm**, Botulinum toxin A treatment in patients suffering from blepharospasm and dry eye, **54**
- blind schools**, Causes and temporal trends of blindness and severe visual impairment in children in schools for the blind in North India, **941**
- blindness**, Blindness: how to assess numbers and causes?, **282**
Causes of blindness at the "Wiyata Guna" School for the Blind, Indonesia, **1065**
Causes of low vision and blindness in rural Indonesia, **1075**
Changes in blindness prevalence over 16 years in Malawi: reduced prevalence but increased numbers of blind, **1079**
How big is the burden of visual loss caused by age related macular degeneration in the United Kingdom?, **312**
Incidence of visual loss in rural southwest Uganda, **829**
Low vision and blindness in adults in Gurage Zone, central Ethiopia, **677**
Ocular and financial health, **517**
Outcomes of cataract surgery in Bangladesh: results from a population based nationwide survey, **813**

- Prevalence and causes of blindness and visual impairment in Bangladeshi adults: results of the National Blindness and Low Vision Survey of Bangladesh, **820**
- Visual loss in uveitis of childhood, **879**
- What is the cost of blindness?, **1201**
- blindness prevalence**, Blindness and eye diseases in Tibet: findings from a randomised, population based survey, **1443**
- blood**, Unrecordable pulsatile ocular blood flow may signify severe stenosis of the ipsilateral internal carotid artery, **1478**
- blood flow**, Colour Doppler imaging and fluorescein filling defects of the optic disc in normal tension glaucoma, **731**
- blood pressure**, Phenylephrine 2.5% and 10% in phacoemulsification under topical anaesthesia: is there an effect on systemic blood pressure?, **505**
- blood supply**, Association between lower optic nerve laser Doppler blood volume measurements and glaucomatous visual field progression, **1487**
- blood vessel maturation**, Pericyte recruitment in human corneal angiogenesis: an ultrastructural study with clinicopathological correlation, **101**
- blue light**, How much blue light should an IOL transmit?, **1523**
- Blue Mountains Eye Study**, Female reproductive factors and open angle glaucoma: the Blue Mountains Eye Study, **1324**
- Five year incidence of cataract surgery: the Blue Mountains Eye Study, **168**
- Unilateral visual impairment and health related quality of life: the Blue Mountains Eye Study, **392**
- Boerhaave's syndrome**, A case of Boerhaave's syndrome associated with raised intraocular pressure, **650**
- botulinum toxin**, Botulinum toxin treatment of "one and a half syndrome", **918**
- botulinum toxin A**, Botulinum toxin A treatment in patients suffering from blepharospasm and dry eye, **54**
- Chronic eye movement induced pain and a possible role for its treatment with botulinum toxin, **1194**
- brachytherapy**, Palladium-103 plaque radiation therapy for macular degeneration: results of a 7 year study, **1497**
- brain**, Connecting the eye to the brain: the molecular basis of ganglion cell axon guidance, **639**
- branch retinal vein occlusion**, The effect of arteriovenous sheathotomy on cystoid macular oedema secondary to branch retinal vein occlusion, **1329**
- brimonidine**, Contrast sensitivity improves after brimonidine therapy in primary open angle glaucoma: a case for neuroprotection, **1463**
- Does topical brimonidine tartrate help NAION?, **1193**
- brimonidine tartrate eye drops**, Charles Bonnet syndrome precipitated by brimonidine tartrate eye drops, **917**
- British families**, A clinical, histopathological, and genetic study of Avellino corneal dystrophy in British families, **839**
- Bruch's membrane**, Distribution of the collagen IV isoforms in human Bruch's membrane, **212**
- bull's eye maculopathy**, Detecting chloroquine retinopathy: electro-oculogram versus colour vision, **902**
- campath-1H**, Mooren's ulcer resolved with campath-1H, **924**
- campimetry**, Multifixation campimetry on line: a perimeter for the detection of visual field loss using the internet, **1296**
- cardiovascular risk assessment**, Retinal vein occlusion and cardiovascular risk assessment, **124**
- carotid**, Unrecordable pulsatile ocular blood flow may signify severe stenosis of the ipsilateral internal carotid artery, **1478**
- caruncle**, Steatocystoma simplex of the caruncle, **240**
- case control studies**, The association between statin use and age related maculopathy, **1121**
- case-control study**, Risk factors for conjunctival squamous cell neoplasia: a matched case-control study, **396**
- caspase**, Mechanisms of staurosporine induced apoptosis in a human corneal endothelial cell line, **346**
- cat scratch disease**, Unusual presentation of cat scratch disease in HIV+ patient, **371**
- cataract**, A clinical and molecular genetic study of a rare dominantly inherited syndrome (MRCS) comprising of microcornea, rod-cone dystrophy, cataract, and posterior staphyloma, **197**
- A population based case-control study of cataract and inhaled corticosteroids, **1247**
- Causes of childhood blindness: results from schools for the blind in south eastern Nigeria, **20**
- Five year incidence of cataract surgery: the Blue Mountains Eye Study, **168**
- IOLMaster biometry: refractive results of 100 consecutive cases, **960**
- Low vision and blindness in adults in Gurage Zone, central Ethiopia, **677**
- Outcomes of cataract surgery in Bangladesh: results from a population based nationwide survey, **813**
- Pseudoexfoliation in south India, **1321**
- Refractive error changes in cortical, nuclear, and posterior subcapsular cataracts, **964**
- cataract blindness**, Sex inequalities in cataract blindness burden and surgical services in south India, **847**
- cataract extraction**, Is visual outcome compromised when next day review is omitted after phacoemulsification surgery? A randomised control trial, **1350**
- Lighter side, **1349**
- cataract surgery**, A 10 year retrospective survey of cataract surgery and endophthalmitis in a single eye unit: injectable lenses lower the incidence of endophthalmitis, **867**
- A prospective study of the rate of falls before and after cataract surgery, **560**
- Bilateral same day phacoemulsification: 220 cases retrospectively reviewed, **285**
- Five year incidence of cataract surgery: the Blue Mountains Eye Study, **168**
- Fungal and bacterial chronic endophthalmitis following cataract surgery, **372**
- Simultaneous bilateral cataract surgery, **253**
- Sutureless cataract surgery with nucleus extraction: outcome of a prospective study in Nepal, **266**
- The Endophthalmitis Population Study of Western Australia (EPSWA): first report, **574**
- Treatment of vascular tufts at the pupillary margin before cataract surgery, **920**
- Unilateral visual impairment and health related quality of life: the Blue Mountains Eye Study, **392**
- Visual outcome after high volume cataract surgery in Pakistan, **937**
- cataracts**, Risk factors for nuclear, cortical and posterior subcapsular cataracts in the Chinese population of Singapore: the Tanjong Pagar Survey, **1112**
- cell movement**, Intercellular adhesion molecule-1 expression on human corneal epithelial outgrowth from limbal explant in culture, **203**
- central nervous system**, Long term survival of patient with invasive aspergillosis involving orbit, paranasal sinus, and central nervous system, **791**
- central retinal artery collapse pressure**, Reproducibility of ophthalmodynamometric measurements of central retinal artery and vein collapse pressure, **577**
- central retinal vein collapse pressure**, Reproducibility of ophthalmodynamometric measurements of central retinal artery and vein collapse pressure, **577**
- central retinal vein occlusion**, Influence of factor V Leiden on the development of neovascularisation secondary to central retinal vein occlusion, **305**
- central retinal venous occlusion**, Central retinal venous occlusion with co-existent thrombotic thrombocytopenic purpura and antiphospholipid syndrome, **658**
- central serous chorioretinopathy**, Choroidal vascular remodelling in central serous chorioretinopathy after indocyanine green guided photodynamic therapy with verteporfin: a novel treatment at the primary disease level, **1453**
- Features of abnormal choroidal circulation in central serous chorioretinopathy, **709**
- Psychosomatic aspects in patients with central serous chorioretinopathy, **704**
- ceramide gel**, Treatment of atopic blepharitis by controlling eyelid skin water retention ability with ceramide gel application, **362**
- cerebrospinal fluid dynamics**, Architecture of arachnoid trabeculae, pillars, and septa in the subarachnoid space of the human optic nerve: anatomy and clinical considerations, **777**
- cerebrospinal fluid pressure**, Ophthalmodynamometric estimation of cerebrospinal fluid pressure in pseudotumour cerebri, **361**
- chalazion surgery**, Efficacy of lignocaine 2% gel in chalazion surgery, **157**
- Charles Bonnet syndrome**, Charles Bonnet syndrome precipitated by brimonidine tartrate eye drops, **917**

- Visual hallucinations and Charles Bonnet syndrome after photodynamic therapy for age related macular degeneration, **977**
- chemokine receptor**, CXCR4 expression in vitreoretinal membranes, **567**
- chemotherapy**, Neoadjuvant chemotherapy for extensive unilateral retinoblastoma, **327**
- Thermochemotherapy in hereditary retinoblastoma, **90**
- chest wall tuberculosis**, Solitary choroidal tuberculoma in a patient with chest wall tuberculosis, **795**
- childhood**, Visual loss in uveitis of childhood, **879**
- childhood blindness**, Causes and temporal trends of blindness and severe visual impairment in children in schools for the blind in North India, **941**
- Causes of childhood blindness: results from schools for the blind in south eastern Nigeria, **20**
- Causes of severe visual impairment and blindness in children in schools for the blind in Ethiopia, **526**
- Childhood blindness in India: a population based perspective, **263**
- children**, Corneal deposits after the topical use of ofloxacin in two children with vernal keratoconjunctivitis, **646**
- Defining and measuring treatment outcome in unilateral amblyopia, **1229**
- Globe conserving treatment of the only eye in bilateral retinoblastoma, **1374**
- Interferon treatment of childhood conjunctival lymphoma, **1191**
- Ketamine anaesthesia for paediatric ophthalmology surgery, **535**
- Optic disc morphology may reveal timing of insult in children with periventricular leucomalacia and/or periventricular haemorrhage, **1345**
- Penetrating keratoplasty in children: visual and graft outcome, **1212**
- Permanent visual loss in a child with a rash, **515**
- Unilateral corneal anaesthesia and ulceration following squint surgery in a child with Pendred syndrome and bilateral sixth nerve palsy, **1192**
- Visual outcomes and amblyogenic risk factors in craniosynostotic syndromes: a review of 141 cases, **999**
- China**, Ophthalmology in Hong Kong, **130**
- Chinese**, Association of HLA type and Mooren's Ulcer in Chinese in Taiwan, **797**
- Risk factors for nuclear, cortical and posterior subcapsular cataracts in the Chinese population of Singapore: the Tanjong Pagar Survey, **1112**
- chlamydia**, What more is there to learn about trachoma?, **521**
- Chlamydia pneumoniae**, What more is there to learn about trachoma?, **521**
- Chlamydia trachomatis**, Follicular conjunctivitis caused by *Chlamydia trachomatis* in an infant Saharan population: molecular and clinical diagnosis, **142**
- chondroitin sulphate proteoglycan**, Human uveal melanoma expresses NG2 immunoreactivity, **629**
- choroidal neovascular membrane**, One year follow up of macular translocation with 360 degree retinotomy in patients with age related macular degeneration, **615**
- choroid**, Fluorescein and indocyanine green angiography findings in Behçet's disease, **1466**
- High resolution magnetic resonance imaging of retinoblastoma, **330**
- choroidal haemangioma**, Photodynamic therapy using verteporfin in circumscribed choroidal haemangioma, **84**
- choroidal infarcts**, LASIK induced choroidal infarcts, **649**
- choroidal melanoma**, Combined plaque radiotherapy and transpupillary thermotherapy in choroidal melanoma: 5 years' experience, **1370**
- Simultaneous presentation of choroidal melanoma in mother and daughter, **793**
- choroidal neovascular membrane**, Choroidal neovascular membrane inhibition in a laser treated rat model with intraocular sustained release triamcinolone acetonide microimplants, **1032**
- Macular relocation after photodynamic therapy for recurrent choroidal neovascular membrane: visual results and histopathological findings, **975**
- choroidal neovascularisation**, Angiographic features after photodynamic therapy for choroidal neovascularisation in age related macular degeneration and pathological myopia, **177**
- CNV subtype in first eyes predicts severity of ARM in fellow eyes, **307**
- Digital analysis of choroidal neovascularisation in consecutive fluorescein angiograms for use in longitudinal clinical trials, **890**
- Patchy atrophy and lacquer cracks predispose to the development of choroidal neovascularisation in pathological myopia, **570**
- Photodynamic therapy: a treatment option in choroidal neovascularisation secondary to punctate inner choroidopathy, **925**
- Serpiginous choroidopathy presenting as choroidal neovascularisation, **1184**
- Subretinal fibrosis after photodynamic therapy in subfoveal choroidal neovascularisation in highly myopic eyes, **856**
- Verteporfin photodynamic therapy in highly myopic subfoveal choroidal neovascularisation, **173**
- Visual hallucinations and Charles Bonnet syndrome after photodynamic therapy for age related macular degeneration, **977**
- choroidal perfusion**, The effects of dorzolamide on choroidal and retinal perfusion in non-exudative age related macular degeneration, **753**
- choroidal tuberculoma**, Solitary choroidal tuberculoma in a patient with chest wall tuberculosis, **795**
- choroidal vascular remodelling**, Choroidal vascular remodelling in central serous chorioretinopathy after indocyanine green guided photodynamic therapy with verteporfin: a novel treatment at the primary disease level, **1453**
- choroidopathy**, Photodynamic therapy: a treatment option in choroidal neovascularisation secondary to punctate inner choroidopathy, **925**
- chromophore**, How much blue light should an IOL transmit?, **1523**
- chromosomal translocation**, Chromosomal translocation in a family with ocular anomalies: indications for karyotype analysis, **646**
- chronic angle closure glaucoma**, Iris pigment epithelial cyst induced by topical administration of latanoprost, **366**
- chronic uveitis**, Intravitreal injection of triamcinolone acetonide as treatment for chronic uveitis, **361**
- ciliary pigment epithelium**, Adenoma of ciliary pigment epithelium: a case series, **504**
- cilio-retinal artery**, Can a cilio-retinal artery influence diabetic retinopathy?, **929**
- ciprofloxacin**, Ciprofloxacin susceptibility of *Pseudomonas aeruginosa* isolates from keratitis, **1238**
- circulation**, Relation between retinobarbar circulation and progression of diabetic retinopathy, **622**
- Clearview immunoassay**, Follicular conjunctivitis caused by *Chlamydia trachomatis* in an infant Saharan population: molecular and clinical diagnosis, **142**
- climate**, Responding to readers' and authors' needs, **808**
- clinical photography**, Standardised clinical photography in ophthalmic plastic surgery, **375**
- collagen glaucoma drainage device**, Aqueous dynamic and histological findings after deep sclerectomy with collagen implant in an animal model, **1340**
- Physiology and histology of deep sclerectomy, **1310**
- collagen IV**, Distribution of the collagen IV isoforms in human Bruch's membrane, **212**
- coloboma**, The familial contribution to non-syndromic ocular coloboma in south India, **336**
- colour**, Extent of foveal tritanopia in diabetes mellitus, **742**
- colour Doppler imaging**, Colour Doppler imaging and fluorescein filling defects of the optic disc in normal tension glaucoma, **731**
- colour vision**, Assessment of colour vision as a screening test for sight threatening diabetic retinopathy before loss of vision, **747**
- computer analysis**, Semicautomated computer analysis of vessel growth in preterm infants without and with ROP, **1474**
- computer colour vision test**, Detecting chloroquine retinopathy: electro-oculogram versus colour vision, **902**
- cone dystrophy**, Bilateral macular staphylomas in a patient with cone dystrophy, **1049**
- Cone dystrophy phenotype associated with a frameshift mutation (M280fsX291) in the α -subunit of conespecific transducin (GNAT2), **1317**
- cones**, Extent of foveal tritanopia in diabetes mellitus, **742**
- confocal microscopy**, Characterisation of corneal fibrotic wound repair at the LASIK flap margin, **1272**
- Confocal microscopy of *Aspergillus fumigatus* keratitis, **409**
- In vivo confocal microscopy of the human cornea, **225**
- confocal scanning laser ophthalmoscopic**, Fine retinal crystalline deposits observed by confocal scanning laser ophthalmoscopic examination using infrared light, **509**
- congenital disc anomaly**, Morning glory disc anomaly: an atypical case, **363**

- congenital glaucoma**, Phenotype of cytochrome P4501B1 gene (*CYP1B1*) mutations in Japanese patients with primary congenital glaucoma, **302**
- congenital trichomegaly (Oliver-McFarlane syndrome)**, Congenital trichomegaly (Oliver-McFarlane syndrome): a case report with 9 years' follow up, **119**
- conjunctiva**, Actinic granuloma of the conjunctiva, **1044**
Development of organised conjunctival leucocyte aggregates after corneal transplantation in rats, **1515**
Lack of human papillomavirus in pterygium of Chinese patients from Taiwan, **1046**
Risk factors for conjunctival squamous cell neoplasia: a matched case-control study, **396**
- conjunctival lymphoma**, Interferon treatment of childhood conjunctival lymphoma, **1191**
- conjunctivitis**, Demographic study of paediatric allergic conjunctivitis within a multiethnic patient population, **1195**
- conjunctivitis, eye**, Responding to readers' and authors' needs, **808**
- consumable cost**, Is manual small incision cataract surgery affordable in the developing countries? A cost comparison with extracapsular cataract extraction, **843**
- contact diode laser cyclophotocoagulation**, Panophthalmitis following contact diode laser cyclophotocoagulation in a patient with failed trabeculectomy and trabeculotomy for congenital glaucoma, **508**
- contact lens**, Bacterial keratitis: predisposing factors, clinical and microbiological review of 300 cases, **834**
- contact lens wear**, In vivo confocal microscopy of the human cornea, **225**
- contrast sensitivity**, Contrast sensitivity improves after brimonidine therapy in primary open angle glaucoma: a case for neuroprotection, **1463**
- convergence**, Neonatal ocular misalignments reflect vergence development but rarely become esotropia, **1146**
- cord serum**, Evaluation of umbilical cord serum therapy for persistent corneal epithelial defects, **1312**
- cornea**, Bacterial keratitis: predisposing factors, clinical and microbiological review of 300 cases, **834**
In vivo confocal microscopy of the human cornea, **225**
Is hyaline degeneration of the cornea a precursor of Salzmann's corneal degeneration?, **922**
Is manual counting of corneal endothelial cell density in eye banks still acceptable? The French experience, **1481**
Mechanisms of staurosporine induced apoptosis in a human corneal endothelial cell line, **346**
Novel corneal features in two males with incontinentia pigmenti, **554**
Retention of corneal epithelial cells following Goldmann tonometry: implications for CJD risk, **583**
- cornea guttata, guttae**, Those excrescences on Descemet's membrane, **515**
- corneal amyloidosis**, Localised corneal amyloidosis associated with herpetic keratitis, **1049**
- corneal anaesthesia**, Unilateral corneal anaesthesia and ulceration following squint surgery in a child with Pendred syndrome and bilateral sixth nerve palsy, **1192**
- corneal angiogenesis**, Pericyte recruitment in human corneal angiogenesis: an ultrastructural study with clinicopathological correlation, **101**
- corneal blindness**, Corneal blindness in a southern Indian population: need for health promotion strategies, **133**
- corneal calcification**, Corneal calcification after amniotic membrane transplantation, **587**
- corneal compensator**, Influence of LASIK on scanning laser polarimetric measurement of the retinal nerve fibre layer with fixed angle and customised corneal polarisation compensation, **1241**
- corneal crystals**, A multicentre randomised double masked clinical trial of a new formulation of topical cysteamine for the treatment of corneal cystine crystals in cystinosis, **28**
- corneal deposits**, Corneal deposits after the topical use of ofloxacin in two children with vernal keratoconjunctivitis, **646**
- corneal ectasia**, Corneal ectasia following deep lamellar keratoplasty, **799**
- corneal endothelial death**, Dynamics of corneal endothelial cell death in organ culture, **376**
- corneal endothelial deposits**, Corneal endothelial deposits secondary to rifabutin prophylaxis for *Mycobacterium avium* complex bacteraemia, **798**
- corneal epithelial defect**, Evaluation of umbilical cord serum therapy for persistent corneal epithelial defects, **1312**
- corneal fibrotic wound repair**, Corneal fibrotic wound repair, **1200**
- corneal graft**, Corneal blindness in a southern Indian population: need for health promotion strategies, **133**
- corneal grafts**, Recurrent infectious crystalline keratopathy caused by different organisms in two successive corneal grafts in the same patient, **1053**
- corneal neovascularisation**, Presence of vitronectin in neovascularised cornea of patient with gelatinous drop-like dystrophy, **368**
- corneal opacification**, Corneal opacification following keratoplasty in the rat model, **249**
- corneal scarring**, Causes of childhood blindness: results from schools for the blind in south eastern Nigeria, **20**
Causes of severe visual impairment and blindness in children in schools for the blind in Ethiopia, **526**
- corneal tissue**, Therapeutic penetrating keratoplasty in severe fungal keratitis using cryopreserved donor corneas, **543**
- corneal topography**, A clinical follow up of PRK and LASIK in eyes with preoperative abnormal corneal topographies, **682**
Posterior corneal topographic changes after partial flap during laser in situ keratomileusis, **160**
- corneal transplantation**, Development of organised conjunctival leucocyte aggregates after corneal transplantation in rats, **1515**
Penetrating keratoplasty in children: visual and graft outcome, **1212**
- corneal wound repair**, Characterisation of corneal fibrotic wound repair at the LASIK flap margin, **1272**
- corticosteroids**, A population based case-control study of cataract and inhaled corticosteroids, **1247**
Pseudo-endophthalmitis after intravitreal injection of triamcinolone, **972**
- cost effectiveness**, Ocular and financial health, **517**
- Coxsackievirus**, Coxsackievirus B4 associated uveoretinitis in an adult, **501**
- craniosynostosis**, Visual outcomes and amblyogenic risk factors in craniosynostotic syndromes: a review of 141 cases, **999**
- Creutzfeldt-Jakob disease**, Retention of corneal epithelial cells following Goldmann tonometry: implications for CJD risk, **583**
- crystalline deposits**, Fine retinal crystalline deposits observed by confocal scanning laser ophthalmoscopic examination using infrared light, **509**
- crystalline keratopathy**, Recurrent infectious crystalline keratopathy caused by different organisms in two successive corneal grafts in the same patient, **1053**
- cucumber**, Frozen cucumber as a mount for processing vitreoretinal specimens, **512**
- cup**, Optic disc morphology may reveal timing of insult in children with periventricular leucomalacia and/or periventricular haemorrhage, **1345**
Semiology of periventricular leucomalacia and its optic disc morphology, **1309**
- CXCR4**, CXCR4 expression in vitreoretinal membranes, **567**
- cyclic guanosine monophosphate**, Decreased levels of cGMP in vitreous and subretinal fluid from eyes with retinal detachment, **1409**
- cyclodiode**, A two centre study of the dose-response relation for transscleral diode laser cyclophotocoagulation in refractory glaucoma, **1252**
- cyclophosphamide**, Visual symptoms in patients on cyclophosphamide may herald sight threatening disease, **122**
- CYP1B1**, Phenotype of cytochrome P4501B1 gene (*CYP1B1*) mutations in Japanese patients with primary congenital glaucoma, **302**
- cysteamine**, A multicentre randomised double masked clinical trial of a new formulation of topical cysteamine for the treatment of corneal cystine crystals in cystinosis, **28**
- cystinosis**, A multicentre randomised double masked clinical trial of a new formulation of topical cysteamine for the treatment of corneal cystine crystals in cystinosis, **28**
- cystoid macular oedema**, The effect of arteriovenous sheathotomy on cystoid macular oedema secondary to branch retinal vein occlusion, **1329**
Trans-Tenon's retrobulbar triamcinolone infusion for the treatment of uveitis, **968**
- cytokines**, Lipopolysaccharide/interferon- γ and not transforming growth factor β inhibits retinal microglial migration from retinal explant, **481**
- cytology**, Retention of corneal epithelial cells following Goldmann tonometry: implications for CJD risk, **583**

- cytomegalovirus retinitis**, Long term visual outcome of patients with cytomegalovirus retinitis treated with highly active antiretroviral therapy, **853**
Visual symptoms in patients on cyclophosphamide may herald sight threatening disease, **122**
- day case surgery**, Bilateral same day phacoemulsification: 220 cases retrospectively reviewed, **285**
- day-case surgery**, Is visual outcome compromised when next day review is omitted after phacoemulsification surgery? A randomised control trial, **1350**
Lighter side, **1349**
- decontamination**, Retention of corneal epithelial cells following Goldmann tonometry: implications for CJD risk, **583**
- deep lamellar keratoplasty**, Corneal ectasia following deep lamellar keratoplasty, **799**
- deep sclerectomy**, A prospective randomised trial of viscocanalostomy with and without implantation of a reticulated hyaluronic acid implant (SKGEL) in open angle glaucoma, **599**
Aqueous dynamic and histological findings after deep sclerectomy with collagen implant in an animal model, **1340**
Physiology and histology of deep sclerectomy, **1310**
- deprivation**, Differences in the management of amblyopia between European countries, **291**
- descemetorhexis**, Trypan blue assisted descemetorhexis for inadvertently retained Descemet's membranes after penetrating keratoplasty, **654**
- Descemet's membrane**, Trypan blue assisted descemetorhexis for inadvertently retained Descemet's membranes after penetrating keratoplasty, **654**
- developing world**, Paediatric cataract blindness in the developing world: surgical techniques and intraocular lenses in the new millennium, **14**
- development**, Neonatal ocular misalignments reflect vergence development but rarely become esotropia, **1146**
Too much or too little: neonatal ocular misalignment frequency can predict later abnormality, **1142**
- diabetes**, Diabetic retinopathy in Oman: a hospital based study, **1061**
Extent of foveal tritanopia in diabetes mellitus, **742**
Vitrectomy with silicone oil infusion in severe diabetic retinopathy, **318**
- diabetes mellitus**, Epiretinal membrane removal in diabetic eyes: comparison of viscodissection with conventional methods of membrane peeling, **737**
Severe bilateral necrotising retinitis caused by *Toxoplasma gondii* in a patient with systemic lupus erythematosus and diabetes mellitus, **651**
- diabetic macular oedema**, Correlation of a scanning laser derived oedema index and visual function following grid laser treatment for diabetic macular oedema, **455**
- diabetic retinopathy**, Assessment of colour vision as a screening test for sight threatening diabetic retinopathy before loss of vision, **747**
Automated identification of diabetic retinal exudates in digital colour images, **1220**
Can a cilio-retinal artery influence diabetic retinopathy?, **929**
Comparison of two reference standards in validating two field mydriatic digital photography as a method of screening for diabetic retinopathy, **1258**
Diabetic retinopathy in Oman: a hospital based study, **1061**
Intraocular pressure after intravitreal injection of triamcinolone acetate, **24**
Relation between retinobulbar circulation and progression of diabetic retinopathy, **622**
Utilities associated with diabetic retinopathy: results from a Canadian sample, **259**
- diffuse lamellar keratitis**, Bilateral diffuse lamellar keratitis following bilateral simultaneous versus sequential laser in situ keratomileusis, **1086**
- digital analysis**, Digital analysis of choroidal neovascularisation in consecutive fluorescein angiograms for use in longitudinal clinical trials, **890**
- digital imaging**, Acutance, an objective measure of retinal nerve fibre image clarity, **322**
- dilated pupils**, Pupil dilatation does affect some aspects of daytime driving performance, **1387**
- disciform lesions**, Giant neurosensory detachments associated with disciform lesions in neovascular age related macular degeneration, **795**
- disease laterality**, Disease laterality, eye dominance, and visual handicap in patients with unilateral full thickness macular holes, **626**
- DNA analysis**, Progression of phenotype in Leber's congenital amaurosis with a mutation at the LCA5 locus, **473**
- DNA testing**, Overview, **637**
Predictive DNA testing in ophthalmology, **633**
Predictive DNA testing in ophthalmology: View 1, **633**
Predictive DNA testing in ophthalmology: View 2, **635**
- docosanol**, Unoprostone as adjunctive therapy to timolol: a double masked randomised study versus brimonidine and dorzolamide, **592**
- dorzolamide**, The effects of dorzolamide on choroidal and retinal perfusion in non-exudative age related macular degeneration, **753**
Topical dorzolamide and metabolic acidosis in a neonate, **1052**
- dose-response**, A two centre study of the dose-response relation for transscleral diode laser cyclophotocoagulation in refractory glaucoma, **1252**
- Down's syndrome**, Acute keratoconus with perforation in a patient with Down's syndrome, **120**
- driving**, Why HID headlights bother older drivers, **113**
- driving assessment**, Pupil dilatation does affect some aspects of daytime driving performance, **1387**
- drug delivery**, A comparative bioavailability study of three conventional eye drops versus a single lyophilisate, **436**
- drug interaction**, Effect of non-steroidal anti-inflammatory ophthalmic solution on intraocular pressure reduction by latanoprost, **297**
- drusen**, Differential expression of GFAP in early v late AMD: a quantitative analysis, **1159**
- dry eye**, Albumin as a tear supplement in the treatment of severe dry eye, **1279**
Too dry or not too dry, **665**
- dry eye syndrome**, Botulinum toxin A treatment in patients suffering from blepharospasm and dry eye, **54**
- dry eyes**, Central nervous system mechanisms in Sjögren's syndrome, **128**
- econazole**, A randomised clinical trial comparing 2% econazole and 5% natamycin for the treatment of fungal keratitis, **1235**
- elderly people**, What is the cost of blindness?, **1201**
- electronic publishing**, Responding to readers' and authors' needs, **808**
- electro-oculogram**, Detecting chloroquine retinopathy: electro-oculogram versus colour vision, **902**
- electroretinogram**, Interocular amplitude differences of the full field electroretinogram in normal subjects, **1268**
Pigmentary retinopathy, macular oedema, and abnormal ERG with mitotane treatment, **500**
- ELISA**, What more is there to learn about trachoma?, **521**
- emmetropisation**, Weaning children with accommodative esotropia out of spectacles: a pilot study, **4**
- endophthalmitis**, A 10 year retrospective survey of cataract surgery and endophthalmitis in a single eye unit: injectable lenses lower the incidence of endophthalmitis, **867**
Gemella haemolysans acute postoperative endophthalmitis, **1192**
Comparison of 5% povidone-iodine solution against 1% povidone-iodine solution in preoperative cataract surgery antiseptics: a prospective randomised double blind study, **163**
Fungal and bacterial chronic endophthalmitis following cataract surgery, **372**
Permanent visual loss in a child with a rash, **515**
Propionibacterium acnes endophthalmitis diagnosed by microdissection and PCR, **1190**
The Endophthalmitis Population Study of Western Australia (EPSWA): first report, **574**
- endoscopic cyclophotocoagulation**, Delayed therapeutic success with endoscopic cyclophoto-coagulation in treating refractory post-penetrating keratoplasty glaucoma, **792**
- endoscopic sinus surgery**, Major complications of endoscopic sinus surgery: a comment, **374**
- endothelial failure**, Preliminary results with posterior lamellar keratoplasty for endothelial failure, **241**
- endothelium**, Assessment of endothelium from donor corneas, **123**
Is manual counting of corneal endothelial cell density in eye banks still acceptable? The French experience, **1481**
Mechanisms of staurosporine induced apoptosis in a human corneal endothelial cell line, **346**
- Entonox**, Entonox as an analgesic agent, **376**
- enucleation**, Combined plaque radiotherapy and transpupillary thermotherapy in choroidal melanoma: 5 years' experience, **1370**

- Neoadjuvant chemotherapy for extensive unilateral retinoblastoma, **327**
- E-optotype**, Incidence of visual loss in rural southwest Uganda, **829**
- epidemiology**, Blindness and eye diseases in Tibet: findings from a randomised, population based survey, **1443**
- Incidence of visual loss in rural southwest Uganda, **829**
- Ocular biometry in occludable angles and angle closure glaucoma: a population based survey, **399**
- Outcomes of cataract surgery in Bangladesh: results from a population based nationwide survey, **813**
- Pseudoexfoliation in south India, **1321**
- The Endophthalmitis Population Study of Western Australia (EPSWA): first report, **574**
- Unilateral visual impairment and health related quality of life: the Blue Mountains Eye Study, **392**
- epilation**, Histological and morphometric analysis of the effects of argon laser epilation, **984**
- epiphora**, Repair of the lax medial canthal tendon, **220**
- epiretinal membrane**, Central serous chorioretinopathy, **663**
- Epiretinal membrane removal in diabetic eyes: comparison of viscodissection with conventional methods of membrane peeling, **737**
- Trypan blue staining of internal limiting membrane and epiretinal membrane during vitrectomy: visual results and histopathological findings, **216**
- epiretinal membranes**, Double vital staining using trypan blue and infracyanine green in macular pucker surgery, **713**
- Nestin positive cells in adult human retina and in epiretinal membranes, **1154**
- Therapy may yet stem from cells in the retina, **1058**
- episcleral veins**, Idiopathic dilated episcleral veins and increased intraocular pressure, **652**
- epistaxis**, Bloody tears, and more! An unusual case of epistaxis, **1051**
- epithelial cells**, Corneal stromal changes following reconstruction by ex vivo expanded limbal epithelial cells in rabbits with total limbal stem cell deficiency, **1509**
- e-PTFE membrane**, Clinical experience of e-PTFE membrane implant surgery for refractory glaucoma, **63**
- ERG**, Morphological and functional analyses of adult onset vitelliform macular dystrophy, **758**
- esotropia**, Neonatal ocular misalignments reflect vergence development but rarely become esotropia, **1146**
- Too much or too little: neonatal ocular misalignment frequency can predict later abnormality, **1142**
- etanercept**, Does etanercept induce uveitis?, **925**
- Ethiopia**, Causes of severe visual impairment and blindness in children in schools for the blind in Ethiopia, **526**
- evening/weekend clinics**, Amblyopia therapy, **255**
- evidence based medicine**, Evolution and evidence based medicine, **932**
- Interesting idea—prove it!, **1**
- Is ophthalmology evidence based? A clinical audit of the emergency unit of a regional eye hospital, **385**
- exfoliation syndrome**, 8-Isoprostaglandin F_{2a} and ascorbic acid concentration in the aqueous humour of patients with exfoliation syndrome, **353**
- extracapsular cataract extraction**, Is manual small incision cataract surgery affordable in the developing countries? A cost comparison with extracapsular cataract extraction, **843**
- Sutureless cataract surgery with nucleus extraction: outcome of a prospective study in Nepal, **266**
- extracapsular cataract surgery**, Extracapsular cataract surgery compared with manual small incision cataract surgery in community eye care setting in western India: a randomised controlled trial, **667**
- exudates**, Automated identification of diabetic retinal exudates in digital colour images, **1220**
- eye**, Connecting the eye to the brain: the molecular basis of ganglion cell axon guidance, **639**
- Nodular scleritis in a patient with sarcoidosis, **507**
- eye diseases**, Ocular morbidity in schoolchildren in Kathmandu, **531**
- eye dominance**, Disease laterality, eye dominance, and visual handicap in patients with unilateral full thickness macular holes, **626**
- eye movements**, Chronic eye movement induced pain and a possible role for its treatment with botulinum toxin, **1194**
- eyelid**, Extramedullary plasmacytoma of the eyelid, **244**
- Merkel cell carcinoma of the eyelid in association with chronic lymphocytic leukaemia, **240**
- eyelid adenoid cystic carcinoma**, Eyelid skin adenoid cystic carcinoma: a clinicopathological study of one case simulating sebaceous gland carcinoma, **118**
- eyelid ectropion**, Repair of the lax medial canthal tendon, **220**
- eyelid reconstruction**, A technique for reconstruction of upper lid marginal defects, **279**
- eyelids**, Cutaneous angiosarcoma of the eyelids, **514**
- factor V Leiden**, Behçet's disease: from Hippocrates to the third millennium, **1175**
- Influence of factor V Leiden on the development of neovascularisation secondary to central retinal vein occlusion, **305**
- factor V Leiden mutation**, Factor V Leiden mutation does not correlate with retinal vascular occlusion in white patients with Behçet's disease, **1048**
- factor XII deficiency**, Factor XII deficiency and recurrent sixth nerve palsy, **369**
- falls**, A prospective study of the rate of falls before and after cataract surgery, **560**
- familial exudative vitreoretinopathy**, Frizzled 4 gene (*FZD4*) mutations in patients with familial exudative vitreoretinopathy with variable expressivity, **1291**
- fibre transmission**, Central nervous system mechanisms in Sjögren's syndrome, **128**
- fibroblast proliferation**, Mycophenolate mofetil inhibits human Tenon fibroblast proliferation by guanosine depletion, **1397**
- fingerprint dystrophy-like changes**, Bilaminar interepithelial bodies within fingerprint dystrophy-like changes in bilateral iridocorneal endothelial syndrome, **508**
- fixed facility cost**, Is manual small incision cataract surgery affordable in the developing countries? A cost comparison with extracapsular cataract extraction, **843**
- fluconazole**, Confocal microscopy of *Aspergillus fumigatus* keratitis, **409**
- Therapeutic penetrating keratoplasty in severe fungal keratitis using cryopreserved donor corneas, **543**
- fluid congestion**, Optic neuritis with marked distension of the optic nerve sheath due to local fluid congestion, **249**
- fluorescein angiography**, Colour Doppler imaging and fluorescein filling defects of the optic disc in normal tension glaucoma, **731**
- Features of abnormal choroidal circulation in central serous chorioretinopathy, **709**
- Fluorescein and indocyanine green angiography findings in Behçet's disease, **1466**
- Peripapillary crescent enlargement in highly myopic eyes evaluated by fluorescein and indocyanine green angiography, **1088**
- fluorophotometry**, A comparative bioavailability study of three conventional eye drops versus a single lyophilisate, **436**
- fluoroquinolone**, **Quixin**, A phase III, placebo controlled clinical trial of 0.5% levofloxacin ophthalmic solution for the treatment of bacterial conjunctivitis, **1004**
- foldable intraocular lens**, A dual optic accommodating foldable intraocular lens, **1083**
- foldable IOL implantation**, Left handed non-dominant hand phacoemulsification, **660**
- foldable lens implantation**, The IOL flip: rescue for foldable lens implantation gone wrong, **656**
- fovea**, Extent of foveal tritanopia in diabetes mellitus, **742**
- foveal choroidal blood**, Features of abnormal choroidal circulation in central serous chorioretinopathy, **709**
- foveal retinoschisis**, Isolated foveal retinoschisis as a cause of visual loss in young females, **801**
- frequency doubling perimetry**, Agreement between frequency doubling perimetry and static perimetry in eyes with high tension glaucoma and normal tension glaucoma, **604**
- Relative hypersensitivity in healthy eye by frequency doubling perimetry in patients with severely damaged contralateral eye, **794**
- frontoethmoid mucocoeles**, Transcaruncular approach for the management of frontoethmoid mucocoeles, **699**
- fundus autofluorescence**, Fundus autofluorescence imaging compared with different confocal scanning laser ophthalmoscopes, **1381**
- fungal keratitis**, A randomised clinical trial comparing 2% econazole and 5% natamycin for the treatment of fungal keratitis, **1235**
- Confocal microscopy of *Aspergillus fumigatus* keratitis, **409**
- Therapeutic penetrating keratoplasty in severe fungal keratitis using cryopreserved donor corneas, **543**
- fungal keratopathy**, Fungal and bacterial chronic endophthalmitis following cataract surgery, **372**

- GABA**, Epilepsy patients treated with vigabatrin exhibit reduced ocular blood flow, **96**
- ganglion cell axon guidance**, Connecting the eye to the brain: the molecular basis of ganglion cell axon guidance, **639**
- gelatinous drop-like corneal dystrophy**, Presence of vitronectin in neovascularised cornea of patient with gelatinous drop-like dystrophy, **368**
- Gemella haemolysans***, *Gemella haemolysans* acute postoperative endophthalmitis, **1192**
- gene mutations**, Frizzled 4 gene (*FZD4*) mutations in patients with familial exudative vitreoretinopathy with variable expressivity, **1291**
- gene polymorphisms**, Behçet's disease: from Hippocrates to the third millennium, **1175**
- general ophthalmic practice**, The relative contribution of medical and surgical referrals to the workload in general ophthalmic practice, **933**
- genetics**, Myopia, genetics, and ambient lighting at night in a UK sample, **580**
The familial contribution to non-syndromic ocular coloboma in south India, **336**
- genotype**, Phenotype of cytochrome P4501B1 gene (*CYP1B1*) mutations in Japanese patients with primary congenital glaucoma, **302**
- genotype-phenotype**, Genotype-phenotype correlation in British families with X linked congenital stationary night blindness, **1413**
- geographic atrophy**, Differential expression of GFAP in early v late AMD: a quantitative analysis, **1159**
- geographical distribution**, Detection of human papillomavirus DNA in pterygia from different geographical regions, **864**
Microbial keratitis, **805**
- GFAP**, Laser photocoagulation alters the pattern of staining for neurotrophin-4, GFAP, and CD68 in human retina, **488**
Nestin positive cells in adult human retina and in epiretinal membranes, **1154**
Therapy may yet stem from cells in the retina, **1058**
- giant cell arteritis**, Tonic pupils from giant cell arteritis, **510**
- giant neurosensory detachments**, Giant neurosensory detachments associated with disciform lesions in neovascular age related macular degeneration, **795**
- Glanzmann's thrombasthenia**, Acquired Glanzmann's thrombasthenia causing prolonged bleeding following phacoemulsification, **1189**
- glare**, Why HID headlights bother older drivers, **113**
- glaucoma**, A comparative bioavailability study of three conventional eye drops versus a single lyophilisate, **436**
A randomised, double masked, multicentre clinical trial comparing bimatoprost and timolol for the treatment of glaucoma and ocular hypertension, **57**
Acutance, an objective measure of retinal nerve fibre image clarity, **322**
Agreement between frequency doubling perimetry and static perimetry in eyes with high tension glaucoma and normal tension glaucoma, **604**
Awareness of glaucoma, and health beliefs of patients suffering primary acute angle closure, **446**
Blood flow per unit retinal nerve fibre tissue volume is lower in the human inferior retina, **184**
Comparison of iridial pigmentation between latanoprost and isopropyl unoprostone: a long term prospective comparative study, **956**
Delayed therapeutic success with endoscopic cyclopho- coagulation in treating refractory post-penetrating keratoplasty glaucoma, **792**
Effect of non-steroidal anti-inflammatory ophthalmic solution on intraocular pressure reduction by latanoprost, **297**
Evolution and evidence based medicine, **932**
Female reproductive factors and open angle glaucoma: the Blue Mountains Eye Study, **1324**
Interobserver agreement on visual field progression in glaucoma: a comparison of methods, **726**
Intraocular pressure after intravitreal injection of triamcinolone acetonide, **24**
Intraocular pressure and visual field loss in primary angle closure and primary open angle glaucomas, **720**
Low vision and blindness in adults in Gurage Zone, central Ethiopia, **677**
Measurement error of visual field tests in glaucoma, **107**
Multifixation campimetry on line: a perimeter for the detection of visual field loss using the internet, **1296**
Panophthalmitis following contact diode laser cyclophotocoagulation in a patient with failed trabeculectomy and trabeculotomy for congenital glaucoma, **508**
Partial Tenon's capsule resection with adjunctive mitomycin C in Ahmed glaucoma valve implant surgery, **994**
Prevalence of glaucoma in Thailand: a population based survey in Rom Klao District, Bangkok, **1069**
Pseudoexfoliation in south India, **1321**
Retinectomy for treatment of intractable glaucoma: long term results, **1094**
Surgery for glaucoma, **517**
The Armenian Eye Care Project: surgical outcomes of complicated paediatric glaucoma, **673**
The correlation between optic nerve head topographic measurements, peripapillary nerve fibre layer thickness, and visual field indices in glaucoma, **1135**
The effect of topical glaucoma medications evaluated by perimetry, **792**
glaucoma filtration surgery, Photodynamic modulation of wound healing in glaucoma filtration surgery, **870**
glaucoma implant, Clinical experience of e-PTFE membrane implant surgery for refractory glaucoma, **63**
glaucoma posterior segment, Central retinal artery and vein collapse pressure in eyes with chronic open angle glaucoma, **949**
glaucoma surgery, Aqueous dynamic and histological findings after deep sclerectomy with collagen implant in an animal model, **1340**
Physiology and histology of deep sclerectomy, **1310**
Surgery for glaucoma in the 21st century, **250**
glaucomatous progression, Association between lower optic nerve laser Doppler blood volume measurements and glaucomatous visual field progression, **1487**
- glia**, Nestin positive cells in adult human retina and in epiretinal membranes, **1154**
Therapy may yet stem from cells in the retina, **1058**
- globe conservation**, Globe conserving treatment of the only eye in bilateral retinoblastoma, **1374**
- globe injuries**, A matched study of primary scleral buckle placement during repair of posterior segment open globe injuries, **75**
- granular corneal dystrophy**, Association of keratoconus and Avellino corneal dystrophy, **367**
- granuloma**, Actinic granuloma of the conjunctiva, **1044**
- granuloma annulare**, Is granuloma annulare related to intermediate uveitis with retinal vasculitis?, **763**
- Graves' disease**, Unilateral proptosis: the role of medical history, **370**
- guanosine depletion**, Mycophenolate mofetil inhibits human Tenon fibroblast proliferation by guanosine depletion, **1397**
- H626R mutation**, H626R and R124C mutations of the TGFBI (BIGH3) gene caused lattice corneal dystrophy in Vietnamese people, **686**
- haemoglobin adducts**, Impact of smoking on the response to treatment of thyroid associated ophthalmopathy, **773**
- haemolacria**, Bloody tears, and more! An unusual case of epistaxis, **1051**
- haemorrhage**, Visual performance after interface haemorrhage during laser in situ keratomileusis, **717**
- haemorrhagic complications**, Orbital haemorrhage complication following postoperative thrombolysis, **655**
- haemorrhagic toxoplasmic retinochoroiditis**, Haemorrhagic toxoplasmic retinochoroiditis: description of an unusual clinical presentation, **1051**
- head trauma**, Persistent accommodative spasm after severe head trauma, **243**
- headlights**, Why HID headlights bother older drivers, **113**
- health education**, Awareness of glaucoma, and health beliefs of patients suffering primary acute angle closure, **446**
- health service provision**, Is visual outcome compromised when next day review is omitted after phacoemulsification surgery? A randomised control trial, **1350**
Lighter side, **1349**
- Heidelberg retina tomograph**, Retinal thickness decreases with age: an OCT study, **899**
- helioid choroiditis**, Unusual presentation of cat scratch disease in HIV+ patient, **371**
- herpes simplex**, Inflammatory optic neuropathy as the presenting feature of herpes simplex acute retinal necrosis, **512**

- herpes simplex virus**, Management of acute ulcerative and necrotising herpes simplex and zoster keratitis with amniotic membrane transplantation, **1215**
- herpesviruses**, Polymerase chain reaction analysis of aqueous humour samples in necrotising retinitis, **79**
- herpetic keratitis**, Localised corneal amyloidosis associated with herpetic keratitis, **1049**
Management of acute ulcerative and necrotising herpes simplex and zoster keratitis with amniotic membrane transplantation, **1215**
- high myopia**, Unilateral high myopia: optical components, associated factors, and visual outcomes, **1025**
- highly active antiretroviral therapy**, Long term visual outcome of patients with cytomegalovirus retinitis treated with highly active antiretroviral therapy, **853**
- histology**, An unusual retinal vascular morphology in connection with a novel *A1PL1* mutation in Leber's congenital amaurosis, **980**
High resolution magnetic resonance imaging of retinoblastoma, **330**
- histopathology**, Nodular scleritis in a patient with sarcoidosis, **507**
Trypan blue staining of internal limiting membrane and epiretinal membrane during vitrectomy: visual results and histopathological findings, **216**
- HLA**, Association of HLA type and Mooren's Ulcer in Chinese in Taiwan, **797**
- Hong Kong**, Is ophthalmology evidence based? A clinical audit of the emergency unit of a regional eye hospital, **385**
Ophthalmology in Hong Kong, **130**
- Horner's syndrome**, Paravertebral primitive neuroectodermal tumour presenting with Horner's syndrome, **366**
- hospital admission**, Severe infective keratitis leading to hospital admission in New Zealand, **1103**
- human**, Mechanisms of staurosporine induced apoptosis in a human corneal endothelial cell line, **346**
T-bet expression is upregulated in active Behçet's disease, **1264**
- human corneal epithelial cell**, Intercellular adhesion molecule-1 expression on human corneal epithelial outgrowth from limbal explant in culture, **203**
- human papillomavirus**, Detection of human papillomavirus DNA in pterygia from different geographical regions, **864**
Lack of human papillomavirus in pterygium of Chinese patients from Taiwan, **1046**
Microbial keratitis, **805**
- human recombinant interferon alfa-2a**, Behçet's syndrome, **381**
Human recombinant interferon alfa-2a for the treatment of Behçet's disease with sight threatening posterior or panuveitis, **423**
- Humphrey perimetry**, A comparison of perimetric results with the Medmont and Humphrey perimeters, **690**
- hyaline degeneration**, Is hyaline degeneration of the cornea a precursor of Salzmann's corneal degeneration?, **922**
- hyaloid vessels**, Idiopathic anterior hyaloid vessels, **365**
- hyaluronan synthase**, Hyaluronan synthase in trabecular meshwork cells, **357**
- hypersensitivity**, Relative hypersensitivity in healthy eye by frequency doubling perimetry in patients with severely damaged contralateral eye, **794**
- hyperthermia**, Thermochemotherapy in hereditary retinoblastoma, **90**
- hypotony**, Anterior scleral canal geometry in pressurised (IOP 10) and non-pressurised (IOP 0) normal monkey eyes, **1284**
- iatrogenic keratectasia**, Posterior corneal topographic changes after partial flap during laser in situ keratomileusis, **160**
- idiopathic macular hole**, Effect of preoperative detection of photoreceptor displacement on postoperative foveal findings in eyes with idiopathic macular hole, **506**
- idiopathic sclerochoroidal calcification**, Idiopathic sclerochoroidal calcification, **245**
- IgA**, What more is there to learn about trachoma?, **521**
- IgG**, What more is there to learn about trachoma?, **521**
- image analysis**, Differential expression of GFAP in early v late AMD: a quantitative analysis, **1159**
- imaging**, High resolution magnetic resonance imaging of retinoblastoma, **330**
- immunocytochemistry**, Development of organised conjunctival leucocyte aggregates after corneal transplantation in rats, **1515**
- immunopathology**, Development of organised conjunctival leucocyte aggregates after corneal transplantation in rats, **1515**
- immunoregulation**, Lipopolysaccharide/interferon- γ and not transforming growth factor β inhibits retinal microglial migration from retinal explant, **481**
- immunosuppression**, Visual symptoms in patients on cyclophosphamide may herald sight threatening disease, **122**
- implantation**, Comparison of outcomes of primary and secondary implantation of scleral fixated posterior chamber intraocular lens, **1459**
- in situ hybridisation**, Tumour necrosis factor alpha and interleukin 6 gene expression in keratocytes from patients with rheumatoid corneal ulcerations, **548**
- incontinentia pigmenti**, Novel corneal features in two males with incontinentia pigmenti, **554**
- India**, Causes and temporal trends of blindness and severe visual impairment in children in schools for the blind in North India, **941**
Childhood blindness in India: a population based perspective, **263**
Corneal blindness in a southern Indian population: need for health promotion strategies, **133**
Extracapsular cataract surgery compared with manual small incision cataract surgery in community eye care setting in western India: a randomised controlled trial, **667**
Keratoplasty for keratomalacia in preschool children, **538**
Sex inequalities in cataract blindness burden and surgical services in south India, **847**
The familial contribution to non-syndromic ocular coloboma in south India, **336**
- indocyanine green**, Central serous chorioretinopathy, **663**
Choroidal vascular remodelling in central serous chorioretinopathy after indocyanine green guided photodynamic therapy with verteporfin: a novel treatment at the primary disease level, **1453**
Indocyanine green assisted retinal internal limiting membrane removal in stage 3 or 4 macular hole surgery, **71**
- indocyanine green angiography**, Features of abnormal choroidal circulation in central serous chorioretinopathy, **709**
Fluorescein and indocyanine green angiography findings in Behçet's disease, **1466**
Peripapillary crescent enlargement in highly myopic eyes evaluated by fluorescein and indocyanine green angiography, **1088**
- Indonesia**, Causes of blindness at the "Wiyata Guna" School for the Blind, Indonesia, **1065**
Causes of low vision and blindness in rural Indonesia, **1075**
- infants**, Neonatal ocular misalignments reflect vergence development but rarely become esotropia, **1146**
Semiautomated computer analysis of vessel growth in preterm infants without and with ROP, **1474**
Too much or too little: neonatal ocular misalignment frequency can predict later abnormality, **1142**
- infiltration**, High resolution magnetic resonance imaging of retinoblastoma, **330**
- inflammation**, Nodular scleritis in a patient with sarcoidosis, **507**
- inflammation wound healing**, Management of acute ulcerative and necrotising herpes simplex and zoster keratitis with amniotic membrane transplantation, **1215**
- inflammatory bowel disease**, Ocular myasthenia gravis and inflammatory bowel disease: a case report and literature review, **1186**
- infracyanine green**, Central serous chorioretinopathy, **663**
Double vital staining using trypan blue and infracyanine green in macular pucker surgery, **713**
- infrared light**, Fine retinal crystalline deposits observed by confocal scanning laser ophthalmoscopic examination using infrared light, **509**
- injectable intraocular lens**, In vitro and in vivo study of lens refilling with poloxamer hydrogel, **1399**
- injectable lenses**, A 10 year retrospective survey of cataract surgery and endophthalmitis in a single eye unit: injectable lenses lower the incidence of endophthalmitis, **867**
- inner limiting membrane**, Double vital staining using trypan blue and infracyanine green in macular pucker surgery, **713**
- intercellular adhesion molecule-1**, Intercellular adhesion molecule-1 expression on human corneal epithelial outgrowth from limbal explant in culture, **203**
- interepithelial bodies**, Bilaminar interepithelial bodies within fingerprint dystrophy-like changes in bilateral iridocorneal endothelial syndrome, **508**

- interferon**, Interferon treatment of childhood conjunctival lymphoma, **1191**
Severe interferon associated retinopathy, **247**
- intermediate uveitis**, Is granuloma annulare related to intermediate uveitis with retinal vasculitis?, **763**
- internal limiting membrane**, Central serous chorioretinopathy, **663**
Indocyanine green assisted retinal internal limiting membrane removal in stage 3 or 4 macular hole surgery, **71**
Staining of the ILM in macular surgery, **1530**
Trypan blue staining of internal limiting membrane and epiretinal membrane during vitrectomy: visual results and histopathological findings, **216**
- internet**, Multifixation campimetry on line: a perimeter for the detection of visual field loss using the internet, **1296**
- interocular amplitude**, Interocular amplitude differences of the full field electroretinogram in normal subjects, **1268**
- intraocular lens**, Comparison of outcomes of primary and secondary implantation of scleral fixated posterior chamber intraocular lens, **1459**
How much blue light should an IOL transmit?, **1523**
Paediatric cataract blindness in the developing world: surgical techniques and intraocular lenses in the new millennium, **14**
- intraocular lens implantation**, Pupillary block following posterior chamber intraocular lens implantation in adults, **1109**
- intraocular pressure**, A case of Boerhaave's syndrome associated with raised intraocular pressure, **650**
A randomised, double masked, multicentre clinical trial comparing bimatoprost and timolol for the treatment of glaucoma and ocular hypertension, **57**
Anterior scleral canal geometry in pressurised (IOP 10) and non-pressurised (IOP 0) normal monkey eyes, **1284**
Effect of a tight necktie on intraocular pressure, **946**
Effect of non-steroidal anti-inflammatory ophthalmic solution on intraocular pressure reduction by latanoprost, **297**
Idiopathic dilated episcleral veins and increased intraocular pressure, **652**
Intraocular pressure after intravitreal injection of triamcinolone acetonide, **24**
Intraocular pressure after replacement of current dual therapy with latanoprost monotherapy in patients with open angle glaucoma, **1492**
Intraocular pressure and visual field loss in primary angle closure and primary open angle glaucomas, **720**
Intravitreal triamcinolone acetonide for exudative age related macular degeneration, **462**
Long term effect on intraocular pressure of phacotrabeculectomy compared to trabeculectomy, **850**
Reproducibility of ophthalmodynamometric measurements of central retinal artery and vein collapse pressure, **577**
The effect of simulated obstructive apnoea on intraocular pressure and pulsatile ocular blood flow in healthy young adults, **1363**
- intraocular surgery**, Ketamine anaesthesia for paediatric ophthalmology surgery, **535**
- intrastromal lamellar laser keratoplasty**, Intrastromal lamellar femtosecond laser keratoplasty with superficial flap, **1195**
- IOL flip**, The IOL flip: rescue for foldable lens implantation gone wrong, **656**
- IOLMaster**, IOLMaster biometry: refractive results of 100 consecutive cases, **960**
- iridial pigmentation**, Comparison of iridial pigmentation between latanoprost and isopropyl unoprostone: a long term prospective comparative study, **956**
- iridocorneal endothelial syndrome**, Bilaminar interepithelial bodies within fingerprint dystrophy-like changes in bilateral iridocorneal endothelial syndrome, **508**
- iris coloboma**, Pulverulent cataract with variably associated microcornea and iris coloboma in a MAF mutation family, **411**
- iris cyst**, Iris pigment epithelial cyst induced by topical administration of latanoprost, **366**
- ischaemia**, Laser induced chorioretinal venous anastomosis in ischaemic central retinal vein occlusion, **1043**
- isoforms**, Distribution of the collagen IV isoforms in human Bruch's membrane, **212**
- isopropyl unoprostone**, Comparison of iridial pigmentation between latanoprost and isopropyl unoprostone: a long term prospective comparative study, **956**
- Italian families**, Clinical features of X linked juvenile retinoschisis associated with new mutations in the XLR1 gene in Italian families, **1130**
- itraconazole**, Therapeutic penetrating keratoplasty in severe fungal keratitis using cryopreserved donor corneas, **543**
- Japan**, Comparison of iridial pigmentation between latanoprost and isopropyl unoprostone: a long term prospective comparative study, **956**
Phenotype of cytochrome P4501B1 gene (*CYP1B1*) mutations in Japanese patients with primary congenital glaucoma, **302**
- Japanese population**, Risk factors for age related maculopathy in a Japanese population: the Hisayama study, **469**
- karyotype analysis**, Chromosomal translocation in a family with ocular anomalies: indications for karyotype analysis, **646**
- keratitis**, Ciprofloxacin susceptibility of *Pseudomonas aeruginosa* isolates from keratitis, **1238**
Hospital acquired aspergillus keratitis, **923**
In vivo confocal microscopy of the human cornea, **225**
Severe infective keratitis leading to hospital admission in New Zealand, **1103**
Suppurative keratitis, **127**
- keratoconus**, Acute keratoconus with perforation in a patient with Down's syndrome, **120**
Association of keratoconus and Avellino corneal dystrophy, **367**
- keratocytes**, Characterisation of corneal fibrotic wound repair at the LASIK flap margin, **1272**
Tumour necrosis factor alpha and interleukin 6 gene expression in keratocytes from patients with rheumatoid corneal ulcerations, **548**
- keratomalacia**, Keratoplasty for keratomalacia in preschool children, **538**
- keratoplasty**, Corneal opacification following keratoplasty in the rat model, **249**
- ketamine**, Ketamine anaesthesia for paediatric ophthalmology surgery, **535**
- ketotifen**, Efficacy and safety of ketotifen eye drops in the treatment of seasonal allergic conjunctivitis, **1206**
- kindergarten**, Test characteristics of orthoptic screening examination in 3 year old kindergarten children, **909**
- laboratory assay**, Vitreous polyamines spermidine, putrescine, and spermine in human proliferative disorders of the retina, **1038**
- lacrimal canaliculus**, Repair of the lax medial canthal tendon, **220**
- lacrimal gland**, An unusual tumour of the lacrimal gland, **363**
- lacrimal punctum**, Repair of the lax medial canthal tendon, **220**
- lacrimal sac**, Magnetic resonance imaging findings in malignant melanoma of the lacrimal sac, **1187**
- lamellar keratotomy**, Effects of lamellar keratotomy on postkeratoplasty astigmatism, **432**
- lamina cribrosa**, Anterior scleral canal geometry in pressurised (IOP 10) and non-pressurised (IOP 0) normal monkey eyes, **1284**
- laser**, Laser induced chorioretinal venous anastomosis in ischaemic central retinal vein occlusion, **1043**
- laser coagulation**, Thermochemotherapy in hereditary retinoblastoma, **90**
- laser Doppler flowmetry**, Features of abnormal choroidal circulation in central serous chorioretinopathy, **709**
- laser in situ keratomileusis**, Bilateral diffuse lamellar keratitis following bilateral simultaneous versus sequential laser in situ keratomileusis, **1086**
- laser photocoagulation**, Correlation of a scanning laser derived oedema index and visual function following grid laser treatment for diabetic macular oedema, **455**
Laser photocoagulation alters the pattern of staining for neurotrophin-4, GFAP, and CD68 in human retina, **488**
- LASIK**, A clinical follow up of PRK and LASIK in eyes with preoperative abnormal corneal topographies, **682**
Characterisation of corneal fibrotic wound repair at the LASIK flap margin, **1272**
Influence of LASIK on scanning laser polarimetric measurement of the retinal nerve fibre layer with fixed angle and customised corneal polarisation compensation, **1241**
LASIK after retinal detachment surgery, **551**
LASIK induced choroidal infarcts, **649**
Visual performance after interface haemorrhage during laser in situ keratomileusis, **717**

- latanoprost**, Comparison of iridial pigmentation between latanoprost and isopropyl unoprostone: a long term prospective comparative study, **956**
- Effect of non-steroidal anti-inflammatory ophthalmic solution on intraocular pressure reduction by latanoprost, **297**
- Intraocular pressure after replacement of current dual therapy with latanoprost monotherapy in patients with open angle glaucoma, **1492**
- Iris pigment epithelial cyst induced by topical administration of latanoprost, **366**
- Latanoprost in port wine stain related paediatric glaucoma, **1091**
- lattice corneal dystrophy**, H626R and R124C mutations of the TGFBI (BIGH3) gene caused lattice corneal dystrophy in Vietnamese people, **686**
- LCD type IIIB**, H626R and R124C mutations of the TGFBI (BIGH3) gene caused lattice corneal dystrophy in Vietnamese people, **686**
- Leber's congenital amaurosis**, An unusual retinal vascular morphology in connection with a novel *AIP1* mutation in Leber's congenital amaurosis, **980**
- Progression of phenotype in Leber's congenital amaurosis with a mutation at the *LCA5* locus, **473**
- left hand**, Left handed non-dominant hand phacoemulsification, **660**
- lens implant**, Opacification of SC60B-OUV lens implant following routine phacoemulsification surgery: case report and EM study, **800**
- lens refilling**, In vitro and in vivo study of lens refilling with poloxamer hydrogel, **1399**
- leucocytes**, Suppressive effects of selectin inhibitor SKK-60060 on the leucocyte infiltration during endotoxin induced uveitis, **476**
- levocabastine**, Efficacy and safety of ketotifen eye drops in the treatment of seasonal allergic conjunctivitis, **1206**
- levofloxacin**, A phase III, placebo controlled clinical trial of 0.5% levofloxacin ophthalmic solution for the treatment of bacterial conjunctivitis, **1004**
- light scattering**, Why HID headlights bother older drivers, **113**
- ligocaine gel**, Efficacy of lignocaine 2% gel in chalazion surgery, **157**
- limbal stem cell deficiency**, Corneal stromal changes following reconstruction by ex vivo expanded limbal epithelial cells in rabbits with total limbal stem cell deficiency, **1509**
- limbus**, Corneal stromal changes following reconstruction by ex vivo expanded limbal epithelial cells in rabbits with total limbal stem cell deficiency, **1509**
- linkage**, Genetic linkage analysis of a novel syndrome comprising North Carolina-like macular dystrophy and progressive sensorineural hearing loss, **893**
- lipofuscin**, Fundus autofluorescence imaging compared with different confocal scanning laser ophthalmoscopes, **1381**
- long term follow up**, Retinectomy for treatment of intractable glaucoma: long term results, **1094**
- low vision**, Causes of low vision and blindness in rural Indonesia, **1075**
- Impact of an interdisciplinary low vision service on the quality of life of low vision patients, **1391**
- Low vision and blindness in adults in Gurage Zone, central Ethiopia, **677**
- Outcomes of cataract surgery in Bangladesh: results from a population based nationwide survey, **813**
- lupus erythematosus**, Severe bilateral necrotising retinitis caused by *Toxoplasma gondii* in a patient with systemic lupus erythematosus and diabetes mellitus, **651**
- lymphadenopathy**, Rosai Dorfman disease or sinus histiocytosis with massive lymphadenopathy of the orbit, **1053**
- lymphocytic leukaemia**, Merkel cell carcinoma of the eyelid in association with chronic lymphocytic leukaemia, **240**
- lymphoid tissue**, Development of organised conjunctival leucocyte aggregates after corneal transplantation in rats, **1515**
- lynch incision**, Transcaruncular approach for the management of frontoethmoid mucoceles, **699**
- macroglia**, Differential expression of GFAP in early v late AMD: a quantitative analysis, **1159**
- macrolide**, Community treatment with azithromycin for trachoma is not associated with antibiotic resistance in *Streptococcus pneumoniae* at 1 year, **147**
- macrophages**, Lipopolysaccharide/interferon- γ and not transforming growth factor β inhibits retinal microglial migration from retinal explant, **481**
- macula**, Scanning laser Doppler flowmeter study of retinal blood flow in macular area of healthy volunteers, **1469**
- Simultaneous translocation of the macula and underlying retinal pigment epithelium during macular translocation surgery in a patient with long standing myopic neovascular maculopathy, **371**
- macula relocation technique**, Treatment of retinal folds using a modified macula relocation technique with perfluoro-hexyloctane tamponade, **921**
- macular degeneration**, Fundus autofluorescence imaging compared with different confocal scanning laser ophthalmoscopes, **1381**
- How much blue light should an IOL transmit?, **1523**
- Palladium-103 plaque radiation therapy for macular degeneration: results of a 7 year study, **1497**
- The association between statin use and age related maculopathy, **1121**
- macular hole**, Indocyanine green assisted retinal internal limiting membrane removal in stage 3 or 4 macular hole surgery, **71**
- Trypan blue staining of internal limiting membrane and epiretinal membrane during vitrectomy: visual results and histopathological findings, **216**
- macular holes**, Types of macular hole closure and their clinical implications, **1015**
- macular oedema**, Pigmentary retinopathy, macular oedema, and abnormal ERG with mitotane treatment, **500**
- macular staphylomas**, Bilateral macular staphylomas in a patient with cone dystrophy, **1049**
- macular surgery**, Staining of the ILM in macular surgery, **1530**
- macular translocation**, One year follow up of macular translocation with 360 degree retinotomy in patients with age related macular degeneration, **615**
- macular translocation surgery**, Photodynamic therapy for recurrent myopic choroidal neovascularisation after limited macular translocation surgery, **1188**
- Simultaneous translocation of the macula and underlying retinal pigment epithelium during macular translocation surgery in a patient with long standing myopic neovascular maculopathy, **371**
- MAF mutation**, Pulverulent cataract with variably associated microcornea and iris coloboma in a MAF mutation family, **411**
- magnetic resonance imaging**, Magnetic resonance imaging findings in malignant melanoma of the lacrimal sac, **1187**
- Malawi**, Changes in blindness prevalence over 16 years in Malawi: reduced prevalence but increased numbers of blind, **1079**
- male**, Novel corneal features in two males with incontinentia pigmenti, **554**
- malignant melanoma**, Magnetic resonance imaging findings in malignant melanoma of the lacrimal sac, **1187**
- manual small incision cataract surgery**, Is manual small incision cataract surgery affordable in the developing countries? A cost comparison with extracapsular cataract extraction, **843**
- matrix metalloproteinases**, Expression and distribution of matrix metalloproteinases and their inhibitors in the human iris and ciliary body, **208**
- measurement error**, Measurement error of visual field tests in glaucoma, **107**
- mechanical endonasal dacryocystorhinostomy (MENDCR)**, Mechanical endonasal dacryocystorhinostomy with mucosal flaps, **43**
- medial canthal tendon**, Repair of the lax medial canthal tendon, **220**
- medical referrals**, The relative contribution of medical and surgical referrals to the workload in general ophthalmic practice, **933**
- medicolegal work**, Is medicolegal work a duty?, **383**
- Medmont perimetry**, A comparison of perimetric results with the Medmont and Humphrey perimeters, **690**
- membrane implant**, Clinical experience of e-PTFE membrane implant surgery for refractory glaucoma, **63**
- membrane tube implant**, Clinical experience of e-PTFE membrane implant surgery for refractory glaucoma, **63**
- menarche**, Female reproductive factors and open angle glaucoma: the Blue Mountains Eye Study, **1324**
- menopause**, Female reproductive factors and open angle glaucoma: the Blue Mountains Eye Study, **1324**
- Merkel cell carcinoma**, Merkel cell carcinoma of the eyelid in association with chronic lymphocytic leukaemia, **240**
- metabolic acidosis**, Topical dorzolamide and metabolic acidosis in a neonate, **1052**
- microbial keratitis**, Microbial keratitis: what's the preferred initial therapy?, **1167**
- Overview: Initial antimicrobial therapy for microbial keratitis, **1172**
- View 1: Corneal scraping and combination antibiotic therapy is indicated, **1167**

- View 2: Empirical fluoroquinolone therapy is sufficient initial treatment, **1169**
- microcornea**, A clinical and molecular genetic study of a rare dominantly inherited syndrome (MRCS) comprising of microcornea, rod-cone dystrophy, cataract, and posterior staphyloma, **197**
- Pulverulent cataract with variably associated microcornea and iris coloboma in a *MAF* mutation family, **411**
- microglia**, Lipopolysaccharide/interferon- γ and not transforming growth factor β inhibits retinal microglial migration from retinal explant, **481**
- microphthalmos**, The management of orbital cysts associated with congenital microphthalmos and anophthalmos, **860**
- Miller Fisher syndrome**, Optic neuritis in anti-GQ1b positive recurrent Miller Fisher syndrome, **1185**
- mitomycin C**, Partial Tenon's capsule resection with adjunctive mitomycin C in Ahmed glaucoma valve implant surgery, **994**
- mitotane**, Pigmentary retinopathy, macular oedema, and abnormal ERG with mitotane treatment, **500**
- molecular basis**, Connecting the eye to the brain: the molecular basis of ganglion cell axon guidance, **639**
- molecular genetic study**, A clinical and molecular genetic study of a rare dominantly inherited syndrome (MRCS) comprising of microcornea, rod-cone dystrophy, cataract, and posterior staphyloma, **197**
- molecular mechanisms**, Molecular mechanisms in Behçet's disease, **1199**
- monkeys**, Anterior scleral canal geometry in pressurised (IOP 10) and non-pressurised (IOP 0) normal monkey eyes, **1284**
- monoclonal antibodies**, Human uveal melanoma expresses NG2 immunoreactivity, **629**
- Mooren' ulcer**, Association of HLA type and Mooren's Ulcer in Chinese in Taiwan, **797**
- Mooren's ulcer**, Mooren's ulcer resolved with campath-1H, **924**
- morning glory disc anomaly**, Morning glory disc anomaly: an atypical case, **363**
- mosaic**, Novel corneal features in two males with incontinentia pigmenti, **554**
- MRCS**, A clinical and molecular genetic study of a rare dominantly inherited syndrome (MRCS) comprising of microcornea, rod-cone dystrophy, cataract, and posterior staphyloma, **197**
- MRI**, High resolution magnetic resonance imaging of retinoblastoma, **330**
- mucosal flaps**, Mechanical endonasal dacryocystorhinostomy with mucosal flaps, **43**
- Muller cells**, Laser photocoagulation alters the pattern of staining for neurotrophin-4, GFAP, and CD68 in human retina, **488**
- multifixation campimetry**, Multifixation campimetry on line: a perimeter for the detection of visual field loss using the internet, **1296**
- multifocal electroretinogram**, Recovery of visual function in a patient with birdshot chorioretinitis, **657**
- mutations**, Clinical features of X linked juvenile retinoschisis associated with new mutations in the *XLRS1* gene in Italian families, **1130**
- myasthenia gravis**, Ocular myasthenia gravis and inflammatory bowel disease: a case report and literature review, **1186**
- Mycobacterium avium complex**, Corneal endothelial deposits secondary to rifabutin prophylaxis for *Mycobacterium avium* complex bacteraemia, **798**
- mycophenolate mofetil**, Mycophenolate mofetil inhibits human Tenon fibroblast proliferation by guanosine depletion, **1397**
- myopia**, Angiographic features after photodynamic therapy for choroidal neovascularisation in age related macular degeneration and pathological myopia, **177**
- Comments on myopia in secondary school students in Tanzania, **660**
- Myopia, genetics, and ambient lighting at night in a UK sample, **580**
- Patchy atrophy and lacquer cracks predispose to the development of choroidal neovascularisation in pathological myopia, **570**
- Refractive error changes in cortical, nuclear, and posterior subcapsular cataracts, **964**
- Subretinal fibrosis after photodynamic therapy in subfoveal choroidal neovascularisation in highly myopic eyes, **856**
- Verteporfin photodynamic therapy in highly myopic subfoveal choroidal neovascularisation, **173**
- myopia, utility values, quality of life, refractive error, Singapore**, Utility values and myopia in teenage school students, **341**
- myopic choroidal neovascularisation**, Photodynamic therapy for recurrent myopic choroidal neovascularisation after limited macular translocation surgery, **1188**
- myopic eyes**, Peripapillary crescent enlargement in highly myopic eyes evaluated by fluorescein and indocyanine green angiography, **1088**
- myopic neovascular maculopathy**, Simultaneous translocation of the macula and underlying retinal pigment epithelium during macular translocation surgery in a patient with long standing myopic neovascular maculopathy, **371**
- myopic shift**, Topiramate induced myopic shift and angle closure glaucoma, **648**
- myositis**, Orbital myositis in scleritis, **38**
- nasolacrimal duct**, Bloody tears, and more! An unusual case of epistaxis, **1051**
- nasolacrimal duct obstruction**, Late and very late initial probing for congenital nasolacrimal duct obstruction: what is the cause of failure?, **1151**
- natamycin**, A randomised clinical trial comparing 2% econazole and 5% natamycin for the treatment of fungal keratitis, **1235**
- nausea**, A case of Boerhaave's syndrome associated with raised intraocular pressure, **650**
- necktie**, Effect of a tight necktie on intraocular pressure, **946**
- necrotising retinitis**, Severe bilateral necrotising retinitis caused by *Toxoplasma gondii* in a patient with systemic lupus erythematosus and diabetes mellitus, **651**
- neonates**, Topical dorzolamide and metabolic acidosis in a neonate, **1052**
- neovascular complications**, Influence of factor V Leiden on the development of neovascularisation secondary to central retinal vein occlusion, **305**
- neovascular markers**, Retinal neovascular markers in retinopathy of prematurity: aetiological implications, **275**
- neovascularisation**, Palladium-103 plaque radiation therapy for macular degeneration: results of a 7 year study, **1497**
- Nepal**, Ocular morbidity in schoolchildren in Kathmandu, **531**
- Sutureless cataract surgery with nucleus extraction: outcome of a prospective study in Nepal, **266**
- nerve fibre layer**, Comparison of algorithms for detection of localised nerve fibre layer defects using scanning laser polarimetry, **413**
- nerve fibre layer defects**, Comparison of localised nerve fibre layer defects in normal tension glaucoma and primary open angle glaucoma, **695**
- nestin**, Nestin positive cells in adult human retina and in epiretinal membranes, **1154**
- Therapy may yet stem from cells in the retina, **1058**
- neural networks**, Automated identification of diabetic retinal exudates in digital colour images, **1220**
- neuroectodermal tumour**, Paravertebral primitive neuroectodermal tumour presenting with Horner's syndrome, **366**
- neurons**, Nestin positive cells in adult human retina and in epiretinal membranes, **1154**
- Therapy may yet stem from cells in the retina, **1058**
- neuropeptide**, Inhibitory effect of certain neuropeptides on the proliferation of human retinal pigment epithelial cells, **1403**
- neuroprotection**, Contrast sensitivity improves after brimonidine therapy in primary open angle glaucoma: a case for neuroprotection, **1463**
- neuroretinal rim**, Optic disc morphology in south India: the Vellore Eye Study, **189**
- neurotrophins**, Laser photocoagulation alters the pattern of staining for neurotrophin-4, GFAP, and CD68 in human retina, **488**
- New Zealand**, Severe infective keratitis leading to hospital admission in New Zealand, **1103**
- Nigeria**, Causes of childhood blindness: results from schools for the blind in south eastern Nigeria, **20**
- non-arteritic anterior ischaemic optic neuropathy**, Does topical brimonidine tartrate help NAION?, **1193**
- non-penetrating surgery**, A prospective randomised trial of viscocanalostomy with and without implantation of a reticulated hyaluronic acid implant (SKGEL) in open angle glaucoma, **599**
- non-steroidal anti-inflammatory drugs**, Effect of non-steroidal anti-inflammatory ophthalmic solution on intraocular pressure reduction by latanoprost, **297**
- normal tension glaucoma**, Agreement between frequency doubling perimetry and static perimetry in eyes with high tension glaucoma and normal tension glaucoma, **604**
- Colour Doppler imaging and fluorescein filling defects of the optic disc in normal tension glaucoma, **731**
- Comparison of localised nerve fibre layer defects in normal tension glaucoma and primary open angle glaucoma, **695**

- The phenotype of normal tension glaucoma patients with and without *OPA1* polymorphisms, **149**
- North Carolina macular dystrophy**, Genetic linkage analysis of a novel syndrome comprising North Carolina-like macular dystrophy and progressive sensorineural hearing loss, **893**
- nystagmus**, The clinical features of albinism and their correlation with visual evoked potentials, **767**
- obstructive apnoea**, The effect of simulated obstructive apnoea on intraocular pressure and pulsatile ocular blood flow in healthy young adults, **1363**
- occludable angles**, Ocular biometry in occludable angles and angle closure glaucoma: a population based survey, **399**
- occlusion therapy**, Amblyopia therapy, **255**
- ocular anomalies**, Chromosomal translocation in a family with ocular anomalies: indications for karyotype analysis, **646**
- ocular biometry**, Ocular biometry in occludable angles and angle closure glaucoma: a population based survey, **399**
- ocular hypertension**, Agreement between frequency doubling perimetry and static perimetry in eyes with high tension glaucoma and normal tension glaucoma, **604**
- ocular imaging**, Correlation of a scanning laser derived oedema index and visual function following grid laser treatment for diabetic macular oedema, **455**
- ocular trauma**, A matched study of primary scleral buckle placement during repair of posterior segment open globe injuries, **75**
- ocular trauma classification system**, A matched study of primary scleral buckle placement during repair of posterior segment open globe injuries, **75**
- oculoplastic flap surgery**, Transcaruncular approach for the management of frontoethmoid mucocoeles, **699**
- ofloxacin**, Corneal deposits after the topical use of ofloxacin in two children with vernal keratoconjunctivitis, **646**
- Oman**, Diabetic retinopathy in Oman: a hospital based study, **1061**
- oncocytoma**, An unusual tumour of the lacrimal gland, **363**
- OPA1**, Optic disc morphology of patients with *OPA1* autosomal dominant optic atrophy, **48**
- The *OPA1* gene and optic neuropathy, **2**
- OPA1 polymorphisms**, The phenotype of normal tension glaucoma patients with and without *OPA1* polymorphisms, **149**
- open angle glaucoma**, A prospective randomised trial of viscocanalostomy with and without implantation of a reticulated hyaluronic acid implant (SKGEL) in open angle glaucoma, **599**
- Trabeculectomy augmented with antimetabolites with a viscocanalostomy technique for the management of open angle glaucoma, **374**
- open angle glaucoma**, Intraocular pressure after replacement of current dual therapy with latanoprost monotherapy in patients with open angle glaucoma, **1492**
- ophthalmia neonatorum**, A double application approach to ophthalmia neonatorum prophylaxis, **1449**
- Povidone-iodine prophylaxis of ophthalmia neonatorum, **1437**
- ophthalmic artery occlusion**, Mechanism of ophthalmic artery occlusion following pars plana vitrectomy, **376**
- ophthalmic developments**, Ophthalmology in Hong Kong, **130**
- ophthalmic plastic surgery**, Standardised clinical photography in ophthalmic plastic surgery, **375**
- ophthalmic research**, The SERI-ARVO Meeting and future challenges of ophthalmic research in Asia, **379**
- ophthalmodynamometry**, Ophthalmodynamometric estimation of cerebrospinal fluid pressure in pseudotumour cerebri, **361**
- Reproducibility of ophthalmodynamometric measurements of central retinal artery and vein collapse pressure, **577**
- ophthalmology**, Is ophthalmology evidence based? A clinical audit of the emergency unit of a regional eye hospital, **385**
- Primary care and ophthalmology in the United Kingdom, **493**
- Primary care in ophthalmology, **380**
- ophthalmoscopy, digital photography**, Comparison of two reference standards in validating two field mydriatic digital photography as a method of screening for diabetic retinopathy, **1258**
- optic disc**, Acutance, an objective measure of retinal nerve fibre image clarity, **322**
- Association between lower optic nerve laser Doppler blood volume measurements and glaucomatous visual field progression, **1487**
- Central retinal artery and vein collapse pressure in eyes with chronic open angle glaucoma, **949**
- Ophthalmodynamometric estimation of cerebrospinal fluid pressure in pseudotumour cerebri, **361**
- Optic disc morphology in south India: the Vellore Eye Study, **189**
- Optic disc morphology may reveal timing of insult in children with periventricular leucomalacia and/or periventricular haemorrhage, **1345**
- Semiology of periventricular leucomalacia and its optic disc morphology, **1309**
- optic disc cupping**, Optic disc morphology of patients with *OPA1* autosomal dominant optic atrophy, **48**
- The *OPA1* gene and optic neuropathy, **2**
- optic disc swelling**, Morning glory disc anomaly: an atypical case, **363**
- optic flow**, Association between lower optic nerve laser Doppler blood volume measurements and glaucomatous visual field progression, **1487**
- optic nerve**, Architecture of arachnoid trabeculae, pillars, and septa in the subarachnoid space of the human optic nerve: anatomy and clinical considerations, **777**
- High resolution magnetic resonance imaging of retinoblastoma, **330**
- Quantitative analysis of axonal loss in band atrophy of the optic nerve using scanning laser polarimetry, **32**
- optic nerve head**, Blood flow per unit retinal nerve fibre tissue volume is lower in the human inferior retina, **184**
- Central retinal artery and vein collapse pressure in eyes with chronic open angle glaucoma, **949**
- Optic disc morphology in south India: the Vellore Eye Study, **189**
- Variability across the optic nerve head in scanning laser tomography, **557**
- optic nerve head tomography**, The correlation between optic nerve head topographic measurements, peripapillary nerve fibre layer thickness, and visual field indices in glaucoma, **1135**
- optic nerve sheath**, Optic neuritis with marked distension of the optic nerve sheath due to local fluid congestion, **249**
- optic nerve sheath meningioma**, Stereotactic irradiation of biopsy proved optic nerve sheath meningioma, **246**
- optic neuritis**, Optic neuritis in anti-GQ1b positive recurrent Miller Fisher syndrome, **1185**
- Optic neuritis with marked distension of the optic nerve sheath due to local fluid congestion, **249**
- optic neuropathy**, Amiodarone induced optic neuropathy, **420**
- Inflammatory optic neuropathy as the presenting feature of herpes simplex acute retinal necrosis, **512**
- Intraocular pressure and visual field loss in primary angle closure and primary open angle glaucomas, **720**
- optical coherence tomography**, A pilot study of pars plana vitrectomy, intraocular gas, and radial neurotomy in ischaemic central retinal vein occlusion, **1126**
- Morning glory disc anomaly: an atypical case, **363**
- Morphological and functional analyses of adult onset vitelliform macular dystrophy, **758**
- Retinal thickness decreases with age: an OCT study, **899**
- Types of macular hole closure and their clinical implications, **1015**
- orbit**, Long term survival of patient with invasive aspergillosis involving orbit, paranasal sinus, and central nervous system, **791**
- Non-invasive volumetric blood flow measurement in the orbit, **927**
- Rosai Dorfman disease or sinus histiocytosis with massive lymphadenopathy of the orbit, **1053**
- orbital colour Doppler imaging**, Tonic pupils from giant cell arteritis, **510**
- orbital cyst**, The management of orbital cysts associated with congenital microphthalmos and anophthalmos, **860**
- orbital surgery**, The management of orbital cysts associated with congenital microphthalmos and anophthalmos, **860**
- orbital xanthogranuloma**, Adult orbital xanthogranuloma with periosteal infiltration, **120**
- organ culture**, Assessment of endothelium from donor corneas, **123**
- Dynamics of corneal endothelial cell death in organ culture, **376**
- Is manual counting of corneal endothelial cell density in eye banks still acceptable? The French experience, **1481**
- otodril**, Mechanical endonasal dacryocystorhinostomy with mucosal flaps, **43**
- outpatient**, Amblyopia therapy, **255**
- paediatric cataract surgery**, Paediatric cataract blindness in the developing world: surgical techniques and intraocular lenses in the new millennium, **14**
- paediatric keratoplasty**, Keratoplasty for keratomalacia in preschool children, **538**

- paediatric ophthalmology**, Latanoprost in port wine stain related paediatric glaucoma, **1091**
- paediatrics**, Demographic study of paediatric allergic conjunctivitis within a multiethnic patient population, **1195**
- paediatrics: Armenia**, The Armenian Eye Care Project: surgical outcomes of complicated paediatric glaucoma, **673**
- pain**, Chronic eye movement induced pain and a possible role for its treatment with botulinum toxin, **1194**
- Pakistan**, Visual outcome after high volume cataract surgery in Pakistan, **937**
- palladium-103**, Palladium-103 plaque radiation therapy for macular degeneration: results of a 7 year study, **1497**
- panophthalmitis**, Panophthalmitis following contact diode laser cyclophotocoagulation in a patient with failed trabeculectomy and trabeculotomy for congenital glaucoma, **508**
- papilloedema**, Architecture of arachnoid trabeculae, pillars, and septa in the subarachnoid space of the human optic nerve: anatomy and clinical considerations, **777**
- paracentesis**, Polymerase chain reaction analysis of aqueous humour samples in necrotising retinitis, **79**
- paranasal sinus**, Long term survival of patient with invasive aspergillosis involving orbit, paranasal sinus, and central nervous system, **791**
- parapapillary atrophy**, Optic disc morphology in south India: the Vellore Eye Study, **189**
- parasympathetic inhibition**, Central nervous system mechanisms in Sjögren's syndrome, **128**
- pars plana vitrectomy**, A pilot study of pars plana vitrectomy, intraocular gas, and radial neurectomy in ischaemic central retinal vein occlusion, **1126**
Mechanism of ophthalmic artery occlusion following pars plana vitrectomy, **376**
- partial flap**, Posterior corneal topographic changes after partial flap during laser in situ keratomileusis, **160**
- partial sight**, How big is the burden of visual loss caused by age related macular degeneration in the United Kingdom?, **312**
- pathogenesis**, Relation between retinal circulation and progression of diabetic retinopathy, **622**
- patient training video**, Effect of a patient training video on visual field test reliability, **153**
- Pendred syndrome**, Unilateral corneal anaesthesia and ulceration following squint surgery in a child with Pendred syndrome and bilateral sixth nerve palsy, **1192**
- penetrating keratoplasty**, Penetrating keratoplasty in children: visual and graft outcome, **1212**
Therapeutic penetrating keratoplasty in severe fungal keratitis using cryopreserved donor corneas, **543**
Trypan blue assisted descemetorhexis for inadvertently retained Descemet's membranes after penetrating keratoplasty, **654**
- perfluorocarbon liquid**, Use of perfluorocarbon liquid during vitrectomy for severe proliferative diabetic retinopathy, **563**
- perfluorohexyloctane**, Treatment of retinal folds using a modified macula relocation technique with perfluoro-hexyloctane tamponade, **921**
- pericyte**, Pericyte recruitment in human corneal angiogenesis: an ultrastructural study with clinicopathological correlation, **101**
- perimetry**, Measurement error of visual field tests in glaucoma, **107**
Multifixation campimetry on line: a perimeter for the detection of visual field loss using the internet, **1296**
The effect of topical glaucoma medications evaluated by perimetry, **792**
- periosteal infiltration**, Adult orbital xanthogranuloma with periosteal infiltration, **120**
- periventricular leucomalacia**, Optic disc morphology may reveal timing of insult in children with periventricular leucomalacia and/or periventricular haemorrhage, **1345**
Semiology of periventricular leucomalacia and its optic disc morphology, **1309**
- phacoemulsification**, A 10 year retrospective survey of cataract surgery and endophthalmitis in a single eye unit: injectable lenses lower the incidence of endophthalmitis, **867**
Acquired Glanzmann's thrombasthenia causing prolonged bleeding following phacoemulsification, **1189**
Bilateral same day phacoemulsification: 220 cases retrospectively reviewed, **285**
Comparing the efficacy and safety of phacoemulsification in white mature and other types of senile cataracts, **1356**
- Comparison of 5% povidone-iodine solution against 1% povidone-iodine solution in preoperative cataract surgery antiseptics: a prospective randomised double blind study, **163**
- IOLMaster biometry: refractive results of 100 consecutive cases, **960**
- Phenylephrine 2.5% and 10% in phacoemulsification under topical anaesthesia: is there an effect on systemic blood pressure?, **505**
- Presbyopic phacovitrectomy, **1333**
- phacoemulsification surgery**, Opacification of SC60B-OUV lens implant following routine phacoemulsification surgery: case report and EM study, **800**
- phacotrabeculectomy**, Long term effect on intraocular pressure of phacotrabeculectomy compared to trabeculectomy, **850**
- phacovitrectomy**, Presbyopic phacovitrectomy, **1333**
- phenotype**, Clinical features of X linked juvenile retinoschisis associated with new mutations in the XLR51 gene in Italian families, **1130**
Cone dystrophy phenotype associated with a frameshift mutation (M280fsX291) in the α -subunit of conespecific transducin (GNAT2), **1317**
Optic disc morphology of patients with OPA1 autosomal dominant optic atrophy, **48**
Phenotype of cytochrome P4501B1 gene (CYP1B1) mutations in Japanese patients with primary congenital glaucoma, **302**
The OPA1 gene and optic neuropathy, **2**
The phenotype of normal tension glaucoma patients with and without OPA1 polymorphisms, **149**
- phenylephrine**, Phenylephrine 2.5% and 10% in phacoemulsification under topical anaesthesia: is there an effect on systemic blood pressure?, **505**
- photic retinopathy**, How much blue light should an IOL transmit?, **1523**
- photodynamic therapy**, Angiographic features after photodynamic therapy for choroidal neovascularisation in age related macular degeneration and pathological myopia, **177**
Choroidal vascular remodelling in central serous chorioretinopathy after indocyanine green guided photodynamic therapy with verteporfin: a novel treatment at the primary disease level, **1453**
Macular relocation after photodynamic therapy for recurrent choroidal neovascular membrane: visual results and histopathological findings, **975**
Photodynamic therapy: a treatment option in choroidal neovascularisation secondary to punctate inner choroidopathy, **925**
Photodynamic therapy for recurrent myopic choroidal neovascularisation after limited macular translocation surgery, **1188**
Photodynamic therapy using verteporfin in circumscribed choroidal haemangioma, **84**
Subretinal fibrosis after photodynamic therapy in subfoveal choroidal neovascularisation in highly myopic eyes, **856**
Successful photodynamic therapy for subretinal neovascularisation due to Sorsby's fundus dystrophy: 1 year follow up, **796**
Verteporfin photodynamic therapy in highly myopic subfoveal choroidal neovascularisation, **173**
Visual hallucinations and Charles Bonnet syndrome after photodynamic therapy for age related macular degeneration, **977**
- photoreceptor displacement**, Effect of preoperative detection of photoreceptor displacement on postoperative foveal findings in eyes with idiopathic macular hole, **506**
- photorefractive keratotomy**, A clinical follow up of PRK and LASIK in eyes with preoperative abnormal corneal topographies, **682**
- photorefractometry**, Evaluation of the measurement of refractive error by the PowerRefractor: a remote, continuous and binocular measurement system of oculomotor function, **1504**
- photostress**, Why HID headlights bother older drivers, **113**
- phthisis bulbi**, Causes of childhood blindness: results from schools for the blind in south eastern Nigeria, **20**
- pigmentary retinopathy**, Pigmentary retinopathy, macular oedema, and abnormal ERG with mitotane treatment, **500**
- pinguecula**, Lack of human papillomavirus in pterygium of Chinese patients from Taiwan, **1046**
- plaque radiotherapy**, Combined plaque radiotherapy and transpupillary thermotherapy in choroidal melanoma: 5 years' experience, **1370**
- plasmacytoma**, Extramedullary plasmacytoma of the eyelid, **244**
- pneumatic retinopathy**, Overview, **790**
Repair of a primary rhegmatogenous retinal detachment, **782**
View 1: Minimal segmental buckling without drainage, **782**
View 2: The case for primary vitrectomy, **784**
View 3: The case for pneumatic retinopathy, **787**

- poloxamer hydrogel**, In vitro and in vivo study of lens refilling with poloxamer hydrogel, **1399**
- polyamines**, Vitreous polyamines spermidine, putrescine, and spermine in human proliferative disorders of the retina, **1038**
- polymerase chain reaction**, *Propionibacterium acnes* endophthalmitis diagnosed by microdissection and PCR, **1190**
Detection of human papillomavirus DNA in pterygia from different geographical regions, **864**
Follicular conjunctivitis caused by *Chlamydia trachomatis* in an infant Saharan population: molecular and clinical diagnosis, **142**
Lack of human papillomavirus in pterygium of Chinese patients from Taiwan, **1046**
Microbial keratitis, **805**
Polymerase chain reaction analysis of aqueous humour samples in necrotising retinitis, **79**
- population based study**, Five year risk of progression of primary angle closure suspects to primary angle closure: a population based study, **450**
Risk factors for age related maculopathy in a Japanese population: the Hisayama study, **469**
- population study**, The Endophthalmitis Population Study of Western Australia (EPSWA): first report, **574**
- port wine stain**, Latanoprost in port wine stain related paediatric glaucoma, **1091**
- posterior lamellar keratoplasty**, Preliminary results with posterior lamellar keratoplasty for endothelial failure, **241**
- posterior segment**, Mass lesions of the posterior segment associated with *Bartonella henselae*, **248**
- posterior staphyloma**, A clinical and molecular genetic study of a rare dominantly inherited syndrome (MRCS) comprising of microcornea, rod-cone dystrophy, cataract, and posterior staphyloma, **197**
- posterior subcapsular cataract**, Unilateral nasal hemianopsia secondary to posterior subcapsular cataract, **1045**
- postoperative foveal findings**, Effect of preoperative detection of photoreceptor displacement on postoperative foveal findings in eyes with idiopathic macular hole, **506**
- post-penetrating keratoplasty**, Delayed therapeutic success with endoscopic cyclophoto-coagulation in treating refractory post-penetrating keratoplasty glaucoma, **792**
- povidone-iodine**, A double application approach to ophthalmia neonatorum prophylaxis, **1449**
- povidone-iodine**, Comparison of 5% povidone-iodine solution against 1% povidone-iodine solution in preoperative cataract surgery antisepsis: a prospective randomised double blind study, **163**
- povidone-iodine**, Povidone-iodine prophylaxis of ophthalmia neonatorum, **1437**
- premedication**, Oral premedication with low dose midazolam modifies the immunological stress reaction after the setting of retrobulbar anaesthesia, **1020**
- presbyopia**, Presbyopic phacovitrectomy, **1333**
- preschool vision screening**, Test characteristics of orthoptic screening examination in 3 year old kindergarten children, **909**
- prevalence**, Blindness: how to assess numbers and causes?, **282**
Causes of low vision and blindness in rural Indonesia, **1075**
Changes in blindness prevalence over 16 years in Malawi: reduced prevalence but increased numbers of blind, **1079**
How big is the burden of visual loss caused by age related macular degeneration in the United Kingdom?, **312**
- prevalence survey**, Prevalence and causes of blindness and visual impairment in Bangladeshi adults: results of the National Blindness and Low Vision Survey of Bangladesh, **820**
- primary angle closure**, Five year risk of progression of primary angle closure suspects to primary angle closure: a population based study, **450**
- primary angle closure glaucoma**, Screening for primary angle closure in Mongolia: a randomised controlled trial to determine whether screening and prophylactic treatment will reduce the incidence of primary angle closure glaucoma in an east Asian population, **271**
- primary care**, Primary care and ophthalmology in the United Kingdom, **493**
Primary care in ophthalmology, **380**
- primary open angle glaucoma**, Comparison of localised nerve fibre layer defects in normal tension glaucoma and primary open angle glaucoma, **695**
Contrast sensitivity improves after brimonidine therapy in primary open angle glaucoma: a case for neuroprotection, **1463**
Unoprostone as adjunctive therapy to timolol: a double masked randomised study versus brimonidine and dorzolamide, **592**
- primary vitrectomy**, Overview, **790**
Repair of a primary rhegmatogenous retinal detachment, **782**
View 1: Minimal segmental buckling without drainage, **782**
View 2: The case for primary vitrectomy, **784**
View 3: The case for pneumatic retinopexy, **787**
- prior transmission by contact tonometry**, Minimising the risk of prior transmission by contact tonometry, **1360**
- probing**, Late and very late initial probing for congenital nasolacrimal duct obstruction: what is the cause of failure?, **1151**
- progenitor cells**, Nestin positive cells in adult human retina and in epiretinal membranes, **1154**
Therapy may yet stem from cells in the retina, **1058**
- progressor program**, Interobserver agreement on visual field progression in glaucoma: a comparison of methods, **726**
- proinflammatory cytokines**, Tumour necrosis factor alpha and interleukin 6 gene expression in keratocytes from patients with rheumatoid corneal ulcerations, **548**
- proliferative diabetic retinopathy**, Epiretinal membrane removal in diabetic eyes: comparison of viscodissection with conventional methods of membrane peeling, **737**
Use of perfluorocarbon liquid during vitrectomy for severe proliferative diabetic retinopathy, **563**
Vitrectomy with silicone oil infusion in severe diabetic retinopathy, **318**
Vitreous polyamines spermidine, putrescine, and spermine in human proliferative disorders of the retina, **1038**
- proliferative vitreoretinopathy**, Vitreous polyamines spermidine, putrescine, and spermine in human proliferative disorders of the retina, **1038**
- Propionibacterium acnes**, *Propionibacterium acnes* endophthalmitis diagnosed by microdissection and PCR, **1190**
- proptosis**, Thyroid eye disease: an unusual presentation, **923**
- prospective cohort study**, Amblyopia treatment outcomes after preschool screening v school entry screening: observational data from a prospective cohort study, **988**
Preschool vision screening, **931**
- protein kinase C**, Intercellular adhesion molecule-1 expression on human corneal epithelial outgrowth from limbal explant in culture, **203**
- pseudo-endophthalmitis**, Pseudo-endophthalmitis after intravitreal injection of triamcinolone, **972**
- pseudoexfoliation**, Pseudoexfoliation in south India, **1321**
- Pseudomonas aeruginosa**, Ciprofloxacin susceptibility of *Pseudomonas aeruginosa* isolates from keratitis, **1238**
- pseudophakic donor corneas**, Assessment of endothelium from donor corneas, **123**
- pseudotumour cerebri**, Ophthalmodynamometric estimation of cerebrospinal fluid pressure in pseudotumour cerebri, **361**
- psychophysics**, Measurement error of visual field tests in glaucoma, **107**
- psychosomatic aspects**,
Psychosomatic aspects in patients with central serous chorioretinopathy, **704**
- pterygia**, Detection of human papillomavirus DNA in pterygia from different geographical regions, **864**
Microbial keratitis, **805**
- pterygium**, Lack of human papillomavirus in pterygium of Chinese patients from Taiwan, **1046**
- pucker**, Double vital staining using trypan blue and intracyanine green in macular pucker surgery, **713**
- pulsatile ocular blood flow**, Epilepsy patients treated with vigabatrin exhibit reduced ocular blood flow, **96**
The effect of simulated obstructive apnoea on intraocular pressure and pulsatile ocular blood flow in healthy young adults, **1363**
Unrecordable pulsatile ocular blood flow may signify severe stenosis of the ipsilateral internal carotid artery, **1478**
- pulverulent cataract**, Pulverulent cataract with variably associated microcornea and iris coloboma in a MAF mutation family, **411**
- pupillary block**, Pupillary block following posterior chamber intraocular lens implantation in adults, **1109**
- pupillary margin**, Treatment of vascular tufts at the pupillary margin before cataract surgery, **920**
- quality control**, Is manual counting of corneal endothelial cell density in eye banks still acceptable? The French experience, **1481**
- quality of life**, Impact of an interdisciplinary low vision service on the quality of life of low vision patients, **1391**

- Is visual outcome compromised when next day review is omitted after phacoemulsification surgery? A randomised control trial, **1350**
- Lighter side, **1349**
- Quality of life with macular degeneration: perceptions of patients, clinicians, and community members, **8**
- Unilateral visual impairment and health related quality of life: the Blue Mountains Eye Study, **392**
- quality of life, cross border healthcare comparisons**, Utilities associated with diabetic retinopathy: results from a Canadian sample, **259**
- questionnaire**, Amblyopia therapy, **255**
- questionnaires**, Differences in the management of amblyopia between European countries, **291**
- rabbit**, Albumin as a tear supplement in the treatment of severe dry eye, **1279**
- Aqueous dynamic and histological findings after deep sclerectomy with collagen implant in an animal model, **1340**
- Characterisation of corneal fibrotic wound repair at the LASIK flap margin, **1272**
- Confocal microscopy of *Aspergillus fumigatus* keratitis, **409**
- Physiology and histology of deep sclerectomy, **1310**
- rabbit model**, In vitro and in vivo study of lens refilling with poloxamer hydrogel, **1399**
- rabbits**, Corneal stromal changes following reconstruction by ex vivo expanded limbal epithelial cells in rabbits with total limbal stem cell deficiency, **1509**
- radiation**, Palladium-103 plaque radiation therapy for macular degeneration: results of a 7 year study, **1497**
- radioimmunotherapy**, Human uveal melanoma expresses NG2 immunoreactivity, **629**
- randomised clinical trial**, A randomised clinical trial comparing 2% econazole and 5% natamycin for the treatment of fungal keratitis, **1235**
- randomised controlled trial**, A randomised controlled trial of written information, **124**
- A randomised controlled trial of written information, **517**
- rat**, Choroidal neovascular membrane inhibition in a laser treated rat model with intraocular sustained release triamcinolone acetate microimplants, **1032**
- Development of organised conjunctival leucocyte aggregates after corneal transplantation in rats, **1515**
- rat model**, Corneal opacification following keratoplasty in the rat model, **249**
- refractive error**, Childhood blindness in India: a population based perspective, **263**
- Neonatal ocular misalignments reflect vergence development but rarely become esotropia, **1146**
- Ocular morbidity in schoolchildren in Kathmandu, **531**
- Too much or too little: neonatal ocular misalignment frequency can predict later abnormality, **1142**
- Weaning children with accommodative esotropia out of spectacles: a pilot study, **4**
- refractive errors**, Low vision and blindness in adults in Gurage Zone, central Ethiopia, **677**
- refractive surgery**, In vivo confocal microscopy of the human cornea, **225**
- refractory glaucoma**, A two centre study of the dose-response relation for transscleral diode laser cyclophotocoagulation in refractory glaucoma, **1252**
- Clinical experience of e-PTFE membrane implant surgery for refractory glaucoma, **63**
- renal failure**, Further considerations of retinopathy with renal failure, **659**
- resuscitation**, Ketamine anaesthesia for paediatric ophthalmology surgery, **535**
- reticulated hyaluronic acid implant**, A prospective randomised trial of viscocanalostomy with and without implantation of a reticulated hyaluronic acid implant (SKGEL) in open angle glaucoma, **599**
- retina**, An unusual retinal vascular morphology in connection with a novel *AIFL1* mutation in Leber's congenital amaurosis, **980**
- Human uveal melanoma expresses NG2 immunoreactivity, **629**
- Nestin positive cells in adult human retina and in epiretinal membranes, **1154**
- Novel corneal features in two males with incontinentia pigmenti, **554**
- Therapy may yet stem from cells in the retina, **1058**
- retinal blood flow**, Blood flow per unit retinal nerve fibre tissue volume is lower in the human inferior retina, **184**
- Central retinal artery and vein collapse pressure in eyes with chronic open angle glaucoma, **949**
- Scanning laser Doppler flowmeter study of retinal blood flow in macular area of healthy volunteers, **1469**
- retinal detachment**, A matched study of primary scleral buckle placement during repair of posterior segment open globe injuries, **75**
- Decreased levels of cGMP in vitreous and subretinal fluid from eyes with retinal detachment, **1409**
- Frizzled 4 gene (*FZD4*) mutations in patients with familial exudative vitreoretinopathy with variable expressivity, **1291**
- retinal detachment surgery**, LASIK after retinal detachment surgery, **551**
- retinal dystrophy**, Inherited retinal dystrophy and asymmetric axial length, **503**
- retinal folds**, Treatment of retinal folds using a modified macula relocation technique with perfluoro-hexyloctane tamponade, **921**
- retinal haemorrhages**, Retinal and subdural haemorrhages: Aoki revisited, **919**
- retinal necrosis**, Inflammatory optic neuropathy as the presenting feature of herpes simplex acute retinal necrosis, **512**
- Polymerase chain reaction analysis of aqueous humour samples in necrotising retinitis, **79**
- retinal nerve fibre layer**, Acutance, an objective measure of retinal nerve fibre image clarity, **322**
- Optic disc morphology in south India: the Vellore Eye Study, **189**
- Retinal thickness decreases with age: an OCT study, **899**
- retinal nerve fibre layer thickness**, Influence of LASIK on scanning laser polarimetric measurement of the retinal nerve fibre layer with fixed angle and customised corneal polarisation compensation, **1241**
- The correlation between optic nerve head topographic measurements, peripapillary nerve fibre layer thickness, and visual field indices in glaucoma, **1135**
- retinal perfusion**, The effects of dorzolamide on choroidal and retinal perfusion in non-exudative age related macular degeneration, **753**
- retinal phototoxicity**, How much blue light should an IOL transmit?, **1523**
- retinal pigment epithelial cells**, Inhibitory effect of certain neuropeptides on the proliferation of human retinal pigment epithelial cells, **1403**
- retinal pigment epithelium**, Fundus autofluorescence imaging compared with different confocal scanning laser ophthalmoscopes, **1381**
- Laser photocoagulation alters the pattern of staining for neurotrophin-4, GFAP, and CD68 in human retina, **488**
- Simultaneous translocation of the macula and underlying retinal pigment epithelium during macular translocation surgery in a patient with long standing myopic neovascular maculopathy, **371**
- retinal thickness**, Retinal thickness decreases with age: an OCT study, **899**
- retinal vascular occlusion**, Behçet's disease: from Hippocrates to the third millennium, **1175**
- Factor V Leiden mutation does not correlate with retinal vascular occlusion in white patients with Behçet's disease, **1048**
- retinal vasculature**, Central retinal artery and vein collapse pressure in eyes with chronic open angle glaucoma, **949**
- retinal vein occlusion**, A pilot study of pars plana vitrectomy, intraocular gas, and radial neurectomy in ischaemic central retinal vein occlusion, **1126**
- Laser induced chorioretinal venous anastomosis in ischaemic central retinal vein occlusion, **1043**
- Retinal vein occlusion and cardiovascular risk assessment, **124**
- retinectomy**, Retinectomy for treatment of intractable glaucoma: long term results, **1094**
- retinitis**, Behçet's syndrome, **381**
- Human recombinant interferon alfa-2a for the treatment of Behçet's disease with sight threatening posterior or panuveitis, **423**
- retinoblastoma**, High resolution magnetic resonance imaging of retinoblastoma, **330**
- Neoadjuvant chemotherapy for extensive unilateral retinoblastoma, **327**
- Therchemotherapy in hereditary retinoblastoma, **90**
- Tumour angiogenesis as a prognostic factor for disease dissemination in retinoblastoma, **1224**
- retinopathy**, Further considerations of retinopathy with renal failure, **659**
- Severe interferon associated retinopathy, **247**
- retinopathy of prematurity**, Retinal neovascular markers in retinopathy of prematurity: aetiological implications, **275**
- Semiautomated computer analysis of vessel growth in preterm infants without and with ROP, **1474**

- retrobulbar anaesthesia**, Oral premedication with low dose midazolam modifies the immunological stress reaction after the setting of retrobulbar anaesthesia, **1020**
- retrobulbar injection**, Trans-Tenon's retrobulbar triamcinolone infusion for the treatment of uveitis, **968**
- rhegmatogenous retinal detachment**, Overview, **790**
Repair of a primary rhegmatogenous retinal detachment, **782**
View 1: Minimal segmental buckling without drainage, **782**
View 2: The case for primary vitrectomy, **784**
View 3: The case for pneumatic retinopexy, **787**
- rheumatoid arthritis**, Tumour necrosis factor alpha and interleukin 6 gene expression in keratocytes from patients with rheumatoid corneal ulcerations, **548**
- rifabutin**, Corneal endothelial deposits secondary to rifabutin prophylaxis for *Mycobacterium avium* complex bacteraemia, **798**
- risk factor**, Risk factors for age related maculopathy in a Japanese population: the Hisayama study, **469**
- risk factors**, Risk factors for conjunctival squamous cell neoplasia: a matched case-control study, **396**
- rod-cone dystrophy**, A clinical and molecular genetic study of a rare dominantly inherited syndrome (MRCS) comprising of microcornea, rod-cone dystrophy, cataract, and posterior staphyloma, **197**
- Rosai Dorfman disease**, Rosai Dorfman disease or sinus histiocytosis with massive lymphadenopathy of the orbit, **1053**
- RPE cells**, CXCR4 expression in vitreoretinal membranes, **567**
- Sahara**, Follicular conjunctivitis caused by *Chlamydia trachomatis* in an infant Saharan population: molecular and clinical diagnosis, **142**
- Salzmann's corneal degeneration**, Is hyaline degeneration of the cornea a precursor of Salzmann's corneal degeneration?, **922**
- sarcoidosis**, Nodular scleritis in a patient with sarcoidosis, **507**
- scanning laser ophthalmoscope**, Fundus autofluorescence imaging compared with different confocal scanning laser ophthalmoscopes, **1381**
Morphological and functional analyses of adult onset vitelliform macular dystrophy, **758**
- scanning laser polarimetry**, Comparison of algorithms for detection of localised nerve fibre layer defects using scanning laser polarimetry, **413**
Influence of LASIK on scanning laser polarimetric measurement of the retinal nerve fibre layer with fixed angle and customised corneal polarisation compensation, **1241**
Quantitative analysis of axonal loss in band atrophy of the optic nerve using scanning laser polarimetry, **32**
- scanning laser tomography**, Blood flow per unit retinal nerve fibre tissue volume is lower in the human inferior retina, **184**
Correlation of a scanning laser derived oedema index and visual function following grid laser treatment for diabetic macular oedema, **455**
Variability across the optic nerve head in scanning laser tomography, **557**
- schoolchildren**, Ocular morbidity in schoolchildren in Kathmandu, **531**
- scleral buckle**, A matched study of primary scleral buckle placement during repair of posterior segment open globe injuries, **75**
- scleral buckling**, Overview, **790**
Repair of a primary rhegmatogenous retinal detachment, **782**
View 1: Minimal segmental buckling without drainage, **782**
View 2: The case for primary vitrectomy, **784**
View 3: The case for pneumatic retinopexy, **787**
- scleritis**, Actinic granuloma of the conjunctiva, **1044**
Nodular scleritis in a patient with sarcoidosis, **507**
Orbital myositis in scleritis, **38**
- scotopic vision**, How much blue light should an IOL transmit?, **1523**
- screening**, Amblyopia treatment outcomes after preschool screening v school entry screening: observational data from a prospective cohort study, **988**
Assessment of colour vision as a screening test for sight threatening diabetic retinopathy before loss of vision, **747**
Comparison of two reference standards in validating two field mydriatic digital photography as a method of screening for diabetic retinopathy, **1258**
Detecting chloroquine retinopathy: electro-oculogram versus colour vision, **902**
Incidence of visual loss in rural southwest Uganda, **829**
Multifixation campimetry on line: a perimeter for the detection of visual field loss using the internet, **1296**
Preschool vision screening, **931**
- Screening for primary angle closure in Mongolia: a randomised controlled trial to determine whether screening and prophylactic treatment will reduce the incidence of primary angle closure glaucoma in an east Asian population, **271**
- secondary school students**, Comments on myopia in secondary school students in Tanzania, **660**
- segmentation**, Automated identification of diabetic retinal exudates in digital colour images, **1220**
- selectins**, Suppressive effects of selectin inhibitor SKK-60060 on the leucocyte infiltration during endotoxin induced uveitis, **476**
- senile cataracts**, Comparing the efficacy and safety of phacoemulsification in white mature and other types of senile cataracts, **1356**
- sensorineural deafness**, Genetic linkage analysis of a novel syndrome comprising North Carolina-like macular dystrophy and progressive sensorineural hearing loss, **893**
- SERI-ARVO meeting**, The SERI-ARVO Meeting and future challenges of ophthalmic research in Asia, **379**
- serpiginous choroidopathy**, Serpiginous choroidopathy presenting as choroidal neovascularisation, **1184**
- severe myopia, indocyanine green, internal limiting membrane, macular hole**, Internal limiting membrane removal in macular hole surgery for severely myopic eyes: a case-control study, **885**
- sex differences**, Sex inequalities in cataract blindness burden and surgical services in south India, **847**
- SF-36**, Unilateral visual impairment and health related quality of life: the Blue Mountains Eye Study, **392**
- shunt**, Evolution and evidence based medicine, **932**
- sildenafil**, Thyroid eye disease: an unusual presentation, **923**
- silicone oil**, Vitrectomy with silicone oil infusion in severe diabetic retinopathy, **318**
- Singapore**, Awareness of glaucoma, and health beliefs of patients suffering primary acute angle closure, **446**
Risk factors for nuclear, cortical and posterior subcapsular cataracts in the Chinese population of Singapore: the Tanjong Pagar Survey, **1112**
- sinus histiocytosis**, Rosai Dorfman disease or sinus histiocytosis with massive lymphadenopathy of the orbit, **1053**
- sixth nerve palsy**, Factor XII deficiency and recurrent sixth nerve palsy, **369**
Unilateral corneal anaesthesia and ulceration following squint surgery in a child with Pendred syndrome and bilateral sixth nerve palsy, **1192**
- Sjogren's syndrome**, Albumin as a tear supplement in the treatment of severe dry eye, **1279**
- Sjogren's syndrome**, Central nervous system mechanisms in Sjogren's syndrome, **128**
- skew deviation**, Three dimensions of skew deviation, **1440**
- SKGEL**, A prospective randomised trial of viscocanalostomy with and without implantation of a reticulated hyaluronic acid implant (SKGEL) in open angle glaucoma, **599**
- small incision cataract surgery**, Extracapsular cataract surgery compared with manual small incision cataract surgery in community eye care setting in western India: a randomised controlled trial, **667**
- smoking**, Impact of smoking on the response to treatment of thyroid associated ophthalmopathy, **773**
- Snellen charts**, Incidence of visual loss in rural southwest Uganda, **829**
- Sorsby's fundus dystrophy**, Successful photodynamic therapy for subretinal neovascularisation due to Sorsby's fundus dystrophy: 1 year follow up, **796**
- spasm**, Persistent accommodative spasm after severe head trauma, **243**
- sports eye injuries**, Modern sports eye injuries, **1336**
- squamous cell neoplasia**, Risk factors for conjunctival squamous cell neoplasia: a matched case-control study, **396**
- squint surgery**, Trends in squint surgical activity, **918**
Unilateral corneal anaesthesia and ulceration following squint surgery in a child with Pendred syndrome and bilateral sixth nerve palsy, **1192**
- statins**, The association between statin use and age related maculopathy, **1121**
- staurosporine**, Mechanisms of staurosporine induced apoptosis in a human corneal endothelial cell line, **346**
- steatocystoma simplex**, Steatocystoma simplex of the caruncle, **240**
- stenosis**, Unrecordable pulsatile ocular blood flow may signify severe stenosis of the ipsilateral internal carotid artery, **1478**
- stent**, Evolution and evidence based medicine, **932**

- stereotactic irradiation**, Stereotactic irradiation of biopsy proved optic nerve sheath meningioma, **246**
- steroid response**, Intravitreal triamcinolone acetonide for exudative age related macular degeneration, **462**
- strabismus**, Differences in the management of amblyopia between European countries, **291**
Ocular morbidity in schoolchildren in Kathmandu, **531**
- streptococcus**, Community treatment with azithromycin for trachoma is not associated with antibiotic resistance in *Streptococcus pneumoniae* at 1 year, **147**
- stress reaction, immunological**, Oral premedication with low dose midazolam modifies the immunological stress reaction after the setting of retrobulbar anaesthesia, **1020**
- subarachnoid space**, Architecture of arachnoid trabeculae, pillars, and septa in the subarachnoid space of the human optic nerve: anatomy and clinical considerations, **777**
- subdural haemorrhages**, Retinal and subdural haemorrhages: Aoki revisited, **919**
- subretinal fibrosis**, Subretinal fibrosis after photodynamic therapy in subfoveal choroidal neovascularisation in highly myopic eyes, **856**
- subretinal fluid**, Decreased levels of cGMP in vitreous and subretinal fluid from eyes with retinal detachment, **1409**
- superficial flap**, Intrastromal lamellar femtosecond laser keratoplasty with superficial flap, **1195**
- surgery**, The Armenian Eye Care Project: surgical outcomes of complicated paediatric glaucoma, **673**
- surgical coverage**, Sex inequalities in cataract blindness burden and surgical services in south India, **847**
- surgical referrals**, The relative contribution of medical and surgical referrals to the workload in general ophthalmic practice, **933**
- surveys**, Blindness: how to assess numbers and causes?, **282**
- systemic diseases**, Orbital myositis in scleritis, **38**
- tacrolimus**, Tacrolimus, **121**
- Taiwan**, Association of HLA type and Moore's Ulcer in Chinese in Taiwan, **797**
- Tanzania**, Comments on myopia in secondary school students in Tanzania, **660**
- T-bet**, T-bet expression is upregulated in active Behçet's disease, **1264**
- tear supplement**, Albumin as a tear supplement in the treatment of severe dry eye, **1279**
- telemedicine slit lamp examination cataract surgery**, Evaluation of telemedicine for slit lamp examination of the eye following cataract surgery, **502**
- temporal artery biopsies**, Surgical performance for specialties undertaking temporal artery biopsies: who should perform them?, **373**
- Tenon's capsule**, Partial Tenon's capsule resection with adjunctive mitomycin C in Ahmed glaucoma valve implant surgery, **994**
- Th1 cells**, T-bet expression is upregulated in active Behçet's disease, **1264**
- Thailand**, Prevalence of glaucoma in Thailand: a population based survey in Rom Klao District, Bangkok, **1069**
- threshold strategies**, Measurement error of visual field tests in glaucoma, **107**
- thrombocytopenic purpura**, Central retinal venous occlusion with co-existent thrombotic thrombocytopenic purpura and antiphospholipid syndrome, **658**
- thrombolysis**, Orbital haemorrhage complication following postoperative thrombolysis, **655**
- thyroid**, Thyroid eye disease: an unusual presentation, **923**
- thyroid associated ophthalmopathy**, Impact of smoking on the response to treatment of thyroid associated ophthalmopathy, **773**
- Tibet**, Blindness and eye diseases in Tibet: findings from a randomised, population based survey, **1443**
- timing**, Semiology of periventricular leucomalacia and its optic disc morphology, **1309**
- timolol**, A randomised, double masked, multicentre clinical trial comparing bimatoprost and timolol for the treatment of glaucoma and ocular hypertension, **57**
Contrast sensitivity improves after brimonidine therapy in primary open angle glaucoma: a case for neuroprotection, **1463**
- TIMPs**, Expression and distribution of matrix metalloproteinases and their inhibitors in the human iris and ciliary body, **208**
- tissue damage**, Histological and morphometric analysis of the effects of argon laser epilation, **984**
- tonic pupils**, Tonic pupils from giant cell arteritis, **510**
- topical anaesthesia**, Efficacy of lignocaine 2% gel in chalazion surgery, **157**
Phenylephrine 25% and 10% in phacoemulsification under topical anaesthesia: is there an effect on systemic blood pressure?, **505**
- topiramate**, Topiramate induced myopic shift and angle closure glaucoma, **648**
- Toxoplasma gondii**, Severe bilateral necrotising retinitis caused by *Toxoplasma gondii* in a patient with systemic lupus erythematosus and diabetes mellitus, **651**
- trabecular meshwork**, Hyaluronan synthase in trabecular meshwork cells, **357**
- trabeculectomy**, Long term effect on intraocular pressure of phacotrabeculectomy compared to trabeculectomy, **850**
Panophthalmitis following contact diode laser cyclophotocoagulation in a patient with failed trabeculectomy and trabeculectomy for congenital glaucoma, **508**
Trabeculectomy augmented with antimetabolites with a viscocanalostomy technique for the management of open angle glaucoma, **374**
- trabeculotomy**, Panophthalmitis following contact diode laser cyclophotocoagulation in a patient with failed trabeculectomy and trabeculectomy for congenital glaucoma, **508**
- trachoma**, Community treatment with azithromycin for trachoma is not associated with antibiotic resistance in *Streptococcus pneumoniae* at 1 year, **147**
Follicular conjunctivitis caused by *Chlamydia trachomatis* in an infant Saharan population: molecular and clinical diagnosis, **142**
Low vision and blindness in adults in Gurage Zone, central Ethiopia, **677**
What more is there to learn about trachoma?, **521**
- transcaruncular approach**, Transcaruncular approach for the management of frontoethmoid mucocoeles, **699**
- transducin**, Cone dystrophy phenotype associated with a frameshift mutation (M280fsX291) in the α -subunit of conespecific transducin (*GNAT2*), **1317**
- transforming growth factor β** , H626R and R124C mutations of the TGFBI (*BIGH3*) gene caused lattice corneal dystrophy in Vietnamese people, **686**
Hyaluronan synthase in trabecular meshwork cells, **357**
- transpupillary thermotherapy**, Combined plaque radiotherapy and transpupillary thermotherapy in choroidal melanoma: 5 years' experience, **1370**
- transscleral diode laser cyclophotocoagulation**, A two centre study of the dose-response relation for transscleral diode laser cyclophotocoagulation in refractory glaucoma, **1252**
- treatment outcome**, Defining and measuring treatment outcome in unilateral amblyopia, **1229**
- triamcinolone**, Intraocular pressure after intravitreal injection of triamcinolone acetonide, **24**
Pars plana vitrectomy assisted by triamcinolone acetonide for refractory uveitis: a case series study, **1010**
Pseudo-endophthalmitis after intravitreal injection of triamcinolone, **972**
- triamcinolone acetonide**, Intravitreal injection of triamcinolone acetonide as treatment for chronic uveitis, **361**
Intravitreal triamcinolone acetonide for exudative age related macular degeneration, **462**
Trans-Tenon's retrobulbar triamcinolone infusion for the treatment of uveitis, **968**
- triamcinolone acetonide microimplants**, Choroidal neovascular membrane inhibition in a laser treated rat model with intraocular sustained release triamcinolone acetonide microimplants, **1032**
- trichiasis**, Argon laser and trichiasis, **753**
- tritan contrast threshold**, Assessment of colour vision as a screening test for sight threatening diabetic retinopathy before loss of vision, **747**
- tritanopia**, Extent of foveal tritanopia in diabetes mellitus, **742**
- trypan blue**, Central serous chorioretinopathy, **663**
Double vital staining using trypan blue and infacyanine green in macular pucker surgery, **713**
Trypan blue assisted descemetorhexis for inadvertently retained Descemet's membranes after penetrating keratoplasty, **654**
Trypan blue staining of internal limiting membrane and epiretinal membrane during vitrectomy: visual results and histopathological findings, **216**
- tumour**, An unusual tumour of the lacrimal gland, **363**
- Uganda**, Incidence of visual loss in rural southwest Uganda, **829**

- ulcer**, Bacterial keratitis: predisposing factors, clinical and microbiological review of 300 cases, **834**
- ulceration**, Unilateral corneal anaesthesia and ulceration following squint surgery in a child with Pendred syndrome and bilateral sixth nerve palsy, **1192**
- ultrasonography**, Orbital myositis in scleritis, **38**
- ultrastructural analysis**, Pericyte recruitment in human corneal angiogenesis: an ultrastructural study with clinicopathological correlation, **101**
- ultraviolet radiation**, How much blue light should an IOL transmit?, **1523**
- unilateral amblyopia**, Defining and measuring treatment outcome in unilateral amblyopia, **1229**
- unilateral full thickness macular holes**, Disease laterality, eye dominance, and visual handicap in patients with unilateral full thickness macular holes, **626**
- unilateral nasal hemianopsia**, Unilateral nasal hemianopsia secondary to posterior subcapsular cataract, **1045**
- unilateral proptosis**, Unilateral proptosis: the role of medical history, **370**
- unilateral visual impairment**, Unilateral visual impairment and health related quality of life: the Blue Mountains Eye Study, **392**
- United Kingdom**, Primary care and ophthalmology in the United Kingdom, **493**
- Primary care in ophthalmology, **380**
- unoprostone**, Unoprostone as adjunctive therapy to timolol: a double masked randomised study versus brimonidine and dorzolamide, **592**
- upper lid marginal defects**, A technique for reconstruction of upper lid marginal defects, **279**
- utility scores**, Quality of life with macular degeneration: perceptions of patients, clinicians, and community members, **8**
- uvei**, Behçet's disease: from Hippocrates to the third millennium, **1175**
- uveitis**, Behçet's syndrome, **381**
- Does etanercept induce uveitis?, **925**
- Human recombinant interferon alfa-2a for the treatment of Behçet's disease with sight threatening posterior or panuveitis, **423**
- Pars plana vitrectomy assisted by triamcinolone acetonide for refractory uveitis: a case series study, **1010**
- Suppressive effects of selectin inhibitor SKK-60060 on the leucocyte infiltration during endotoxin induced uveitis, **476**
- Trans-Tenon's retrobulbar triamcinolone infusion for the treatment of uveitis, **968**
- Visual loss in uveitis of childhood, **879**
- uveoretinitis**, Coxsackievirus B4 associated uveoretinitis in an adult, **501**
- varicella zoster virus**, Management of acute ulcerative and necrotising herpes simplex and zoster keratitis with amniotic membrane transplantation, **1215**
- vascular tufts**, Treatment of vascular tufts at the pupillary margin before cataract surgery, **920**
- vector analysis**, Refractive error changes in cortical, nuclear, and posterior subcapsular cataracts, **964**
- VEGF**, Vitreous polyamines spermidine, putrescine, and spermine in human proliferative disorders of the retina, **1038**
- vergence**, Too much or too little: neonatal ocular misalignment frequency can predict later abnormality, **1142**
- vernal keratoconjunctivitis**, Corneal deposits after the topical use of ofloxacin in two children with vernal keratoconjunctivitis, **646**
- verteporfin**, Photodynamic therapy using verteporfin in circumscribed choroidal haemangioma, **84**
- vessel growth**, Semiautomated computer analysis of vessel growth in preterm infants without and with ROP, **1474**
- vessels**, An unusual retinal vascular morphology in connection with a novel *AIP1* mutation in Leber's congenital amaurosis, **980**
- Viagra**, Thyroid eye disease: an unusual presentation, **923**
- Vietnam**, H626R and R124C mutations of the TGFBI (BIGH3) gene caused lattice corneal dystrophy in Vietnamese people, **686**
- vigabatrin**, Epilepsy patients treated with vigabatrin exhibit reduced ocular blood flow, **96**
- viscocanalostomy**, A prospective randomised trial of viscocanalostomy with and without implantation of a reticulated hyaluronic acid implant (SKGEL) in open angle glaucoma, **599**
- Five year results of viscocanalostomy, **441**
- Trabeculectomy augmented with antimetabolites with a viscocanalostomy technique for the management of open angle glaucoma, **374**
- viscodissection**, Epiretinal membrane removal in diabetic eyes: comparison of viscodissection with conventional methods of membrane peeling, **737**
- Vision 2020**, Blindness: how to assess numbers and causes?, **282**
- Ocular and financial health, **517**
- vision test**, Development of a clinically feasible logMAR alternative to the Snellen chart: performance of the "compact reduced logMAR" visual acuity chart in amblyopic children, **1232**
- visual acuity**, Development of a clinically feasible logMAR alternative to the Snellen chart: performance of the "compact reduced logMAR" visual acuity chart in amblyopic children, **1232**
- Is visual outcome compromised when next day review is omitted after phacoemulsification surgery? A randomised control trial, **1350**
- Lighter side, **1349**
- Low vision and blindness in adults in Gurage Zone, central Ethiopia, **677**
- visual development**, The clinical features of albinism and their correlation with visual evoked potentials, **767**
- visual disability**, Diabetic retinopathy in Oman: a hospital based study, **1061**
- visual evoked potentials**, The clinical features of albinism and their correlation with visual evoked potentials, **767**
- visual field**, Agreement between frequency doubling perimetry and static perimetry in eyes with high tension glaucoma and normal tension glaucoma, **604**
- Interobserver agreement on visual field progression in glaucoma: a comparison of methods, **726**
- The correlation between optic nerve head topographic measurements, peripapillary nerve fibre layer thickness, and visual field indices in glaucoma, **1135**
- visual field test reliability**, Effect of a patient training video on visual field test reliability, **153**
- visual fields**, A comparison of perimetric results with the Medmont and Humphrey perimeters, **690**
- Measurement error of visual field tests in glaucoma, **107**
- Multifixation campimetry on line: a perimeter for the detection of visual field loss using the internet, **1296**
- visual function**, Associations of selected medications and visual function: the Beaver Dam Eye Study, **403**
- Correlation of a scanning laser derived oedema index and visual function following grid laser treatment for diabetic macular oedema, **455**
- Identification of lesion components that influence visual function in age related macular degeneration, **609**
- Pupil dilatation does affect some aspects of daytime driving performance, **1387**
- Unilateral visual impairment and health related quality of life: the Blue Mountains Eye Study, **392**
- visual hallucinations**, Visual hallucinations and Charles Bonnet syndrome after photodynamic therapy for age related macular degeneration, **977**
- visual handicap**, Disease laterality, eye dominance, and visual handicap in patients with unilateral full thickness macular holes, **626**
- visual impairment**, Causes and temporal trends of blindness and severe visual impairment in children in schools for the blind in North India, **941**
- Prevalence and causes of blindness and visual impairment in Bangladeshi adults: results of the National Blindness and Low Vision Survey of Bangladesh, **820**
- visual loss**, Incidence of visual loss in rural southwest Uganda, **829**
- Isolated foveal retinoschisis as a cause of visual loss in young females, **801**
- Permanent visual loss in a child with a rash, **515**
- visual outcome**, Authors' reply, **928**
- "Compliance" with treatment in amblyopia is an important factor affecting the final visual outcome, **928**
- Visual outcome after high volume cataract surgery in Pakistan, **937**
- visual outcomes**, Unilateral high myopia: optical components, associated factors, and visual outcomes, **1025**
- vital staining**, Double vital staining using trypan blue and infracyanine green in macular pucker surgery, **713**
- vitrectomy**, Epiretinal membrane removal in diabetic eyes: comparison of viscodissection with conventional methods of membrane peeling, **737**
- Pars plana vitrectomy assisted by triamcinolone acetonide for refractory uveitis: a case series study, **1010**
- Vitreous polyamines spermidine, putrescine, and spermine in human proliferative disorders of the retina, **1038**

vitreoretinal membranes, CXCR4 expression in vitreoretinal membranes, **567**

vitreoretinal specimens, Frozen cucumber as a mount for processing vitreoretinal specimens, **512**

vitreous, High resolution magnetic resonance imaging of retinoblastoma, **330**

vitreous humour, Decreased levels of cGMP in vitreous and subretinal fluid from eyes with retinal detachment, **1409**

vitritis, Trans-Tenon's retrobulbar triamcinolone infusion for the treatment of uveitis, **968**

vitronectin, Presence of vitronectin in neovascularised cornea of patient with gelatinous drop-like dystrophy, **368**

volumetric blood flow measurement, Non-invasive volumetric blood flow measurement in the orbit, **927**

water retention, Treatment of atopic blepharitis by controlling eyelid skin water retention ability with ceramide gel application, **362**

Wegener's granulomatosis, Wegener's granulomatosis, **500**

workload, The relative contribution of medical and surgical referrals to the workload in general ophthalmic practice, **933**

wound healing, Corneal stromal changes following reconstruction by ex vivo expanded limbal epithelial cells in rabbits with total limbal stem cell deficiency, **1509**

Photodynamic modulation of wound healing in glaucoma filtration surgery, **870**

written information, A randomised controlled trial of written information, **517**

X linked congenital stationary night blindness, Genotype-phenotype correlation in British families with X linked congenital stationary night blindness, **1413**

X linked juvenile retinoschisis, Clinical features of X linked juvenile retinoschisis associated with new mutations in the XLR51 gene in Italian families, **1130**

XLR51 gene, Clinical features of X linked juvenile retinoschisis associated with new mutations in the XLR51 gene in Italian families, **1130**

young adults, The effect of simulated obstructive apnoea on intraocular pressure and pulsatile ocular blood flow in healthy young adults, **1363**



Subject index

Br J Ophthalmol 2004 88: e2
doi: 10.1136/bjo.88.1.e2

Updated information and services can be found at:
<http://bjo.bmj.com/content/88/1/e2>

These include:

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Notes

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>