CORRESPONDENCE

PTOSIS OPERATION

To the Editor of THE BRITISH JOURNAL OF OPHTHALMOLOGY

SIR,—In the June, 1924, number of this journal I published the early results of an operation I suggested for ptosis. The result, at present more perfect than during the first months following the

operation, may, I assume, be now called permanent, and I give here, with the patient's hearty and grateful consent, her photograph sixteen months after the operation.

I have performed this operation repeatedly since, on single and double congenital cases, I have also had one excellent result in a paralytic case, from the cosmetic point of view. The functional result was also good, as far as the ocular movements were concerned, but was followed by diplopia. This was dealt with by very careful prism correction, and gives no trouble at all, as I have recently heard.

I have slightly modified the operation by the simple but very useful expedient of not tying the sutures on the conjunctival surface, as they are very difficult to remove from there. But after fastening the tarsus to the muscle by the three double-threaded sutures I pass both ends of each suture through the whole thickness of the eyelid, on to its skin surface a couple of mm. apart, and tie them over three small glass beads. If carefully placed the small scars fall into the newly created tarsal fold.

The photograph shows the balance in repose to be perfect. It was the right eye, which was operated on. The same balance is present in all the ocular movements as well.

Yours sincerely,

G. YOUNG.

SCLERAL STITCH IN ADVANCEMENT OPERATIONS

To the Editor of THE BRITISH JOURNAL OF OPHTHALMOLOGY

SIR,—Referring to the note by Mr. Arthur Greene in the BRITISH JOURNAL OF OPHTHALMOLOGY for March. About twenty years ago I tried the method which Mr. Greene advocates of making a hole with a discission needle and putting the ordinary curved eye needle, threaded, through the same hole. I gave it up for several reasons. Unless the hole is made unnecessarily large it is not always easy to find it and to get the curved needle through it, and the discission needle fixed in a straight handle is not so convenient for small or deeply-set eyes and does not admit of such delicate manipulation as the small straight lance-headed cutting needle which I now use, held at right angles in a straight needle holder.

I am yours faithfully,

CL. WORTH

LONDON.

March 16, 1926.

THE ACCOMMODATION PROBLEM

To the Editor of THE BRITISH JOURNAL OF OPHTHALMOLOGY

SIR,—In the BRITISH JOURNAL OF OPHTHALMOLOGY of October 1925, there appeared an interesting article by Dr. Hartridge on the accommodation problem. The article would have been more convincing but for a reference to the lens of the cat. The statement is made that when the lens of the cat was examined after death it was found to be in a state of accommodation.

As far back as 1886 Mr. W. Lang and I from a fairly exhaustive examination of the eyes of mammals, came to the conclusion that,