

<u>Internal referrals</u>	<u>External referrals</u>
<u>Injection clinic</u> <ul style="list-style-type: none"> • If DMO/RVO patient – no peripheral retinal examination required at next visit (No injection in the last 3 months) • R1M1, R2M1 (if moderate NPDR) R1M0 • Dry/previously treated AMD (No injection in the last 3 months) 	<u>Inclusion criteria:</u> <ul style="list-style-type: none"> • Vision 6/12 or better (6/18 or better for DRSS referrals) • R1M0, R0M1 or R1M1 diabetic retinopathy grading • Predominantly macular pathology i.e. dry AMD, CSR • Macular drusen
<u>Exclusion criteria:</u> <ul style="list-style-type: none"> • R2M1 (with severe NPDR) or worse, • Any condition requiring monitoring of peripheral retina, and/or where wide field retinal imaging is unsuitable or unavailable. • No inherited retinal pathology • Vulnerable adults – i.e. dementia • Patients with optical media opacity – i.e. cataracts, PCO • Pregnancy 	<u>Exclusion criteria:</u> <ul style="list-style-type: none"> • Newly diagnosed branch- or central vein occlusion and branch- or central artery occlusion • Vulnerable adults – i.e. dementia • Patients with optical media opacity – i.e. cataracts, PCO • Pregnancy

Supplementary table 1: Inclusion and exclusion criteria into virtual medical retina clinic by referral source. DMO=diabetic macular oedema, RVO=retinal vein occlusion, DRSS=diabetic retinopathy screening service, AMD=age-related macular degeneration, CSR=central serous retinopathy, NPDR=non-proliferative diabetic retinopathy, PCO=posterior capsular opacification.