

Supplemental Table 3 Scleral spur location difference between ResNet50 model and MPSS in DARK1 dataset with ResNet-50 model.

Angle	ED All (mean \pm SD μm) (N=287)	ED Normal (mean \pm SD μm) (N=116)	ED PACD (mean \pm SD μm) (N=171)
Mean	119.19 \pm 89.58	108.68 \pm 91.08	125.96 \pm 87.94
0°	99.50 \pm 75.08	92.57 \pm 72.19	103.96 \pm 76.69
30°	104.13 \pm 76.42	83.56 \pm 67.11	117.38 \pm 79.19
60°	123.01 \pm 92.81	118.35 \pm 89.22	126.01 \pm 95.11
90°	129.92 \pm 85.07	111.16 \pm 84.61	142.00 \pm 83.32
120°	127.04 \pm 82.77	113.17 \pm 70.73	135.97 \pm 88.67
150°	128.51 \pm 89.33	123.22 \pm 80.27	131.92 \pm 94.70
180°	115.07 \pm 79.69	105.81 \pm 82.92	121.03 \pm 77.13
210°	120.55 \pm 94.83	95.92 \pm 108.95	136.41 \pm 80.85
240°	123.88 \pm 100.33	111.01 \pm 99.28	132.17 \pm 100.33
270°	138.55 \pm 112.65	124.99 \pm 123.35	147.29 \pm 104.51
300°	117.05 \pm 99.00	112.45 \pm 105.92	120.01 \pm 94.38
330°	107.70 \pm 94.01	108.73 \pm 102.49	107.04 \pm 88.32

ED = Euclidean distance; SD = standard deviation; N = number of subjects; MPSS = manual plotted scleral spur; PACD = primary angle-closure disease.