

Telephone:
LANGHAM 0157 & 0158

Telegraphic Address:
LITHOTRITE, PHONE, LONDON

JOHN WEISS & SON, LTD.


Surgical Instrument Makers,

MAPPIN HOUSE (4th Floor)

WINSLEY ST., OXFORD ST., LONDON, W.1

ESTABLISHED 1787

Modern Sterilization of Instruments by Hot Air



Inner dimensions— $11'' \times 5\frac{1}{2}'' \times 5\frac{1}{2}''$
Overall dimensions— $16'' \times 14\frac{1}{2}'' \times 10''$

Illustrated is the standard model sterilizer fitted with thermostatic control. Price **£43 15s. 0d.**

A more comprehensive model is now available fitted with thermostatic temperature control, automatic timing control and maximum temperature cut out. Price **£56 10s. 0d.**

CLIFFORD BROWN L^D.
45 WIGMORE STREET
LONDON, W.1

Telephone WELBECK 4730
 (Private Branch Exchange)

Manufacturing Dispensing Opticians

*A High Grade Dispensing Service is available
 at all our Branches*

EAST SHEEN	-	-	210 Upper Richmond Road, S.W.14
GLASGOW	-	-	- - - 141 Bath Street, C.2
KINGSTON	-	-	- - - 14 High Street
MANOR PARK	-	-	- - - 652 Romford Road, E.12
MORDEN	-	-	- - - 8 Morden Court Parade
ORPINGTON, KENT	-	-	- - - 260 High Street
PERTH	-	-	- - - 143 South Street
PUTNEY	-	-	151 Upper Richmond Road, S.W.15
REDHILL	-	-	- - - 113 Station Road
REIGATE	-	-	- - - 25 Church Street
RICHMOND	-	-	- - - 7 Lichfield Terrace, Sheen Road
S. WIMBLEDON	-	-	- - - 70 The Broadway, S.W.19
TWICKENHAM	-	-	- - - 24 York Street
VICTORIA	-	-	- - - 52 Sloane Square, S.W.1
WANDSWORTH	-	-	- - - 67 East Hill, S.W.18
WATERLOO	-	-	- - - 298 Waterloo Road, S.E.1
WELLING, KENT	-	-	- - - 35 Bellegrave Road
WIMBLEDON	-	-	- - - 84 High Street, S.W.19
WORTHING	-	-	- - - Revenue Buildings, Chapel Road

NOW AVAILABLE

THE "SECOND OBSERVER" EYEPIECE

AN AID OF INESTIMABLE VALUE TO THE
DEMONSTRATOR OF OPHTHALMOLOGY



THIS SECONDARY EYEPIECE (GIVING $\times 9$ MAGNIFICATION)
ENABLES THE STUDENT TO FOLLOW EVERY PHASE OF
SLIT LAMP EXPLORATION

*A pointer, operated by the demonstrator, is superimposed upon the
field of view*




WE SHALL BE PLEASED TO
DEMONSTRATE THE ATTACHMENT

AUTHORISED AGENTS FOR HAAG-STREIT INSTRUMENTS


Melson Wingate Ltd

7 WIGMORE STREET, LONDON, W.1

Dispensing Opticians




THE EVEREST HARRY
*For post-operative wear,
this all plastic goggle
is made to individual
measurements.*




THE DUAL SIGHT
*An ingenious spectacle
that provides reading
addition only when wanted.*

THE SETSEG

*The spectacle that has
a reading addition
adjustable when in wear.*

**Branches:—****OXFORD** 5 Broad Street**DIDCOT** 9 Manor Crescent**BANBURY** 72 High Street**BICESTER** 5 Sheep Street**BRACKLEY** 4 Bridge Street**CHIPPING NORTON** 11 Horsefair**BOURNEMOUTH** 81 Old Christchurch
Road**BOSCOMBE** 707 Christchurch Road**RINGWOOD** 39 High Street**WIMBORNE** 7 Leigh Road**POOLE** 138 High Street**BLANDFORD** 61 Salisbury Street**WEYMOUTH** 38 St. Thomas Street**DORCHESTER** 40 Great Western Road**BRIDPORT** 82 East Street**SHERBORNE** Cheap Street**YEOVIL** 10a Union Street**BATH** 35 Brock Street**TUNBRIDGE WELLS** 29 Mount
Pleasant**EAST GRINSTEAD** 232 London Road**TONBRIDGE** 193 High Street**SEVENOAKS** 52 London Road**MITCHAM** 68 Monarch Parade**SIDCUP** 7 Elm Parade**THE NYLON HALF-EYE**

*Having a nylon top thread
this is certainly the most
satisfactory form of half-eye
spectacle.*





**SPECTACLES
INDIVIDUALLY
DESIGNED**

Clement Clarke specialise in the design and manufacture of spectacles to individual requirements, and offer an almost limitless range of styles in real tortoiseshell and coloured synthetic materials.


CLEMENT CLARKE

63, WIGMORE STREET, LONDON, W.1.


Telephone: LANGHAM 2242



"THE GOOD COMPANIONS"



BY CLEMENT CLARKE





HELPING THE


The Old Way — "Trial and Error"

Hitherto the magnification needed by a patient could not be assessed closely without recourse to a miscellany of magnifiers from which the patient ultimately makes his choice. Such a "hit and miss" procedure was tedious and time-consuming for all concerned.

The New Quantitative Method—

(a) DETERMINATION OF MAGNIFICATION REQUIRED

The new KEELER "A" Series Test-type notation, laying special emphasis on the region beyond 6/36 provides a uniform progression of type sizes. Thus, for the first time, the patient's reading acuity can be accurately determined, and — more important still — the precise magnification needed to raise the acuity to any desired or practicable level can be read off from a specially-devised table. The increase in speed and accuracy of this procedure is appreciated by the busy examiner and lessens the strain on the patient.



(b) PRACTICAL VERIFICATION

It follows that practical verification of the findings is now a separate entity. Here again, with the emphasis on speed and accuracy, a quick reference table has been devised to present a "short list" of appliances over the range 1.75X to 20X from which verification and vocational requirements can be satisfied much more quickly than hitherto. For any pre-

determined magnification, the patient need try only two or at most three aids instead of having to face the array of assorted appliances formerly necessary.

Full details of magnifiers on the "short list" together with a suggested procedure and the whole theoretical basis of the scheme are given in the Keeler Reference Manual. The Keeler L.V.A. Test Charts feature the new "A" Series notation and include the usual vocational pages necessary to ensure that the patient is satisfied with the prescribed appliance.



C. DAVIS KEELER LTD.

ARTIALLY-SIGHTED



NEW MAGNIFYING AIDS introduced by KEELER

Until now it has not been possible to give much assistance to the many patients needing magnification in the range 8X to 20X. The new KEELER Illuminated Spectacle and Hand Magnifiers are a completely satisfactory solution to this problem because for the first time they provide comprehensively:—

- ★ A large and flat field of view :
- ★ built-in illumination which is essential for working distances of 3 cm. or less :
- ★ constant separation between magnifier and work, necessary because the depth of focus is only 1mm. or less.

The Illuminated Spectacle Magnifier illustrated has five interchangeable lens units of 8X, 10X, 12X, 15X & 20X. It is available in a trial set similar to that shown below for the Illuminated Hand Magnifier outfit which covers the same range of magnifications. These are only two examples of the many new devices that have been developed. Others, which overcome the disadvantage of previous appliances in the



range 1.75X to 6X are fully described and illustrated in the Manual.

It will be appreciated that the new technique and the trial sets are complementary. The great advantages of the former are lessened if trial sets are not available for rapid verification and vocational assessment. Conversely if the KEELER quantitative technique is not used, the magnifying aid can only be selected in the old "trial and error" way.



9, WIGMORE ST., LONDON, W.1

WELBECK 8612






BY APPOINTMENT OPTICIANS TO HER LATE MAJESTY QUEEN MARY

DIXEY


Ophthalmic Surgical Instruments




CASTROVIEJO'S NEEDLEHOLDER for corneal needles



ARRUGA'S NEEDLEHOLDER
for corneal needles



**STALLARD'S SUTURE
TYING FORCEPS**



BEREN'S NEEDLEHOLDER without catch
Illustrations Half Actual Size

C. W. DIXEY & SON LIMITED

19 WIGMORE STREET · LONDON, W.1.

TELEPHONE · LANGHAM · 1713



BY APPOINTMENT OPTICIANS TO HER LATE MAJESTY QUEEN MARY

DIXEY

ESTAB. 1777

LISTER-MORTON TYPE OPHTHALMOSCOPE

Large, even, brilliant
field free from filament
image

—

Suitable for
Direct or Indirect
Ophthalmoscopy

—

Head detachable from
handle




Complete in small case
with Red free filter and
one spare prefocussed
lamp

£21 - 10 - 0

C. W. DIXEY & SON LTD.
19 WIGMORE STREET · LONDON, W.1.

TELEPHONE :
LANGHAM 1713



BORALINE

**decongestive
mildly antiseptic
ideal in conjunctival
irritation**

Sole Distributors :
COATES & COOPER LTD.
WEST DRAYTON, MIDDLESEX

OCULAR PROSTHETICS

MR. STEER WARDMAN

Artificial Eye Specialist

of

BROOKS & WARDMAN LTD.

Dispensing Opticians

24, REGENT STREET,
NOTTINGHAM.

Telephone: NOTTINGHAM 46309 2 Lines


Also attends by appointment at the following addresses:

c/o C. DAVIS KEELER, LTD.
55, Cornwall Street,
BIRMINGHAM.
Phone: Central 5422-3

c/o BULL & MARTIN LTD.
2, St. John Street,
MANCHESTER.
Phone: Blackfriars 2548

c/o J. W. WARDMAN LTD.
76, Skinnergate,
DARLINGTON.
Phone: 3611

c/o BROOKS & WARDMAN LTD.
28, Watson Road,
WORKSOP, NOTTS.
Phone: 3204



My work covers all recent advances in ocular prostheses,
magnetic artificial eyes, and facial prostheses.



DISPENSING OPTICIANS

Members of the Association of Dispensing Opticians

ANTERIOR CHAMBER IMPLANTS

We are manufacturing acrylic implants for the anterior chamber.

Our process makes it possible for wide variations in design to be provided.

We have had the advantage of discussion with eminent authorities on this subject, and patterns already manufactured are based upon their recommendations.

We shall be very pleased to receive your enquiries.

100 NEW BOND STREET, LONDON, W.1

Telephones: GROsvenor 5081/2/3




BY APPOINTMENT OPTICIANS

TO HIS ROYAL HIGHNESS
THE DUKE OF EDINBURGHTO H. M. QUEEN ELIZABETH
THE QUEEN MOTHERTO THE LATE
QUEEN MARY

THEODORE HAMBLIN LTD


DISPENSING OPTICIANS

15, WIGMORE STREET, LONDON, W.1.

NEW PATTERN
INSTRUMENT TABLE

Hamblin's Instrument Tables shown above are smoothly adjustable to heights between 2' 2½" and 2' 8".

They can be supplied as shown with brass cups to engage the feet of a Lister perimeter, or with a glass top to take a Universal Slit-Lamp or similar instrument, or plain for other instruments, and with or without castors. The base is designed to avoid the feet of the operator and patient.



Contents	
<i>Introduction :</i>	
<i>Pharmaceutical Presentations</i>	
(I) LOCAL	7
(II) SYSTEMIC	7
<i>Outlines of Treatment</i>	
CORNEAL AND CONJUNCTIVAL INJURIES	9
ALLERGIC CONJUNCTIVITIS	9
CORNEAL ULCERS	10
KERATITIS	10
MISCELLANEOUS CONDITIONS OF THE CONJUNCTIVA ETC.	11
CONTRA-INDICATIONS	14
<i>Therapeutic Index</i>	
1. USEFUL	15
2. LESS HELPFUL	16
3. CONTRA-INDICATED	16
NEW APPROACH TO CORTISONE MANUFACTURE	17
<i>Glaxo Cortisone Products</i>	
SYSTEMIC	21
LOCAL	22
OPHTHALMIC	23

For your information . . . post free

Glaxo's "Practical Guide to Cortisone Treatment of Eye Diseases"

At your request a copy of this book will be sent to you post free. You will find it a very useful guide to all aspects of treatment with these Glaxo cortisone preparations:

Cortelan Eye Drops 1%	Cortelan Tablets 25 mg. and 5 mg.
Cortelan Eye Ointment 1%	Ef-Cortelan Tablets 20 mg.
Ef-Cortelan Eye Drops 1%	Cortelan Intramuscular Injection
Ef-Cortelan Eye Ointment 2.5%	25 mg./cc.

EF-CORTELAN

TRADE MARK
(hydrocortisone acetate or alcohol Glaxo)

CORTELAN

TRADE MARK
(cortisone acetate Glaxo)

Now also available :—

DELTA-CORTELAN Trade Mark
(prednisone Glaxo)

DELTA-EF-CORTELAN Trade Mark
(prednisolone Glaxo)

GLAXO LABORATORIES LTD., GREENFORD, MIDDLESEX. BYRON 3434



BY APPOINTMENT OPTICIANS

TO HIS ROYAL HIGHNESS
THE DUKE OF EDINBURGHTO H. M. QUEEN ELIZABETH
THE QUEEN MOTHERTO THE LATE
QUEEN MARY

THEODORE HAMBLIN LTD

DISPENSING OPTICIANS

HAMBLIN'S PURVIS STREAK RETINOSCOPE

The Purvis Streak Retinoscope made by Hamblins is of special value because it produces a reflex less confusing than that from a round spot of light, and because it enables the axis of astigmatism to be located with accuracy.


The strength of the light is controlled by a rehostat incorporated in the switch.


The width of the beam or streak of light is controlled by the sliding sleeve. The sleeve is pushed up to make the beam convergent and down to make it divergent. The divergent beam corresponds to the use of a plane mirror, and the convergent beam to a concave mirror.

For plane mirror Retinoscopy, it is only necessary to move the sleeve downwards, past the point at which the light is in sharp focus at one metre, until the beam is from $\frac{1}{4}$ to $\frac{1}{2}$ inch in width.

Alterations in the axis of the streak are governed by rotating the lower sleeve around the stem of the instrument by a lateral rolling movement of the forefinger.

**THEODORE
HAMBLIN LTD**
DISPENSING OPTICIANS
15 WIGMORE STREET,
LONDON, W.1.





BLEPHARITIS
 CONJUNCTIVITIS
 KERATITIS
 IRITIS
 IRIDOCYCLITIS
 RETINITIS

Ocular inflammation

Cortril Ophthalmic Ointment is of considerable value in the treatment of many types of ocular disease. By controlling excessive tissue reaction it relieves symptoms and prevents the scarring or destruction of vital ocular tissue.

it's **Cortril**^{*}
 for all that

Available in two strengths: 0.5% and 2.5%, in tubes of 3G.




PFIZER LTD · FOLKESTONE · KENT

**Trade Mark of Chas. Pfizer & Co., Inc.*



CHLOROMYCETIN*
Ophthalmic

CHLOROMYCETIN
Ophthalmic Ointment



in the treatment of.....

CHLOROMYCETIN*
HYDROCORTISONE
Ophthalmic

CHLOROMYCETIN
HYDROCORTISONE
Ophthalmic Ointment

PARKE, DAVIS & Company Ltd. (Inc. U.S.A.)

*Trade mark

HOUNSLOW · MIDDLESEX · Telephone : Hounslow 2361

MILLAURO
ARTIFICIAL
EYE
MAKER

Demonstration of Artificial Eye-Making
given at
INTERNATIONAL OPHTHALMOLOGICAL CONGRESS EXHIBITION

LONDON
JULY 17th-23rd
1950

Artificial Eyes (Glass or Plastic)
Embodying All Modern Improvements.

Specially Made to Surgeons' Instructions
and Patients' Requirements

Appointments may be made at:—
2 BLOOMSBURY PLACE, LONDON, W.C.1.
(Nearest Underground Station, Holborn)
Telephone: Mus. 0908

Eye Drops \ Eye Ointment

CORTISYL

CORTISONE

1% 3ml. Bottle 1% 3G. Tube

HydroCORTISYL

HYDROCORTISONE

1% 3 ml. Bottle 2.5% 3G. Tube



The Full Range

DeCORTISYL PREDNISONE *Tablets*

PreCORTISYL PREDNISOLONE *Tablets*

CORTISYL CORTISONE *Tablets and Injection*

HydroCORTISYL HYDROCORTISONE *Skin Lotion and Ointment
Tablets and Local Injection
Intravenous Injection*



London, N.W.10 LADbroke 3608

LS/20



Pronounced decrease in intra-ocular pressure follows oral administration of DIAMOX Acetazolamide to glaucomatous patients

This significant finding has been made in numerous clinical trials—and to-day there remains no doubt that DIAMOX has an important role to play in the treatment of many forms of glaucoma. A powerful inhibitor of carbonic anhydrase, DIAMOX acts in the eye by inhibiting the formation of the aqueous humour—i.e., the inflow.

DIAMOX fulfils two vitally important functions. Firstly, by lowering intraocular tension, the drug enables miosis to be achieved—either spontaneously or by the use of miotics previously ineffective; the angle is thus unblocked and drainage can occur. Secondly, DIAMOX does much to lessen the degree of urgency in treating closed-angle glaucoma and greatly improves the prospects of successful surgical intervention.

It is in acute angle-closure glaucoma, however, that DIAMOX gives particularly impressive results, and in at least some cases the angle-closure is reversible.

DIAMOX*

ACETAZOLAMIDE

Lederle

Packings: Tablets of 250 mg., and 1000. Bottles of 25 engraved
100 Parenteral Vials of 500 mg.

Literature on request

*Regd. Trade-Mark

LEDERLE LABORATORIES DIVISION

Cyanamid OF GREAT BRITAIN LTD., London, W.C.2




*Advertised and Introduced ONLY
to the Medical Profession.*

BENGUE'S


GUTTILIN

**AUTOMATIC
DROPPER
TUBES**

(BENGUE PATENT)



- ★ *Sterile solutions for Ophthalmic, Aural and Nasal medication.*
- ★ *The Guttilin tube prevents contamination of solution.*
- ★ *Precision and ease of application of drops by either Practitioner or patient.*
- ★ *Stability and Therapeutic activity of solutions are maintained indefinitely.*
- ★ *Large range of solutions available.*
- ★ *Prices very reasonable. Economical to use, no wastage owing to precision.*



List of available solutions and prices on request.

All Guttilin tubes contain 12 c.c. of solution except those of Cocaine solutions (10 c.c.) and Chloramphenicol (5 c.c.).

BENGUE & CO. LTD. Manufacturing Chemists

WIMBORNE, WIMBORNE, WIMBORNE, WIMBORNE, WIMBORNE

Ocular PROSTHESIS

NUMBER

6

THE PROSTHETIC CONTACT LENS

Ocular disfigurement has, unfortunately, not always received the attention it deserves. Though fittings may on occasions be laborious and prolonged, the result is invariably worth the effort. This type of work is a speciality of

Mr. ALFRED LESSER

A master of world-wide repute in Ocular and Facial Prosthesis

12a, ETON AVENUE, LONDON, N.W.3. Telephone, Primrose 9891

ERRATUM—
ADVERTISEMENT No. 4
 Both photograph captions
 should be transposed —
 'For Right Socket' apply-
 ing to the top photograph

ALSO AT**PARIS**

140 Av. Victor Hugo, Paris, XVIe
 Tel : Kleber 0060

DUBLIN

41 Grafton Street, Dublin
 Tel : 73741

BRUSSELS

137 Avenue Voltaire, Brussels
 Tel : 152278

LINWOOD
STRONG
LTD.

DISPENSING OPTICIANS

in

SUTTON
20 HIGH STREET

EPSOM
45 UPPER HIGH STREET

&

WORTHING
96a MONTAGUE STREET

FORMULA


Chloramphenicol B.P.
0.5%
+
Sulphacetamide
Sodium B.P.
10%

CHIBRET
CHLORANSULFA

Conjunctivitis
Keratitis
Dacryocystitis

Sole Distributors :
COATES & COOPER LTD.
WEST DRAYTON, MIDDLESEX

Fashion Frames



* *

*A further example of the spectacle-maker's craft,
combined with the jeweller's. Hand-made frames,
trimmed hand-set rhinestones and pearls.*

Earrings to match.

* *

Made and Designed by

A. E. NEWBOLD, LTD.

11b, Hay Hill, Berkeley Square, London, W.1

HYDE PARK 0945/6

**Branch: 1 Broadway Buildings
BROMLEY, Kent**

**Branch: 64 High Street
BECKENHAM, Kent**



BY APPOINTMENT OPTICIANS


TO HIS ROYAL HIGHNESS
THE DUKE OF EDINBURGHTO H. M. QUEEN ELIZABETH
THE QUEEN MOTHERTO THE LATE
QUEEN MARY

THEODORE HAMBLIN LTD

DISPENSING OPTICIANS

15, WIGMORE STREET. LONDON, W.1.

AMSLER CHARTS MANUAL



These charts, designed by Professor Marc Amsler of Zurich, were demonstrated by him at the 1949 Oxford Ophthalmological Congress. They make it possible to detect, localise, and analyse the visual functional disturbances (metamorphopsia, relative scotoma) which accompany the beginning and evolution of maculopathies. (The word "maculopathy," analogous to "retinopathy," is used by Professor Amsler to express all pathological conditions of the macula.) Many functional disturbances affecting the central and paracentral region of the field escape the usual quantitative test of central vision since it does not really bring into account the quality of the visual trouble. By means of these charts and the method and technique of examination described by Professor Amsler such qualitative measurements are easily made.

Seven charts in substantially bound book with set of 50 recording charts on tear-off pad, and full instructions for their use by Professor Amsler.

Note.—Spanish, French and German editions are now available at same price.

Faithfully yours

PANKHURST & BARRETT LTD.

Dispensing Opticians

27, NEW CAVENDISH STREET, LONDON, W.1
250, IMPERIAL DRIVE, RAYNERS LANE, HARROW

S. P. HOLLOWAY LTD.


**PROMPT DISPENSING
WORKSHOP ON THE PREMISES**

14A, HENRIETTA PLACE


(Corner of Welbeck Street)

LONDON · W.1


Telephone WELbeck 2703



Ophthalmic
Operating
Table



Electric
Sterilizer
Solid bronze
(Chrome-plated)



Aseptic Cabinets

OPHTHALMIC



EQUIPMENT by


STEARMAN OPTICAL CO. LTD.

*Please note
new address:*

7 FITZROY SQUARE, LONDON, W.1

Telephone: EUSton 3396

“Curpax”
PERCIVAL LENSES




“Percival” Lenses are manufactured exclusively in the works of Curry and Paxton, Ltd., from the finest optical glass and to the precision curves of the formulæ of the late A. S. Percival, Esq., M.A., M.B., B.Ch.

Two complete ranges are available and include all powers. One is constructed for the needs of Distance vision and the other for Reading purposes. In both cases the lenses are designed to give a point focus at the Macula for all directions of the Visual lines.

Mr. Percival maintained that lenses constructed on curves which eliminate marginal astigmatism for peripheral parts of the field, do not achieve the best results in the visual sense. It is only the Macula region that is concerned with perfectly distinct vision.

Calculated Lenses of British Design and Manufacture



Percival Lenses are constructed to give a retinal image where the circle of confusion is reduced to .001 m/m., the size of the Macula cone.

Percival Lenses eliminate curvature of the field and give the greatest visual comfort. In the higher powers the improvement afforded is one of marked consequence to the patient.

Percival Lenses are very little more expensive than the ordinary Meniscus or Toric forms. In the higher powers above 7D, they are only a fraction of the cost of Continental lenses of similar purpose. These lenses are available to all members of the Association of Dispensing Opticians.

Special machinery and a very extensive range of tools enable us to provide a very prompt service.

** For full details please write for leaflet. A trial case of Percival Lenses for either distance or reading curves is available on loan to surgeons.*

CURRY & PAXTON, LTD.

Dispensing Opticians, Manufacturers of Ophthalmic Instruments

195-199, GREAT PORTLAND STREET
LONDON, W.1


INSTRUMENT DEPARTMENT
22, WIGMORE ST., W.1

Telephone: LAngham 0123.

Telephone: LAngham 2873.

PRINCIPAL BRANCHES—LIVERPOOL, BRISTOL, BATH, SOUTHPORT, GLASGOW, DERBY, NOTTINGHAM,
RICHMOND, NORWICH, LINCOLN. AMERICA—CURRY & PAXTON, INC., 866, WILLIS AVENUE,
ALBERTSON, LONG ISLAND, N.Y.

Clement Clarke Present



THE SLIT LAMP

WITH
CORNEAL
MICROSCOPE

A
HAAG-STREIT
INSTRUMENT

This beautifully-made product of the world-renowned Swiss Firm is now available from stock and inspection at our show-room is welcomed.

The ease of manipulation for fundus observation and gonioscopy, in addition to the more usual anterior examination, is a feature of the apparatus. The cost of £275 includes the two different Goldmann contact lenses for fundus and iridic angle examination, the Hruby lens, fixation lamp, Goldmann reduction prism, two pairs of objectives, two pairs of eyepieces, spare lamp and plastic cover. Delivery and installation free within 50 mile radius.

Copies of Professor Goldmann's book "Two Lectures on Biomicroscopy of the Eye" are available from stock, price £1.12.6., and will be found of interest to all users of the slit lamp.

CLEMENT CLARKE

INSTRUMENT DEPARTMENT : 63, WIGMORE STREET, LONDON, W.1.

AUTHORISED AGENTS IN GREAT BRITAIN FOR HAAG-STREIT LTD

A NEW TRIAL CASE CABINET

*Ideal for the
Consulting Room
or the
Out-Patients'
Department*



STANDARD RANGE OF LENSES

*Plus and Minus Spheres
(Total 128 lenses)*

*Pairs 0.12
Pairs 0.25 - 4 in $\frac{1}{2}$'s
Pairs 4.50 - 6 in $\frac{1}{2}$'s
Pairs 7.00 - 14 in 1's
(7-12 in 1's in minus range)
Pairs 14-20 in 2's
Pair of - 25*

*Plus and Minus Cylinders
(Total 80 lenses)*

*Pairs 0.12
Pairs 0.25 - 3.50 in $\frac{1}{2}$'s
Pairs 4.00 - 6.00 in $\frac{1}{2}$'s*

PRISMS - $\frac{1}{2}$, 1, 2, 3, 4, 5, 6, 8, 10, 12 (Total 10)

Accessories - Maddox Rod, Red, Green, Stenopaic Slit, Pinhole Disc, 2 Blank Discs (Total 7)

The lenses are protected by a well-made roll top. The lens tray is inclined at an angle which allows the easiest view of and access to the lenses. A well in the tray provides accommodation for the trial frame, crossed cylinders, refraction occluder, etc. Below the lens tray a pull-out writing flap, neatly covered in rexine, is provided for the notepad or prescription forms. Beneath this, a capacious cupboard enables the Surgeon to store his Maddox Wing Test, Near Vision Test Type, Near Point Rule, Ophthalmoscope and Retinoscope. If preferred, a deep drawer can be fitted in place of the cupboard, with a low shelf near the floor to complete the cabinet. Castors are optional. The cabinet can be finished to accord with the Surgeon's own furnishing scheme. Lenses of either the anodised (black and silver) or enamelled (black and red) finish can be supplied in the cabinet in the standard range as given above, or in any range desired.

The Cabinet illustrated has fitted to one side the "Three Instrument Unit" comprising (a) Specialist Ophthalmoscope (b) Focusing Retinoscope (both with Mains handle) (c) Hand Slit-lamp (d) Transformer Unit.

CLEMENT CLARKE

INSTRUMENT DEPARTMENT

63 WIGMORE STREET

LONDON W.1



BY APPOINTMENT OPTICIANS

TO HIS ROYAL HIGHNESS
THE DUKE OF EDINBURGH

TO H.M. QUEEN ELIZABETH
THE QUEEN MOTHER

TO THE LATE
QUEEN MARY


THEODORE HAMBLIN LTD

DISPENSING OPTICIANS

SOLE AGENTS IN THIS COUNTRY FOR

ERNST GRIESHABER of SCHAFFHAUSEN

Makers of the well-known **FRANCESCHETTI** Trephines and Needles, **GIRARDET** and **CASTROVIEJO** Keratoplasty Instruments, Needles, Knives, Keratomes, Refractors, Curettes, etc. Full detailed list on application.



Prices of SUTURE NEEDLES (illustrated on left)





No. 80
In Silver Steel
1 to 5 - 8/3 each
5a and 5b 10/6 each
5c £1 5 0 each

No. 81
In Silver Steel
Very fine needles for conjunctival and corneal sutures. Length between points, 5 mm. 7 mm. and 10 mm.
*16/- each

No. 82 In Stainless Steel
7 mm. - - - *£1 15 0 each

* Please note revised prices as from February 25th, 1953.

No. 66 Franceschetti Trephine from £11 9 6 to £13 16 6	No. 66c Safety Spatula £2 10 6	No. 27 Vectis £5 0 6	No. 35a Curette £2 16 0	No. 40a Scalpel (Elschnig) £4 9 0	No. 13 Keratome £4 9 0	No. 31 Sharp Curette £4 2 6	No. 10 Cataract Knife Needle (Haab) £3 4 0



**THEODORE
HAMBLIN LTD**
DISPENSING OPTICIANS
15 WIGMORE STREET
LONDON, W.1

UNIVERSITY OF LONDON

INSTITUTE OF OPHTHALMOLOGY, JUDD STREET, LONDON, W.C.1

Associated with

MOORFIELDS WESTMINSTER AND CENTRAL EYE HOSPITAL

Qualified Medical Practitioners may enter the practice of the Moorfields Westminster and Central Eye Hospital at any time, and are, on certain conditions, eligible for appointment as Clinical Assistants.

Systematic courses suitable for Diploma and Degree examinations begin in OCTOBER and MARCH of each year.

For further particulars apply to the Dean.

EXAMINATION OF PATHOLOGICAL OPHTHALMIC SPECIMENS.

The Department of Pathology of this Institute will examine and report on certain specimens sent by Ophthalmic Surgeons.

For particulars apply to the Director of the Department of Pathology.

ROYAL EYE HOSPITAL**ST. GEORGE'S CIRCUS, S.E.1**

Telephone: WATERLOO 4477

The clinical practice of the Hospital is open to postgraduate students. There are 176,000 total outpatient attendances and over 2,000 admissions annually.

Courses for the Fellowship in Ophthalmology are held as required. Further information can be obtained from the Secretary.

**THE DEVELOPMENT
OF THE HUMAN EYE**

By IDA MANN, M.A., D.Sc., M.B., B.S., F.R.C.S.

A comprehensive monograph on the
Embryology of the Human Eye.

312 pages, with 239 illustrations in colour and monochrome.

Price 45s. net (postage inland 1s. 6d., overseas 1s.)

From booksellers or from Publishing Manager

BRITISH MEDICAL ASSOCIATION


B.M.A. House, Tavistock Square, London, W.C.1.

MINOR LACRIMAL INSTRUMENTS

designed by and made for

JOHN FOSTER, F.R.C.S.

Vide: "Certain Modifications in Minor Lacrimal Instruments" *Brit. Journ. Ophth.*, Nov. 1956



DOWN BROS. and MAYER & PHELPS Ltd.

92-94, BOROUGH HIGH STREET, LONDON, S.E.1.

32-34, NEW CAVENDISH STREET, LONDON, W.1.

GEORGE ODELL LTD. DISPENSING OPTICIANS

A. H. ODELL, *Managing Director.*
M. ODELL, *Secretary.*

*Members of the Guild of
British Dispensing Opticians*

Makers of spectacles of a fine precision and of a standard worthy of the best work of British craftsmen—a very important but fast dwindling section of the optical industry.

Frames are made and mounted to the individual measurements of each patient and both frame and lenses periodically checked during the course of production.

The finished spectacles are finally checked by a qualified dispensing optician and whenever possible, personally fitted on every patient.

31, KING STREET,
ST. JAMES'S, S.W.1
Whitehall 9987

36, WELBECK STREET,
W.1
Welbeck 5320

Isophane[★] TRIFOCALS

complete the range of corrected lenses, both single vision and multi-focal, providing the best possible marginal correction



★ The function of a trifocal is to provide clear vision at all distances. The best distance vision can only be obtained by using scientifically computed lenses; BAO flat top trifocals use Isophane curves, in the distance portion, which are computed to correct the innate errors in a spectacle lens to the greatest extent possible in a single piece of glass.

BLANK SIZE
60 × 58 mm.

SEGMENT SIZE
23 mm. × 19 mm.

INTERMEDIATE
7 mm. + 50% addition

Your wholesaler can supply

BRITISH AMERICAN OPTICAL CO. LTD., 39, HATTON GARDEN, LONDON, E.C.1

FACTORIES AT WATFORD, ENGLAND AND KIDWELLY, SOUTH WALES

ALFRED HAWES & SON LIMITED

HELPFUL CO-OPERATION ACCURATE OPTICAL DISPENSING

Since 1840

A tradition well maintained



HEAD OFFICE :

79-79a, LEADENHALL STREET, LONDON, E.C.3
Telephone: AVenue 4538/9

BRANCHES :

WEST END OFFICE: 25, New Cavendish St., W.1.	Welbeck 7862
CHISLEHURST: 58, High Street, Chislehurst, Kent.	Imperial 4433
CROYDON: 17, Katherine Street, Croydon, Surrey.	Croydon 5779
DAGENHAM: 171a, Broad Street, Dagenham, Essex.	Rainham 512
DORKING: Rose Hill Approach, Dorking, Surrey.	Dorking 3187
ELTHAM: 21, Court Yard, Eltham, Kent, S.E.9.	Eltham 4325
GODALMING: 3-4 Angel Buildings, High Street, Godalming, Surrey.	Godalming 2088
GUILDFORD: 8, Upper High St., Guildford, Surrey.	Guildford 4911
ILFORD: 74, Cranbrook Road, Ilford, Essex.	Valentine 5825
LEWISHAM: 3, Obelisk Parade, S.E.13.	Lee Green 2245
LEYTON: 258a, High Road, Leyton, E.10.	Leytonstone 2109
ROMFORD: 3, Old Mill Parade, Victoria Road, Romford, Essex.	Romford 2208
ST. PAUL'S CRAY: 67, Cotmandene Crescent, St. Paul's Cray, Orpington, Kent.	Foot's Cray 4803
STRATFORD: 158, The Grove, Stratford, Essex, E.15.	Maryland 3393
WALTHAMSTOW: 304, Hoe Street, Walthamstow, Essex, E.17.	Keystone 5206
WHITECHAPEL and BOW: 35-37, Bow Road, E.3.	Advance 2103
WOKING: 7, Church Path, Woking.	Woking 944
WALTON-on-THAMES: 39, Bridge St., Walton-on-Thames.	Walton 1832

THE FIRST OPTICIAN
IN WIGMORE STREET.
ESTABLISHED 1873


GEORGE SPILLER,

Ltd.

41, WIGMORE ST., W.1

Tele.: WEL. 7471-2

The Best of the Old




Tower Bridge

LONDON'S Tower Bridge is one of the best-known bridges in the world. Generations of small boys have waited patiently to see it open. Tower Bridge is not particularly old (it was opened in 1894) but it has a beauty all its own combined with a sturdy construction necessary for its hard dual task.

The Best of the New

THIS beautifully designed folding frame may be obtained in two-tone material with silver adornments. The advantages of a folding frame are many and this Spiller version may be relied upon to incorporate with them real beauty of appearance and the sturdy construction that is necessary for long and hard wear.



The Spiller Folding Frame

SPILLER — FOR PERSONAL SERVICE

MADE AND PRINTED IN GREAT BRITAIN
BY WILLIAM CLOWES AND SONS, LIMITED, LONDON AND BECCLES