


JOHN WEISS & SON, LTD.

17 WIGMORE STREET,
LONDON, W.1

Telephone: MUSeum 7733


INSTRUMENTS FOR CORNEAL SUTURING



B951b




B874




B1053


- B951b.** Suture Forceps, corneal, St. Martin's, *stainless steel*.
B874. Forceps, corneal, Barraquer's *do.*
B1053. Scissors, miniature, for removal of corneal sutures, etc.



B607



B608



B609



- B607.** Needles corneal, Jameson Evans', 8, 10 and 14 mm.
B608. Ditto *do.* Kalt's, 12, 14 and 18 mm.
B609. Ditto *do.* Vogt's, 7, 10 and 14 mm.

You are cordially invited to visit our new Showrooms
at 17, Wigmore Street, W.1, and inspect a comprehensive
range of Ophthalmic Instruments and Apparatus.

CLIFFORD BROWN L^D.

45 WIGMORE STREET, LONDON, W.1

MANUFACTURING DISPENSING OPTICIANS

take pleasure in announcing the opening of a

NEW BRANCH

AT

KINGSGATE HOUSE

82 HIGH STREET

REDHILL

Telephone: REDHILL 5600

AND AT

**113 STATION ROAD,
REDHILL**

**25 CHURCH STREET,
REIGATE**

BRANCHES AT

**EAST SHEEN, GLASGOW, KINGSTON, MANOR PARK, MORDEN,
ORPINGTON, PERTH, PUTNEY, REDHILL, REIGATE, RICHMOND,
S. WIMBLEDON, SUNDERLAND, TWICKENHAM, VICTORIA,
WANDSWORTH, WATERLOO, WELLING, WIMBLEDON, WORTHING,
WEST WORTHING**




BY APPOINTMENT OPTICIANS TO HER LATE MAJESTY QUEEN MARY


C. W. DIXEY & SON LTD.

19 WIGMORE STREET · LONDON W.1.


TELEPHONE: LANGHAM 1713

OPHTHALMIC SURGICAL INSTRUMENTS AND APPARATUS

D 1203



D 711



D701-2

D 1203. Barraquer's Colibri Forceps, for corneal suturing, etc.


D 711. Vannas' Scissors, for occlusio pupillae, anterior synechia, capsule, etc.

D 701-2. Castroviejo's Incision Enlarging Scissors, Right & Left.

*Delivery of the above or other instruments from our comprehensive range can usually be made from stock.**Catalogue sent on request.*

Melson Wingate Ltd

7, WIGMORE STREET, LONDON, W.1.



Patent No.: 824876

THE TEMPLE GRIP TRIAL FRAME

Designed to fit all faces.


Allows for asymmetrical eyes.

Only one screw adjustment to each eye.

THE TEMPLE GRIP FRAME

A Spectacle that does not rest on the nose, yet retains the appearance of a normal frame.

Especially useful in cases of patients who cannot tolerate any pressure on the bridge of the nose.





Service

THROUGH 43 BRANCHES

As Guild Opticians, Clement Clarke uphold
the highest standards of optical dispensing. Service
is available to the Ophthalmic Surgeon
and his patients through forty-three branches.

CLEMENT CLARKE

16 WIGMORE STREET, LONDON, W.1



Spectacles

FOR EVERY PURPOSE

Clement Clarke specialise in the design of spectacles for every requirement from practical everyday business needs to styles individually designed in an almost limitless range of materials.

CLEMENT CLARKE

16 WIGMORE STREET, LONDON, W.1

Alfred Hawes


and Son Ltd.

THE HIGHEST STANDARDS OF OPTICAL DISPENSING

Our service to the Ophthalmic Medical Profession dates from the year 1840, for it was in that year that our firm was established in the City of London.

Tradition and service have, and always will play an important part of the life that is contained in the 'Square Mile', and although we have now extended our organisation to Branches in other parts of London and the Home Counties, we have been at pains to maintain at these other establishments the reputation that the City of London enjoys.

We look forward to dispensing the requirements of your patients, backed with the advantages of past experience coupled with attention to present advances.



HEAD OFFICE:

79-79a, LEADENHALL STREET, LONDON, E.C.3.

TELEPHONE: AVENUE 4538/9


WEST END OFFICES: 25, NEW CAVENDISH STREET, LONDON, W.1. Telephone: WELbeck 7862

BRANCHES:

BOW:	<i>Advance 2103</i>	GUILDFORD:	<i>Guildford 4911</i>	ST. PAUL'S CRAY:	<i>Foots Cray 4803</i>
CHISLEHURST:	<i>Imperial 4433</i>	ILFORD:	<i>Valentine 5825</i>	STRATFORD:	<i>Maryland 3393</i>
CROYDON:	<i>Croydon 5779</i>	LEATHERHEAD:	<i>Leather'd 3157</i>	WALTHAMSTOW:	<i>Coppermill 5206</i>
DORKING:	<i>Dorking 3187</i>	LEWISHAM:	<i>Lee Green 2245</i>	WOKING:	<i>Woking 944</i>
ELTHAM:	<i>Eltham 4325</i>	LEYTON:	<i>Leytonstone 2109</i>	WALTON-ON-THAMES:	
GODALMING:	<i>Godalming 2088</i>	ROMFORD:	<i>Romford 42208</i>		<i>Walton 1832</i>

**AN AID
TO RETINOSCOPY**

HAMBLIN



**NELKEN
TRIAL
FRAME**

AND TRIAL LENSES

(see Page 444 of the July 1959, *British Journal of Ophthalmology*, for a full description.)

enable the precise angle of astigmatism to be read from the trial frame whilst in a darkened room. The figures and astigmatic markings are treated to reflect brightly when viewed through a retinoscope. They are large enough to be seen clearly at one metre.


THEODORE HAMBLIN LTD

15 Wigmore Street, London, W.1.

THE

GAMBS SLIT LAMP

BIOMICROSCOPE



Features include—

- ★ Concentric swing of slit-beam and microscope about a common focal point.
- ★ Full 180° traverse without obstruction.
- ★ Horizontal and oblique slit provision.
- ★ Three variations of illumination.
- ★ Rapid change of magnification without refocus.
- ★ An adapter is available whereby the Goldmann Aplanation Tonometer may be attached.

FURTHER DETAILS FROM

Sterckx Martin

DISPENSING OPTICIANS

INSTRUMENT DEPARTMENT

36, NEW CAVENDISH ST.,
LONDON, W.1.

TEL. HUNTER 0644

SOLE AGENTS UNITED KINGDOM & EIRE FOR THE MAKERS — GAMBS OF LYON

OCULAR PROSTHETICS

MR. STEER WARDMAN

*Artificial Eye Specialist
of*

Brooks & Wardman

Dispensing Opticians

Artificial Eye Makers

24 REGENT STREET

NOTTINGHAM

Telephone: 46309 2 Lines

Also attends by appointment at the following addresses:

91, Cornwall Street,
BIRMINGHAM, 3.


Phone: Central 0583

76, Skinnergate,
DARLINGTON.

Phone: 3611


28, Watson Road,
WORKSOP, NOTTS.

Phone: 3204



My work covers all recent advances in ocular prostheses,
magnetic artificial eyes, and facial prostheses.

Fashion Frames



* *

*A further example of the spectacle-maker's craft,
combined with the jeweller's. Hand-made frames,
trimmed hand-set rhinestones and pearls.
Earrings to match.*

* *

Made and Designed by


A. E. NEWBOLD, LTD.

11b, Hay Hill, Berkeley Square, London, W.1

HYDE PARK 0946 6

**Branch: 1 Broadway Buildings
BROMLEY, Kent**

**Branch: 64 High Street
BECKENHAM, Kent**



The Keeler Major Electro-Surgical Unit illustrated is well known to Ophthalmic Surgeons all over the world for its high performance, sensitivity and complete reliability.

The establishment of this and other Keeler electro-surgical units in major hospitals in the United Kingdom and elsewhere provides ample testimony that their performance satisfies the most exacting requirements of Ophthalmic Surgery.

C. DAVIS KEELER LTD.

39 WIGMORE STREET, LONDON, W.1

TELEPHONE


WELBECK 8512





THE BOBERG-ANS ERISIPHAKE

THE VACUUM PUMP AND MOTOR COMBINED
UNIT WITH SUCTION BOTTLE VACUUM
GAUGE



SOLE AGENTS IN THE UNITED KINGDOM:—


INSTRUMENT DEPARTMENT:

160 New Bond Street, London, W.1.


MAYfair 0128

BEXHILL, BIRKENHEAD, BOLTON, BRADFORD, BRIGHTON, BRIXTON, CHESTER, COVENTRY, CREWE, DONCASTER, EASTBOURNE, ELLESMERE PORT, HALIFAX, HARROGATE, HASTINGS, HEREFORD, HESWALL, HOVE, HUDDERSFIELD, HULL, LEAMINGTON, LEEDS, LEICESTER, LIVERPOOL, LUDLOW, NORTHWICH, NUNEATON, OLDHAM, OSWESTRY, RHYL, RUGBY, RUGELY, SHREWSBURY, SOUTHPORT, STAFFORD, ST. HELENS, STOKE, STREATHAM, WALLASEY, W. HARTLEPOOL, WORCESTER. Works: HOVE and LONDON.

HAMBLIN POLYSCOPE MARK 2



A multi-purpose instrument for stereoscopic ophthalmoscopy and for binocular magnification of the depths of narrow cavities.




A fully descriptive pamphlet will gladly be sent.


THEODORE HAMBLIN LTD

15 Wigmore Street, London, W.1.

Hamblin minimag



An electromagnet with power enough to dislodge a ferrous foreign body across an extreme diameter of the human eye, small and light enough to be easily manipulated, compact enough to be easily transported and shaped to give a clear view of the field of operation.



Control Box

14 in. × 12 in. × 6 in. Gas-proof and Flame-proof. Contains the rectifier and electronic control system.

Magnet


The magnet has built-in radiator vanes, and weighs less than 20 oz. Its length, including a 90° applicator, is 5 in.; its greatest diameter is 2½ in. Supplied complete with a set of four applicators; three conical applicators with angles of 50°, 70° and 90°; also one round-ended applicator.

THEODORE HAMBLIN LTD

15 Wigmore Street, London, W.1.

THE **FISON** BINOCULAR INDIRECT OPHTHALMOSCOPE

for



**DETACHMENT
SURGERY**

DIAGNOSIS

and

TEACHING



A **Reflecting Plate 1205E** (inset above) enables two observers to view a fundus at the same time. The Plate transmits about 50% of the light incident on it from the patient's fundus and reflects 50% towards the second observer.

This accessory is excellent for teaching fundus appearances to students. Being portable, the Fison Ophthalmoscope with Reflecting Plate entirely supersedes other demonstrating ophthalmoscopes since it may be carried round wards and clinics.

39, Wigmore Street,
London, W.1, England




5536 Baltimore Avenue,
Philadelphia 43, Pa., U.S.A.

GLAUCOMA

*The new carbonic anhydrase
inhibitor to reduce
intra-ocular pressure*

DARANIDE

inhibits the formation of
aqueous humour
lowers intra-ocular tension
within one hour and maintains
this reduction for six hours or
more
gives smooth control with
relatively few side-effects
reduces the likelihood of
metabolic acidosis in
comparison with other carbonic
anhydrase inhibitors
may often be effective when
other carbonic anhydrase
inhibitors have failed or have
not been tolerated



DARANIDE

(Dichlorphenamide)

Trade Mark

FOR THE ORAL TREATMENT OF GLAUCOMA

Tablets, 50 mg., in bottles of 100
The United Kingdom N.H.S. basic cost is 40s. 0d. per 100 tablets
Full details and references gladly supplied on request



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

BORALINE

decongestive
mildly
antiseptic

ideal in
conjunctival
irritation



Sole distributors:


COATES & COOPER LTD. WEST DRAYTON, MIDDLESEX



Zonulysin in cataract

Zonulysin is a highly purified, sterile
freeze-dried Alpha-Chymotrypsin, which is particularly
indicated for resolving the ciliary zonule.

Maw's Zonulysin is presented in a convenient
form for this purpose, allowing easy preparation of
a fresh solution for each procedure.



Zonulysin instilled to flood anterior and
bathe suspensory ligament.



Suspensory ligament resolved giving easy
withdrawal of crystalline lens.

Supplied in boxes of 6 ampoules, each containing
0.2 mgm. Alpha-Chymotrypsin together with 6 ampoules
each containing 1.0 ml. of Saline diluent.

Enquiries to Ethical Department

S. MAW SON AND SONS LIMITED


ALDRSGATE HOUSE · BARNET · HERTFORDSHIRE

A PRODUCT OF ARMOUR RESEARCH

ZONULOLYSIS


Eliminating accident risk in Cataract Surgery

The inherent complications of extracapsular extraction and the accidents which sometimes occur during or after intracapsular extraction are eliminated by Barraquer's technique.



CHYMAR-ZON

brand of α -chymotrypsin



This technique employs the zonulolytic action of α -chymotrypsin, effectively replacing the mechanical procedures of zonulotomy.

PRESENTATION — each carton contains :

- 1 vial — 100 Armour units lyophilised α -chymotrypsin.
- 1 vial — 1 ml. Ringer's Solution as diluent.
- 1 vial — 1 ml. Ringer's Solution for irrigation.

Literature on request



**ARMOUR PHARMACEUTICAL
COMPANY LTD**

EASTBOURNE · SUSSEX · ENGLAND

Recent Publications

WORTH & CHAVASSE'S SQUINT

The Binocular Reflexes and the Treatment of Strabismus

By T. Keith Lyle, C.B.E., M.D., M.Chir., M.R.C.P., F.R.C.S. and
G. J. O. Bridgeman, M.C., M.B., B.Ch., F.R.C.S.

The classical book on squint, covering normal and abnormal development of the binocular reactions, and the investigation, diagnosis, treatment and surgery of all orthoptic conditions.

This edition includes the most recent advances in orthoptics; the earlier chapters relating to the development of the binocular reflexes have been clarified and simplified and in later chapters, separate sections have been written on the clinical classification, natural history and prognosis, of the various types of squint. A number of new illustrations have been introduced.

9th Edition 408 pages 230 illustrations 52s. 6d. Postage 2s. 6d.

MAY & WORTH'S MANUAL OF DISEASES OF THE EYE

By T. Keith Lyle, C.B.E., M.D., M.Chir., M.R.C.P., F.R.C.S. and
A. G. Cross, M.A., M.D., F.R.C.S.

For fifty-three years, successive editions of this standard textbook have provided a concise, practical and systematic guide to the diseases of the eye for medical students, intending specialists, general practitioners, and general surgeons working in remote areas of the world where specialist assistance may not be available. The important relationship of ophthalmology to neurology and to certain other specialized aspects of general medicine is emphasised. The entire text has been brought up-to-date, where necessary, to cover the most recent developments in diagnosis and treatment and a number of new illustrations have been introduced.

12th Edition 759 pages, 65 colour plates, 305 illustrations. 45s. Postage 2s. 3d.

PSYCHOSOMATIC OPHTHALMOLOGY

By T. F. Schlaegel, Jr., M.D., and M. Hoyt, M.D.

Emotional factors play a part in all conditions involving the eyes and this book stresses the psychological investigation of ophthalmological patients. The book is divided into five sections, in which are discussed the role of psychiatric factors in disease, general conditions involving the eyes and about which psychological factors are known, disturbances of function, and structure of the visual apparatus, ocular conditions without specific anatomical location, and the psychosomatic approach to treatment.

533 pages

88s. Postage 2s. 9d.

ENDOGENOUS UVEITIS

By A. C. Woods, M.D.

An exhaustive Study of endogenous uveitis. Emphasis is placed on fundamentals with subject matter arranged in the sequence in which the problems are met. The colour plates are of outstanding quality.

... highly recommended.

BRITISH JOURNAL OF OPHTHALMOLOGY

... we who have this book in our hands are fortunate. *BRITISH MEDICAL JOURNAL*

320 pages 42 coloured and 81 other illustrations 100s. Postage 2s. 9d.

CLINICAL NEURO-OPHTHALMOLOGY

By F. B. Walsh, M.D., D.Sc., F.R.C.S.

This book has been written on the basis that ophthalmologic diagnosis in other than 'pure' ophthalmologic cases, must be based on a general knowledge of disease processes and detailed knowledge regarding the ophthalmologic features of disease.

The many case reports throughout the text exemplify the variability of cases and serve to present the problems which arise in differential diagnosis.

... a source of usefulness and inspiration.

BRITISH JOURNAL OF OPHTHALMOLOGY

2nd Edition 1310 pages 34 tables 441 illustrations 231s. Postage 2s. 9d.

BAILLIÈRE, TINDALL & COX

7 & 8 HENRIETTA STREET · LONDON · WC2

TWO ITEMS FROM HAMBLIN'S STANDARD RANGE


Rotoid Spectacles

Design permits
fitting lenses
close to the eyes
in the usual
Rotoid position



Telescopic Spectacles

Bridge reinforced for
maintenance of optical
alignment.
Large pads, for even
distribution of weight.




Hamblin's Standard Range is already well known for its wide selection of fashionable, optically efficient frames, at prices well below their hand-made counterparts.

Rotoid and Telescopic spectacles, the optical elements of which demand frames not well suited to the more usual prescriptions, have hitherto fallen outside this range. Rationalization of design has permitted these two frames to be introduced into the Standard Range. They meet the basic optical requirements of Telescopic Spectacles and Rotoids respectively and will be found admirable for hospital patients.

THEODORE HAMBLIN LTD

15 Wigmore Street, London, W.1.



The advertisement features a central banner with the text "LINWOOD STRONG LIMITED" in a bold, serif font. Below the banner, the words "dispensing opticians" are written in a smaller, bold, sans-serif font. The background is filled with several pairs of eyeglasses, including pince-nez, round-rimmed, and rectangular styles, some with thick frames and others with thin frames. The glasses are arranged in a way that they appear to be floating or scattered around the central text.

LINWOOD STRONG
LIMITED

dispensing opticians

20 High Street,
Sutton, Surrey.
Telephone: VIGilant 2798.

45 Upper High Street,
Epsom, Surrey.
Telephone: EPSom 2300.

Connaught Buildings,
Chapel Road, Worthing.
Telephone: Worthing 5193.

57b London Road,
Brighton.
Telephone: Brighton 29425.



THE ELECTRONIC FLASH AFTER-IMAGE TEST

The Electronic Flash After-Image Test overcomes the major drawback encountered with all after-image instruments hitherto manufactured – maintenance of steady fixation by the patient.

With this apparatus only momentary fixation is necessary, for the electronic flash tube provides an ample stimulus to promote a strong after-image in most patients, irrespective of the degree of suppression.

Further, the fixation point being self-luminous the test can be carried out in darkness, to avoid occurrence of peripheral fusion.


CLEMENT CLARKE LTD.

INSTRUMENT DIVISION, 63 WIGMORE STREET, LONDON, W.1.

The Projection Focimeter


The introduction of Projection Focimeters represents a decided advance in the manufacture of lens measuring instruments. Hitherto, measurements had to be made monocularly with the operator's gaze directed into an eyepiece, in the same way as one uses a telescope or unioocular microscope. Constant lens checking in this manner can be very fatiguing and such fatigue undoubtedly causes errors of judgment, especially in the estimation of axis directions of low-powered cylinders.

In the Rolson Projection Focimeter, the telescope is replaced by a large screen, seen binocularly by the operator. Fatigue is largely eliminated and greater accuracy is ensured. Moreover, the large target image in this instrument, which can be still further magnified by the simple expedient of introducing an additional lens, is in itself an aid to more accurate measurement.



CLEMENT CLARKE LTD.

INSTRUMENT DIVISION, 63 WIGMORE STREET, LONDON, W.1.



'CURPAX'
NEW MAJOR SYNOPTISCOPE
(BRITISH AND FOREIGN PATENTS PENDING)

The latest model of the Major Synoptoscope has been designed to incorporate new features and in particular has been adapted to provide for the critical measurements of deviations whilst the patient observes targets projected into the distance.

This development has resulted from the research of Dr. A. Stanworth, Senior Lecturer in Ophthalmology at Manchester University, England, and reprints of Dr. Stanworth's paper giving clinical evaluations are available on request. A series of special slides has been designed for distance use. The instrument is first used with the eyepieces adapted to distance projection and the readings so taken make possible an assessment of the angle of squint and the use being made by the patient's binocular vision under normal viewing conditions.

It is of practical value in the detection of abnormal retinal correspondence in small angle squints and in patients in whom the cover test is difficult to interpret. The measurement of peripheral fusion (in small angle squints) and of fixation disparity in normal viewing conditions is brought within the range of normal clinical practice.

The special eyepieces with transparent prismatic reflectors can readily be replaced by the conventional mirror reflectors and exercises may be carried out in the usual manner.

The No. 10 Model Synoptoscope is of sturdy construction with large scales graduated in degrees of angle and in dioptries.

The Hyperphoria scale has a cylindrical magnifying device for precision reading.

Control of slow motion movements in the measurement of the ductions is provided, suitably engraved for easy reading.

The transformer is housed within the base of the instrument so that the cable can be connected directly with the house current and be controlled by a single switch, whilst two graduated rheostats vary the illumination to either tube.

Manual flashing studs are provided and an automatic flashing unit can be supplied. This is an electronic device that is quite silent in operation and can be fitted to the Synoptoscope table which has recesses for slides, etc.

There is an adjustment on each tube for cyclophoria readings and a further control provides for quick movement of the slides for additional hyperphoria or as alternative and improved action to the oscillating mirror.

The slide ejector is designed to permit the removal of slides with one hand.

The chin rest is raised and lowered by a geared control operated from the front of the base and the chin rest itself has a ratchet movement horizontally.

A vertical stem provides for a head rest if desired and also allows the attachment of a plastic breath shield and the Septum used with the transparent eye pieces for distance projection to avoid surface reflections.

The illumination is provided by special bulbs of 8V 1 amp, which give sufficient intensity for the after-image test of Bielchowski. A pair of metal slides having respectively a vertical slit and a horizontal slit being used alternately to obtain after retinal images to test the existence of false macular projection.

A comprehensive range of slides is available in the three grades for simultaneous macular perception, fusion and stereopsis.

CURRY & PAXTON, LTD.

Dispensing Opticians, Manufacturers of Ophthalmic Instruments

195-199, GREAT PORTLAND STREET
LONDON, W.1.

Telephones: LAngham 0123, 2873

INSTRUMENT DEPARTMENT,
120, ALBERT ST., PARKWAY, N.W.1

Telephone: GULliver 7939

PRINCIPAL BRANCHES — BATH, BRISTOL, CHIPPENHAM, CHISWICK, DERBY, GLASGOW,
LINCOLN, LOWESTOFT, NEW CROSS, NEWARK, NORWICH, NOTTINGHAM, RICHMOND, SCUNTHORPE,
SHEPHERDS BUSH, SOUTHPORT, WARRINGTON, WESTON-SUPER-MARE, WOOLWICH.

THE HAAG-STREIT TONOMETER


with adapter

is now available

for the CARL ZEISS slit lamp

Demonstrations
by
appointment


Slit lamp
booklet on
request from
sole British
agents



The Carl Zeiss Slit Lamp apparatus complete with camera attachment, Hruby lens etc., is now available for immediate delivery from stock.
Catalogue on request from

Degenhardt
AND COMPANY LIMITED


6 Cavendish Sq., London, W.1.
Tel: LAN 6097-8-9



Hamblin Purvis Streak Retinoscope

. for the rapid and accurate assessment of refractive errors. The brilliant streak of light projected simplifies the location of the axis of astigmatism; the streak clearly shows on the trial frame, whence the angle may be read. Controls for brightness, width and angle of the streak are within easy reach of the fingers.

Complete in case.



THEODORE HAMBLIN LTD

15 Wigmore Street, London, W.1.

GEORGE ODELL LTD.

DISPENSING OPTICIANS

A. H. ODELL, *Managing Director.*

M. ODELL, *Secretary.*

Members of the Guild of

British Dispensing Opticians

Makers of spectacles of a fine precision and of a standard worthy of the best work of British craftsmen—a very important but fast-dwindling section of the optical industry.

Frames are made and mounted to the individual measurements of each patient and both frame and lenses periodically checked during the course of production.

The finished spectacles are finally checked by a qualified dispensing optician and whenever possible, personally fitted on every patient.

**31, KING STREET,
ST. JAMES'S, S.W.1**
Whitehall 9987

**36, WELBECK STREET
W.1**
Welbeck 5320

W. CALLAGHAN & S. P. HOLLOWAY LTD.

ACCURATE & PROMPT DISPENSING

PERSONAL ATTENTION BY
THE PRINCIPALS


14A, HENRIETTA PLACE

(Corner of Welbeck Street)


LONDON · W.1

Telephone Welbeck 2703

NEW ITEMS



Alabama Suturing Forceps



Lambert's Chalazion Cyst Forceps

DOWN BROS. and MAYER & PHELPS Ltd.

CHURCH PATH,
MITCHAM, SURREY

32-34, NEW CAVENDISH STREET,
LONDON, W.1

70, GRENVILLE STREET,
TORONTO CANADA

Faithfully yours


PANKHURST & BARRETT LTD.

Dispensing Opticians


27, NEW CAVENDISH STREET, LONDON, W.1

250, IMPERIAL DRIVE, RAYNERS LANE, HARROW

The *Wrayflex* in OPHTHALMOLOGY for Photomicroscopy and Macrography



Illustrations show
the camera fitted
to a microscope
and attached
to copying
stand



Write for 16pp
Illustrated Brochure

WRAY (OPTICAL WORKS) LTD., BROMLEY, KENT

UNIVERSITY OF LONDON

INSTITUTE OF OPHTHALMOLOGY, JUDD STREET, LONDON, W.C.1

Associated with

MOORFIELDS EYE HOSPITAL

Qualified Medical Practitioners may enter the practice of the Moorfields Eye Hospital at any time, and are, on certain conditions, eligible for appointment as Clinical Assistants.

Systematic courses suitable for Diploma and Degree examinations begin in OCTOBER and MARCH of each year.

For further particulars apply to the Dean.

EXAMINATION OF PATHOLOGICAL OPHTHALMIC SPECIMENS.

The Department of Pathology of this Institute will examine and report on certain specimens sent by Ophthalmic Surgeons. Specimens sent from Hospitals for further examination should be sent through the particular Hospital Pathologist.

For particulars apply to the Director of the Department of Pathology.

ROYAL EYE HOSPITAL

ST. GEORGE'S CIRCUS, S.E.1

Telephone: WATERLOO 4477

The clinical practice of the Hospital is open to postgraduate students. There are over 1,450 admissions annually and large daily out-patient clinics.

Courses of advanced tuition are held for the hospital medical staff; other suitable students are admitted as numbers permit.

U.S.A.: The Lovelace Clinic, situated in the Southwest, is expanding its staff of 52 physicians. Applications for full-time appointment are invited from qualified specialists in the field of ophthalmology. Opportunities for research are available. Conditions of appointment and detailed information available from the Board of Governors, Lovelace Clinic, Albuquerque, New Mexico.

OPHTHALMIC LITERATURE

A Comprehensive Abstracting Service Covering Ophthalmic Journals and Articles of Ophthalmic Interest from all Countries of the World and Catering for Every Branch of Ophthalmology, Clinical and Scientific

SIX ISSUES AND INDEX YEARLY

ANNUAL SUBSCRIPTION £4 4s. 0d. POST FREE

COMBINED ANNUAL SUBSCRIPTION FOR BRITISH JOURNAL OF OPHTHALMOLOGY AND OPHTHALMIC LITERATURE £9 0s. 0d.

BRITISH MEDICAL ASSOCIATION

B.M.A. HOUSE, TAVISTOCK SQUARE, LONDON, W.C.1

DEVELOPMENTAL ABNORMALITIES OF THE EYE

By IDA MANN

C.B.E., M.A., D.Sc., M.B., B.S., F.R.C.S., F.R.A.C.S.

SECOND EDITION, REVISED AND ENLARGED

March, 1957. 419 pages. 284 illustrations, 68 in full colour.
90s. net (postage, 2s. inland, and overseas)

"A work which will be found to be indispensable to all practising ophthalmologists and sheds lustre on British ophthalmology."—BRITISH JOURNAL OF OPHTHALMOLOGY.

"A beautiful book, well written, exquisitely illustrated. This book is a classic. A copy should be owned by every ophthalmologist. Though primarily for a reference, it makes exceedingly interesting reading from cover to cover."—AMERICAN JOURNAL OF OPHTHALMOLOGY.


BRITISH MEDICAL ASSOCIATION

B.M.A. House, Tavistock Square, London, W.C.1


PHILADELPHIA - J. B. LIPPINCOTT COMPANY

Selection


From some of the
World's Finest Spectacleware



A delightful style from France



... dispensed
with the inherited
skill of 86 years
experience ...



... plus
attention
that is really
personal ...

... at

SPILLERS

GEORGE SPILLER,
Ltd.

41, WIGMORE ST., W.1

Tele.: WEL. 7471-2

Also at: 57, New Kings Road, Fulham, S.W.6.
457A, Finchley Road, N.W.3.

THE FIRST OPTICIAN
IN WIGMORE STREET.
ESTABLISHED 1873

Tele: REN 6995