

Supplementary Table 1. Sequence for forward and reverse primer sets used for real-time RT-PCR and real-time PCR

Amplification	Forward primer	Reverse primer
IE1 (spanning exon 3 to exon 4)	5'-CAACGAGAACCCCGAGAAA-3'	5'-CCATGTCCACTCGAACCTTAA-3'
IE2 (spanning exon 3 to exon 5)	5'-ACAAGTGACCGAGGATTGCAA-3'	5'-GCCTGGGCGAGGATGTC-3'
gB	5'-GGCGAGGACAACGAAATCC-3'	5'-TGAGGCTGGGAAGCTGACAT-3'
UL44	5'-TTTTCTCACCGAGGAACCTTTC-3'	5'-CCGCTGTTCCCGACGTAAT-3'
UL75	5'-TCCATATGCCTCGATGTCTTTT-3'	5'-GGTCAGATCTACCTGGTTCAGAAAC-3'
UL99	5'-CCACGACGGCTCCAAGAA-3'	5'-TCGGTTTCGGAGCCTTGTC-3'
G6PD	5'-TCTACCGCATCGACCACTACC-3'	5'-GCGATGTTGTCCCGGTTC-3'
beta-globin	5'-ACACAACCTGTGTTCACTAGC-3'	5'-CAACTTCATCCACGTTTACC-3'

Supplementary Figure 2. Uncropped blots showing experiments that appeared in Figure 2.

