

These congress proceedings will be a valuable reference book for those working or planning to work in the field of ophthalmic ultrasound. It points out in a refreshing manner some of the pitfalls associated with ultrasonic diagnosis in ophthalmology.

MARIE RESTORI AND DAVID MCLEOD

**Documenta Ophthalmologica Proceedings Series 40. 21st ISCEV Symposium, Budapest 1983. Pattern Electroretinogram, Circulatory Disturbances of the Visual System, and Pattern-Evoked Responses.** Eds. JOHN R HECKENLIVELY, G H M VAN LITH, T LAWWILL. Pp. 328. No price given. Junk: The Hague. 1984.

The 21st symposium of the International Society for Clinical Electrophysiology of Vision (ISCEV) was held in Budapest in 1983 on the 25th anniversary of the foundation of the society (originally known as ISCERG). This volume is introduced by a history of the society written by Professor Harold Henkes, who was president in 1973–83.

In recent years it has been the custom to select specific topics for discussion, and these are indicated in the title. The pattern electroretinogram (PERG) was described many years ago, but with the introduction of electrodes that do not degrade the retinal image it is becoming a valuable clinical method. Lawwill reviews the technique in his invited lecture, and this is essential reading for anyone interested in the topic. There are several other good contributions on this subject.

The second topic, on circulatory disturbances, is less useful. There is still interest in the oscillatory potentials, which will surely become clinically more useful as their origins are elucidated. The final topic is the pattern evoked response. This could be contracted to the acronym PER, but as there are at least 25 others confusion over this procedure exists even before its complexities are considered. It is already a valuable clinical investigation, but for many reasons its experimental promise has not been realised.

Visual electrophysiology is a difficult and not generally known subject. This report will not be of general interest, but, with its predecessors, it is an invaluable guide to the literature.

J H KELSEY

**Glaucoma Surgery.** By MAURICE H LUNTZ, RAYMOND HARRISON, HOWARD I SCHENKER. Pp. 149. £67.00. Williams and Wilkins: London. 1984.

In the early part of the 20th century the most successful glaucoma operation was that of iridectomy. Subsequent additions to the ophthalmologist's surgical repertoire have meant that in the late 20th century he has a bewildering array of operations to choose from when considering surgical control of this group of diseases. And no shortage of texts either. What the authors of this short text have done is to use their own considerable experience in glaucoma surgery to present us with 'an atlas approach' which they hope will act as a guide to the operations they use in the surgical management of the glaucomas. As the old adage concerning glaucoma surgery has it, 'the best glaucoma operation is the one which works in my hands.' This

reviewer looked with interest to see what operations were recommended by these authors.

The book is not entirely an atlas. It gives a historical review of the surgery of congenital glaucomas, fistulising surgery, and combined procedures. It outlines concepts of pathogenesis of congenital glaucomas and glaucoma in aphakia. It gives indications for fistulising surgery (which include ocular hypertensives more than 65 years old with an IOP >26 mmHg, an enlargement of the C/D ratio to 0.6 or 0.7 (at whatever the IOP?), and myopes with large saucer-shaped optic discs with IOPs >30 mmHg). In addition the section on congenital, infantile, and juvenile (CIJ) glaucomas is covered in greater depth than other glaucomas because of the 'paucity of available literature in these areas.'

The book is divided into two sections. Section 1 deals with the CIJ glaucomas and section 2 with adult glaucomas. In section 1 it is pointed out that these three types of glaucoma usually share a common developmental anomaly of the angle. The angle anomaly may be separated descriptively into mesodermal remnants (Barkan's membrane) and 'cicatrical' and iridocorneal dysgenesis. Although gonioscopic photographs well illustrate differences between the first two of these groups, this reviewer found the term 'cicatrical' difficult to understand in a primary glaucoma. The term suggests (postinflammatory) fibrosis, and, as the angle appearance suggests the formation of peripheral anterior synechiae, it might be clearer to call it trabeculodysgenesis. But this term has recently been suggested by Hoskins *et al.*<sup>1</sup> with a rather different meaning as to the final prognosis from that given by these authors.

In this section the authors state the importance of equating IOP readings obtained under anaesthesia with the clinical features. This is important, because they use halothane anaesthesia and schiøtz tonometry rather than ketamine and applanation tonometry as used elsewhere. They describe their operations for trabeculectomy well but dismiss goniotomy in only eight lines, for they do not use this operation.

Section 2 deals with adult-onset glaucomas. In this section the authors rely on their experience as justification for a described procedure usually without informing us of the insights or trials which led to its adoption. This is particularly important when they have to decide between using the trabeculectomy, Scheie's operation, subscleral Scheie, etc. The authors still find iridocyclotraction to be helpful despite reports to the contrary. They describe only intracapsular cataract extraction combined with trabeculectomy rather than extracapsular extraction and apparently do not insert intraocular lenses in these cases.

The book offers an atlas approach to glaucoma surgery. The reader must say to himself, 'These authors are experienced and this experience is their justification for performing the operations they recommend? Reader must provide their own answer to whether a particular operation is required for their own surgical repertoire. If it is, then they must ask, 'Can I perform operations X or Y after reading the description in this book?' For a number of the operations described the answer is a definite yes. The descriptions of trabeculotomy, trabeculectomy, iridectomy, subscleral Scheie, and combined intracapsular cataract extraction with trabeculectomy are good. Other operations are described

sufficiently to give partial confidence to the would-be surgeon. For surgeons requiring these descriptions this book succeeds in its aim.

ROGER A HITCHINGS

#### Reference

- 1 Hoskins DB, Shaffer R, Hetherington J. Anatomical classification of the developmental glaucomas. *Arch Ophthalmol* 1984; **102**: 1331-6.

## Notes

### European Ophthalmic Pathology Society

The 24th annual meeting was held in Basel, Switzerland, on 28-31 May 1985. Twenty-nine members and six guests were present including the guest of honour, Professor W C Frayer, representing the Verhoeff Society. The following cases were presented: W C Frayer (USA): Tyrosinase-positive albinism. A Tarkkanen (Finland): CHARGE association. B Daicker (Switzerland): Palpebral, orbital, and ocular anomalies in arhinencephalic syndrome. E Landolt (Switzerland): Eye in Marfan's syndrome, and lens exfoliation syndrome (original case of Vogt). D de Wolff-Rouendaal (Netherlands, guest): A severe case of Rieger's syndrome. M Vogel (FRG): Wegener's granulomatosis. A Garner (UK): Alveolar soft part sarcoma of the orbit. E Balestrazzi (Italy): Rhabdomyosarcoma of the orbit. G O H Naumann (FRG): Primary malignant melanoma of the orbit in congenital oculo-orbital-meningeal melanocytosis. O A Jensen (Denmark): Primary malignant melanoma of the orbit. W R Lee (UK): Merkel cell tumours of the eyelid. A Nover (FRG): Papillary transitional cell carcinoma of the lacrimal drainage system. A Brini (France): Oncocytoma of the caruncle. H Offret (France): Localised conjunctival amyloidosis. R Haddad (Austria): Fibre granuloma of the conjunctiva. M Quintana (Spain): Bilateral lymphoid hyperplasia of the conjunctiva. G Goder (GDR): Mesenchymal tumour of the limbal conjunctiva. O Litricin (Yugoslavia): Keratoacanthoma of the conjunctiva. M Filipic (Australia, guest): Abnormal collagen fibril structure in corneal deposits after treatment with indomethacin. R Barry (UK): Acanthamoebic keratitis. F Weber (Switzerland): Early changes in Reis-Bucklers' dystrophy. F Stefani (FRG): Pigmented cells on the anterior vitreous surface and zonules. R W Lyness (UK, guest): Senile degeneration of

extraocular muscle. P Donders (Netherlands): Ring melanoma of the iris in a boy of 17. M Hanssens (Belgium): Failed photocoagulation of a choroidal malignant melanoma. A Hamburg (Netherlands): Sympathetic ophthalmitis and necrotic melanotic tumour in a pseudophakic eye. J Mullaney (Ireland): Pseudophacoanaphylactic endophthalmitis-? PMMA related. J Prause (Denmark): Unexpected intraocular eosinophilia. O E Schnaudigel (FRG, guest): Retinal necrosis in AIDS. K Arnesen (Norway): Bilateral retinoblastoma in monozygotic twins. E Kock (Sweden): Diffuse retinoblastoma in a 15-year-old boy diagnosed by vitrectomy. Z Latkovic (Yugoslavia): Diffuse infiltrating ocular tumour in a child. W Manschot (Netherlands): An exceptional case of pseudoretinoblastoma. E Muneura (Spain, guest): Congenital toxoplasmosis. P Naeser (Sweden, guest): Optic nerve involvement in a case of methanol poisoning. The meeting was organised by Professor B Daicker, and Professor A Tarkkanen presided.

### Panhellenic congress

The 19th Panhellenic Congress of Ophthalmology will be held at Thessaloniki on 29-31 May 1986. The main topics are corneal surgery, laser surgery of the anterior segments of the eye, and contact lenses. Further information from: Ophthalmological Society of Northern Greece, POB 10497, 54110 Thessaloniki, Greece.

### Colour vision deficiencies

The 2nd Regional Symposium of the International Research Group on Colour Vision Deficiencies (IRGCV) will be held on 25-27 September 1986 in Deutsches Hygiene-Museum der DDR in Dresden, German Democratic Republic. Themes will include normal colour vision, examination methods, congenital defects, acquired defects, and practical aspects, and there will be free papers. Details from Professor E Marré, Klinik für Augenheilkunde der Medizinischen Akademie, GDR-8019 Dresden, Fetscherstraße 74, German Democratic Republic.

### British Contact Lens Association

The new president of this association, Mr Keith Edwards, will give the presidential address at the Royal Society of Medicine on 19 September 1985. The title is 'The gas man cometh.'



## Glaucoma Surgery

Roger A Hitchings

*Br J Ophthalmol* 1985 69: 715-716

doi: 10.1136/bjo.69.9.715-a

---

Updated information and services can be found at:

<http://bjo.bmj.com/content/69/9/715.2.citation>

---

### Email alerting service

*These include:*

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

---

### Notes

---

To request permissions go to:

<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:

<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:

<http://group.bmj.com/subscribe/>